

Codebook for raw data - Cognition

intro_101s1 Respondent IW Introduction 1 Yes, difficulty in hearing

type: numeric (byte)
label: dad_vl15
range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 9/4,096

tabulation:	Freq.	Numeric	Label
	2,979	0	0 No
	1,102	1	1 Yes
	6	.	.
	2	.d	.d
	7	.r	.r

intro_101s2 Respondent IW Introduction 2 Yes, difficulty in seeing

type: numeric (byte)
label: dad_vl16
range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 9/4,096

tabulation:	Freq.	Numeric	Label
	2,395	0	0 No
	1,686	1	1 Yes
	6	.	.
	2	.d	.d
	7	.r	.r

intro_101s3 Respondent IW Introduction 3 None

type: numeric (byte)
label: dad_vl17
range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 9/4,096

tabulation:	Freq.	Numeric	Label
	2,107	0	0 No
	1,974	1	1 Yes
	6	.	.
	2	.d	.d
	7	.r	.r

cogval_101b rating sleep quality

type: numeric (byte)
label: dad_vl555
range: [1,5] units: 1
unique values: 5 missing .: 1,595/4,096
unique mv codes: 3 missing .*: 11/4,096

tabulation:	Freq.	Numeric	Label
	176	1	1 Very good
	1,080	2	2 Good

```

        666      3 3 Average
        487      4 4 Poor
         81      5 5 Very poor
1,595      .
         4      .d
         7      .r

```

cogval_101c

rating current memory

```

        type: numeric (byte)
        label: dad_v1556

        range: [1,5]                units: 1
        unique values: 5            missing .: 1,595/4,096
        unique mv codes: 3          missing .*: 19/4,096

```

```

tabulation: Freq.  Numeric  Label
            95       1      1 Very good
            781      2      2 Good
           1,012     3      3 Average
            515      4      4 Poor
             79      5      5 Very poor
           1,595     .
              8     .d
              11     .r

```

cogval_101d

Compared to two years ago, memory is

```

        type: numeric (byte)
        label: dad_v1557

        range: [1,3]                units: 1
        unique values: 3            missing .: 1,595/4,096
        unique mv codes: 3          missing .*: 18/4,096

```

```

tabulation: Freq.  Numeric  Label
            94       1      1 Better now
           1,087     2      2 About the same
           1,302     3      3 Worse now than it was then
           1,595     .
              8     .d
              10     .r

```

cogval_101e

rating of other mental abilities

```

        type: numeric (byte)
        label: dad_v1558, but 1 nonmissing value is not labeled

        range: [0,5]                units: 1
        unique values: 6            missing .: 1,595/4,096
        unique mv codes: 3          missing .*: 25/4,096

```

```

tabulation: Freq.  Numeric  Label
            245      0
             55      1      1 Very good
            726      2      2 Good
            919      3      3 Average
            474      4      4 Poor
             57      5      5 Very poor
           1,595     .
             16     .d
              9     .r

```

cogval_101f Compared to two years ago, other mental abilities are

type: numeric (byte)
label: dad_v1559

range: [1,3] units: 1
unique values: 3 missing .: 1,595/4,096
unique mv codes: 3 missing .*: 23/4,096

tabulation: Freq. Numeric Label
130 1 1 Better now
1,182 2 2 About the same
1,166 3 3 Worse now than it was then
1,595 .
13 .d
10 .r

mmse102_year CORRECT YEAR

type: numeric (byte)
label: dad_v124, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 900/4,096

tabulation: Freq. Numeric Label
1,815 1 1 Correct
935 5 5 Error
440 97
6 .
867 .d
33 .r

mmse103_season CURRENT SEASON OF THE YEAR--CORRECT

type: numeric (byte)
label: dad_v127, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 255/4,096

tabulation: Freq. Numeric Label
3,402 1 1 Correct
365 5 5 Error
68 97
6 .
235 .d
20 .r

mmse104_date DATE CORRECT

type: numeric (byte)
label: dad_v1136, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 617/4,096

```

tabulation: Freq.  Numeric  Label
            2,487      1      1 Correct
            760       5      5 Error
            226      97
            6         .
            589      .d
            28       .r

```

mmse105_day

CURRENT DAY OF THE WEEK--CORRECT

```

type: numeric (byte)
label: dad_vl140, but 1 nonmissing value is not labeled

range: [1,97]          units: 1
unique values: 3      missing .: 6/4,096
unique mv codes: 3    missing .*: 176/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,302      1      1 Correct
            477       5      5 Error
            135      97
            6         .
            150      .d
            26       .r

```

mmse106_month

CURRENT MONTH--CORRECT

```

type: numeric (byte)
label: dad_vl144, but 1 nonmissing value is not labeled

range: [1,97]          units: 1
unique values: 3      missing .: 6/4,096
unique mv codes: 3    missing .*: 417/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,968      1      1 Correct
            545       5      5 Error
            160      97
            6         .
            389      .d
            28       .r

```

mmse107_state

CURRENT STATE R IN IS--CORRECT

```

type: numeric (byte)
label: dad_vl146, but 1 nonmissing value is not labeled

range: [1,97]          units: 1
unique values: 3      missing .: 6/4,096
unique mv codes: 3    missing .*: 632/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,413      1      1 Correct
            819       5      5 Error
            226      97
            6         .
            607      .d
            25       .r

```

mmse108_city

CURRENT CITY/VILLAGE--CORRECT

```

-----
type: numeric (byte)
label: dad_vl150, but 1 nonmissing value is not labeled

range: [1,97]                units: 1
unique values: 3              missing .: 6/4,096
unique mv codes: 3            missing .*: 96/4,096

```

```

tabulation: Freq.  Numeric  Label
             3,840      1      1 Correct
             105        5      5 Error
             49         97
             6          .
             75         .d
             21         .r

```

```

-----
mmse109_floor                                CURRENT FLOOR OF BLDG R IS ON
-----

```

```

type: numeric (byte)
label: dad_vl151, but 3 nonmissing values are not labeled

range: [0,97]                units: 1
unique values: 5              missing .: 3,781/4,096
unique mv codes: 3            missing .*: 34/4,096

```

```

tabulation: Freq.  Numeric  Label
             52        0
             182       1      1 Correct
             1         2
             34        5      5 Error
             12        97
             3,781     .
             33        .d
             1         .r

```

```

-----
mmse109_floor_home                          CURRENT FLOOR--CORRECT -- CHANGED TO WHAT IS PLACE USED FOR
-----

```

```

type: numeric (byte)
label: dad_vl152, but 1 nonmissing value is not labeled

range: [1,97]                units: 1
unique values: 3              missing .: 321/4,096
unique mv codes: 3            missing .*: 83/4,096

```

```

tabulation: Freq.  Numeric  Label
             3,483      1      1 Correct
             153        5      5 Error
             56         97
             321        .
             62         .d
             21         .r

```

```

-----
mmse110_name_home                           CURRENT ADDRESS--CORRECT -- CHANGED TO DISTRICT
-----

```

```

type: numeric (byte)
label: dad_vl637, but 1 nonmissing value is not labeled

range: [1,97]                units: 1
unique values: 3              missing .: 321/4,096
unique mv codes: 3            missing .*: 353/4,096

```



```

type: numeric (byte)

range: [0,4] units: 1
unique values: 5 missing .: 3,393/4,096
unique mv codes: 3 missing .*: 8/4,096

```

```

tabulation: Freq. Value
             402  0
             219  1
             57  2
             16  3
              1  4
            3,393 .
              6  .d
              2  .r

```

mmse112_trial2

TRIAL 2

```

type: numeric (byte)

range: [0,3] units: 1
unique values: 4 missing .: 3,393/4,096
unique mv codes: 3 missing .*: 8/4,096

```

```

tabulation: Freq. Value
             27  0
             37  1
            162  2
            469  3
            3,393 .
              6  .d
              2  .r

```

mmse112_incorrect2

MMSE112 INCORRECT2

```

type: numeric (byte)

range: [0,3] units: 1
unique values: 4 missing .: 3,870/4,096
unique mv codes: 2 missing .*: 2/4,096

```

```

tabulation: Freq. Value
            117  0
             81  1
             21  2
              5  3
            3,870 .
              2  .d

```

mmse112_trial3

TRIAL 3

```

type: numeric (byte)

range: [0,3] units: 1
unique values: 4 missing .: 3,870/4,096
unique mv codes: 3 missing .*: 7/4,096

```

```

tabulation: Freq. Value
            20  0
            23  1
            90  2

```


86 3
3,870 .
5 .d
2 .r

mmse112_incorrect3

MMSE112 INCORRECT3

type: numeric (byte)
range: [0,3] units: 1
unique values: 4 missing .: 3,963/4,096
unique mv codes: 2 missing .*: 2/4,096

tabulation: Freq. Value
65 0
46 1
18 2
2 3
3,963 .
2 .r

mmse112_ntrials

NUMBER OF MMSE112 TRIALS (0-3)

type: numeric (byte)
range: [1,3] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 2 missing .*: 69/4,096

tabulation: Freq. Value
3,326 1
476 2
219 3
6 .
69 .e

mmse113_corrbackwards_1_

LIST Backwards

type: numeric (byte)
label: dad_vl187
range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 469/4,096

tabulation: Freq. Numeric Label
3,215 1 1 sunday
215 2 2 saturday
28 3 3 friday
4 4 4 thursday
8 5 5 wednesday
13 6 6 tuesday
138 7 7 monday
6 .
192 .d
128 .e
149 .r

mmse113_corrbackwards_2_

LIST Backwards

```

    type: numeric (byte)
    label: dad_vl188

    range: [1,7]                units: 1
    unique values: 7            missing .: 6/4,096
    unique mv codes: 4          missing .*: 430/4,096

```

```

tabulation: Freq.  Numeric  Label
             57         1    1  sunday
             2,823     2    2  saturday
             226       3    3  friday
             30        4    4  thursday
             23        5    5  wednesday
             162       6    6  tuesday
             339       7    7  monday
             6         .
             207       .d
             71        .e
             152       .r

```

mmse113_corrbackwards_3_

LIST Backwards

```

    type: numeric (byte)
    label: dad_vl189

    range: [1,7]                units: 1
    unique values: 7            missing .: 6/4,096
    unique mv codes: 4          missing .*: 485/4,096

```

```

tabulation: Freq.  Numeric  Label
             61         1    1  sunday
             50         2    2  saturday
             2,604     3    3  friday
             229       4    4  thursday
             175       5    5  wednesday
             347       6    6  tuesday
             139       7    7  monday
             6         .
             221       .d
             107       .e
             157       .r

```

mmse113_corrbackwards_4_

LIST Backwards

```

    type: numeric (byte)
    label: dad_vl190

    range: [1,7]                units: 1
    unique values: 7            missing .: 6/4,096
    unique mv codes: 4          missing .*: 533/4,096

```

```

tabulation: Freq.  Numeric  Label
             32         1    1  sunday
             69         2    2  saturday
             62         3    3  friday
             2,602     4    4  thursday
             539       5    5  wednesday
             163       6    6  tuesday
             90        7    7  monday
             6         .
             232       .d
             140       .e
             161       .r

```

mmse113_corrbackwards_5_

LIST Backwards

type: numeric (byte)
label: dad_vl191
range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 590/4,096

tabulation:	Freq.	Numeric	Label
	37	1	1 sunday
	51	2	2 saturday
	207	3	3 friday
	377	4	4 thursday
	2,473	5	5 wednesday
	299	6	6 tuesday
	56	7	7 monday
	6	.	.
	248	.d	.d
	179	.e	.e
	163	.r	.r

mmse113_corrbackwards_6_

LIST Backwards

type: numeric (byte)
label: dad_vl192
range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 653/4,096

tabulation:	Freq.	Numeric	Label
	39	1	1 sunday
	223	2	2 saturday
	318	3	3 friday
	183	4	4 thursday
	134	5	5 wednesday
	2,296	6	6 tuesday
	244	7	7 monday
	6	.	.
	265	.d	.d
	223	.e	.e
	165	.r	.r

mmse113_corrbackwards_7_

LIST Backwards

type: numeric (byte)
label: dad_vl193
range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 788/4,096

tabulation:	Freq.	Numeric	Label
	331	1	1 sunday
	306	2	2 saturday
	148	3	3 friday
	96	4	4 thursday
	60	5	5 wednesday
	81	6	6 tuesday
	2,280	7	7 monday
	6	.	.

285 .d
336 .e
167 .r

mmse113_corrforwards_1_

LIST FORWARD

type: numeric (byte)
label: dad_vl178

range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 223/4,096

tabulation: Freq. Numeric Label
3,651 1 1 sunday
170 2 2 monday
10 3 3 tuesday
5 4 4 wednesday
2 5 5 thursday
14 6 6 friday
15 7 7 saturday
6 .
68 .d
95 .e
60 .r

mmse113_corrforwards_2_

LIST FORWARD

type: numeric (byte)
label: dad_vl179

range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 156/4,096

tabulation: Freq. Numeric Label
13 1 1 sunday
3,666 2 2 monday
180 3 3 tuesday
17 4 4 wednesday
7 5 5 thursday
15 6 6 friday
36 7 7 saturday
6 .
65 .d
32 .e
59 .r

mmse113_corrforwards_3_

LIST FORWARD

type: numeric (byte)
label: dad_vl180

range: [1,7] units: 1
unique values: 7 missing .: 6/4,096
unique mv codes: 4 missing .*: 167/4,096

tabulation: Freq. Numeric Label
16 1 1 sunday
26 2 2 monday
3,637 3 3 tuesday
185 4 4 wednesday

```

22      5  5 thursday
22      6  6 friday
15      7  7 saturday
6       .
67      .d
41      .e
59      .r

```

```

mmssel13_corrforwards_4_                                LIST FORWARD

```

```

      type: numeric (byte)
      label: dad_vl181

      range: [1,7]                                units: 1
unique values: 7                                missing .: 6/4,096
unique mv codes: 4                            missing .*: 178/4,096

```

```

tabulation: Freq.  Numeric  Label
             8         1  1 sunday
             15        2  2 monday
             24        3  3 tuesday
           3,613       4  4 wednesday
             214       5  5 thursday
             33        6  6 friday
              5        7  7 saturday
              6         .
             71        .d
             48        .e
             59        .r

```

```

mmssel13_corrforwards_5_                                LIST FORWARD

```

```

      type: numeric (byte)
      label: dad_vl182

      range: [1,7]                                units: 1
unique values: 7                                missing .: 6/4,096
unique mv codes: 4                            missing .*: 205/4,096

```

```

tabulation: Freq.  Numeric  Label
             12         1  1 sunday
             11         2  2 monday
             16         3  3 tuesday
             43         4  4 wednesday
           3,565       5  5 thursday
             209       6  6 friday
             29        7  7 saturday
              6         .
             74        .d
             71        .e
             60        .r

```

```

mmssel13_corrforwards_6_                                LIST FORWARD

```

```

      type: numeric (byte)
      label: dad_vl183

      range: [1,7]                                units: 1
unique values: 7                                missing .: 6/4,096
unique mv codes: 4                            missing .*: 225/4,096

```

```

tabulation: Freq.  Numeric  Label

```

```

      18      1 1 sunday
      14      2 2 monday
      18      3 3 tuesday
      16      4 4 wednesday
      32      5 5 thursday
3,553      6 6 friday
      214     7 7 saturday
       6      .
       78     .d
       85     .e
       62     .r

```

mmse113_corrforwards_7_

LIST FORWARD

```

      type: numeric (byte)
      label: dad_v1184

      range: [1,7]                units: 1
unique values: 7                missing .: 6/4,096
unique mv codes: 4             missing .*: 295/4,096

```

```

tabulation: Freq.  Numeric  Label
            166      1 1 sunday
             19      2 2 monday
             14      3 3 tuesday
              7      4 4 wednesday
             19      5 5 thursday
             30      6 6 friday
          3,540     7 7 saturday
              6      .
             86     .d
            145     .e
             64     .r

```

mmse114_delayed

MMSE114 Delayed

```

      type: numeric (byte)

      range: [0,97]                units: 1
unique values: 5                missing .: 6/4,096
unique mv codes: 3             missing .*: 184/4,096

```

```

tabulation: Freq.  Value
            417    0
            644    1
          1,222    2
          1,620    3
              3    97
              6    .
            129   .d
             55   .r

```

mmse114_incorrect

MMSE114 Incorrect

```

      type: numeric (byte)

      range: [0,3]                units: 1
unique values: 4                missing .: 1,813/4,096
unique mv codes: 3             missing .*: 21/4,096

```

```

tabulation: Freq.  Value
          1,559    0

```

508 1
144 2
51 3
1,813 .
17 .d
4 .r

mmse115_watch

WATCH ID--CORRECT

type: numeric (byte)
label: dad_vl155, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 54/4,096

tabulation:	Freq.	Numeric	Label
	3,939	1	1 Correct
	68	5	5 Error
	29	97	
	6	.	
	21	.d	
	33	.r	

mmse115_pencil

PENCIL IDENTIFICATION--CORRECT

type: numeric (byte)
label: dad_vl157, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 51/4,096

tabulation:	Freq.	Numeric	Label
	3,409	1	1 Correct
	601	5	5 Error
	29	97	
	6	.	
	17	.d	
	34	.r	

mmse116_repeat

REPEAT

type: numeric (byte)
label: dad_vl158, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 91/4,096

tabulation:	Freq.	Numeric	Label
	3,515	1	1 Correct
	418	5	5 Error
	66	97	
	6	.	
	40	.d	
	51	.r	

mmse117

can respondent Read and Write

```

type: numeric (byte)
label: dad_v1632

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 6/4,096
missing .*: 35/4,096

```

```

tabulation: Freq.   Numeric   Label
            1,736         1     1 Yes
            2,319         5     5 No
              6           .
              5           .d
             30           .r

```

mmse117_read

READ

```

type: string (str3)

unique values: 8
missing "": 2,360/4,096

```

```

tabulation: Freq.   Value
            2,360     ""
              1     ".d"
              6     ".r"
            528     "1"
            657     "1-2"
            424     "2"
              77     "2-1"
              35     "5"
              8     "97"

```

mmse117_reads1

READ 1 Correct; Respondent closed eyes

```

type: numeric (byte)
label: dad_v1159

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2,360/4,096
missing .*: 7/4,096

```

```

tabulation: Freq.   Numeric   Label
            467         0     0 No
            1,262        1     1 Yes
            2,360         .
              1           .d
              6           .r

```

mmse117_reads2

READ 2 Correct, Respondent read the phrase aloud

```

type: numeric (byte)
label: dad_v1160

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2,360/4,096
missing .*: 7/4,096

```

```

tabulation: Freq.   Numeric   Label
            571         0     0 No
            1,158        1     1 Yes
            2,360         .
              1           .d
              6           .r

```

mmse117_reads5

READ 5 (Error_) Error or Omission

type: numeric (byte)
label: dad_v1161

range: [0,1] units: 1
unique values: 2 missing .: 2,360/4,096
unique mv codes: 3 missing .*: 7/4,096

tabulation: Freq. Numeric Label
1,694 0 0 No
35 1 1 Yes
2,360 .
1 .d
6 .r

mmse117_copy

COPY

type: numeric (byte)
label: dad_v1633

range: [1,5] units: 1
unique values: 2 missing .: 1,742/4,096
unique mv codes: 3 missing .*: 84/4,096

tabulation: Freq. Numeric Label
1,898 1 1 R closed eyes
372 5 5 R did not close eyes
1,742 .
24 .d
60 .r

mmse118_hand

HANDEDNESS

type: numeric (byte)
label: dad_v1163, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 55/4,096

tabulation: Freq. Numeric Label
3,469 1 1 Correct
517 5 5 Error
49 97
6 .
14 .d
41 .r

mmse118_folds

FOLDS PAPER

type: numeric (byte)
label: dad_v1164, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 6/4,096
unique mv codes: 3 missing .*: 58/4,096

tabulation: Freq. Numeric Label

```

3,307      1  1 Correct
  659      5  5 Error
   66      97
   6        .
   17      .d
   41      .r

```

mmse118_back

GIVES PAPER BACK

```

type: numeric (byte)
label: dad_vl165, but 1 nonmissing value is not labeled

range: [1,97]          units: 1
unique values: 3        missing .: 6/4,096
unique mv codes: 3      missing .*: 50/4,096

```

```

tabulation: Freq.  Numeric  Label
3,588      1  1 Correct
  351      5  5 Error
   101     97
   6        .
   11      .d
   39      .r

```

mmse119_write

WRITE COMPLETE SENTENCE

```

type: numeric (byte)
label: dad_vl166, but 1 nonmissing value is not labeled

range: [1,97]          units: 1
unique values: 4        missing .: 2,360/4,096
unique mv codes: 3      missing .*: 36/4,096

```

```

tabulation: Freq.  Numeric  Label
1,145      1  1 Correct
  422      2  2 Correct, Writes full name
  111      5  5 Error or Omission
   22     97
2,360      .
   11      .d
   25      .r

```

mmse119_say

Respondent says the sentence

```

type: numeric (byte)
label: dad_vl634

range: [1,5]          units: 1
unique values: 2        missing .: 1,742/4,096
unique mv codes: 3      missing .*: 94/4,096

```

```

tabulation: Freq.  Numeric  Label
1,912      1  1 R said one full sentence
  348      5  5 R could not say a full
                sentence
1,742      .
   55      .d
   39      .r

```

mmse120_draw

COPY DRAWING

```

type: numeric (byte)
label: dad_v1167

range: [1,97]                units: 1
unique values: 3              missing .: 6/4,096
unique mv codes: 3            missing .*: 159/4,096

```

```

tabulation: Freq.  Numeric  Label
3,571      1          1 Drew the figure
           5          5 Did not draw the figure
           97         97 Not Assessed
           6          .
           18         .d
           141        .r

```

hs001

Pentagon overlaps

```

type: numeric (byte)
label: drawing_label

range: [1,2]                units: 1
unique values: 2              missing .: 0/4,096
unique mv codes: 3            missing .*: 327/4,096

```

```

tabulation: Freq.  Numeric  Label
           919       1 Drew correctly
2,850      2          2 Did not draw
           26         .b
           249       .m
           52         .x

```

hs002

Pentagon - 5 angles preserved

```

type: numeric (byte)
label: drawing_label

range: [1,2]                units: 1
unique values: 2              missing .: 0/4,096
unique mv codes: 3            missing .*: 327/4,096

```

```

tabulation: Freq.  Numeric  Label
1,049      1          1 Drew correctly
2,720      2          2 Did not draw
           26         .b
           249       .m
           52         .x

```

ht102_scissors

Cut paper

```

type: numeric (byte)
label: dad_v19

range: [1,5]                units: 1
unique values: 2              missing .: 7/4,096
unique mv codes: 3            missing .*: 94/4,096

```

```

tabulation: Freq.  Numeric  Label
3,408      1          1 Scissors or shears only
           587       5          5 Not Correct
           7          .
           63         .d

```

ht103_coconut

NAME COCONUT

```

-----
      type: numeric (byte)
      label: dad_vl10

      range: [1,5]                units: 1
      unique values: 2            missing .: 7/4,096
      unique mv codes: 3          missing .*: 352/4,096

      tabulation: Freq.  Numeric  Label
                  2,305      1    1 Coconut
                  1,432      5    5 Incorrect
                   7         .
                  304       .d
                   48       .r
-----

```

ht104_pm

Current Prime Minister

```

-----
      type: numeric (byte)
      label: dad_vl11

      range: [1,5]                units: 1
      unique values: 2            missing .: 7/4,096
      unique mv codes: 3          missing .*: 850/4,096

      tabulation: Freq.  Numeric  Label
                  2,494      1    1 Last name (MODI) correct
                   745      5    5 Incorrect
                   7         .
                   799      .d
                   51       .r
-----

```

wr102a

WORD RECALL 1

```

-----
      type: string (str19)

      unique values: 1,494          missing "": 6/4,096

      examples: "1-5-9"
                "10-8-5"
                "5-8-10"
                "9-10-1-7-11"
-----

```

wr102as1

WORD RECALL 1 1 Butter

```

-----
      type: numeric (byte)
      label: dad_vl29

      range: [0,1]                units: 1
      unique values: 2            missing .: 6/4,096
      unique mv codes: 3          missing .*: 98/4,096

      tabulation: Freq.  Numeric  Label
                  2,331      0    0 No
                  1,661      1    1 Yes
                   6         .
                   17       .d
                   81       .r
-----

```

wr102as2

WORD RECALL 1 2 Arm

```
type: numeric (byte)
label: dad_vl30

range: [0,1]                units: 1
unique values: 2            missing .: 6/4,096
unique mv codes: 3         missing .*: 98/4,096

tabulation: Freq.  Numeric  Label
             3,162      0    0 No
             830       1    1 Yes
             6         .
             17        .d
             81        .r
```

wr102as3

WORD RECALL 1 3 Corner

```
type: numeric (byte)
label: dad_vl31

range: [0,1]                units: 1
unique values: 2            missing .: 6/4,096
unique mv codes: 3         missing .*: 98/4,096

tabulation: Freq.  Numeric  Label
             3,281      0    0 No
             711       1    1 Yes
             6         .
             17        .d
             81        .r
```

wr102as4

WORD RECALL 1 4 Letter

```
type: numeric (byte)
label: dad_vl32

range: [0,1]                units: 1
unique values: 2            missing .: 6/4,096
unique mv codes: 3         missing .*: 98/4,096

tabulation: Freq.  Numeric  Label
             3,605      0    0 No
             387       1    1 Yes
             6         .
             17        .d
             81        .r
```

wr102as5

WORD RECALL 1 5 Queen

```
type: numeric (byte)
label: dad_vl33

range: [0,1]                units: 1
unique values: 2            missing .: 6/4,096
unique mv codes: 3         missing .*: 98/4,096

tabulation: Freq.  Numeric  Label
             3,298      0    0 No
```

694 1 1 Yes
6 .
17 .d
81 .r

wr102as6

WORD RECALL 1 6 Book

type: numeric (byte)
label: dad_vl34

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation: Freq. Numeric Label
3,423 0 0 No
569 1 1 Yes
6 .
17 .d
81 .r

wr102as7

WORD RECALL 1 7 Stick

type: numeric (byte)
label: dad_vl35

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation: Freq. Numeric Label
2,717 0 0 No
1,275 1 1 Yes
6 .
17 .d
81 .r

wr102as8

WORD RECALL 1 8 Ticket

type: numeric (byte)
label: dad_vl36

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation: Freq. Numeric Label
3,356 0 0 No
636 1 1 Yes
6 .
17 .d
81 .r

wr102as9

WORD RECALL 1 9 Grass

type: numeric (byte)
label: dad_vl37

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096

unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	1,827	0	0 No
	2,165	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102as10

WORD RECALL 1 10 Stone

type: numeric (byte)
label: dad_v138

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	1,872	0	0 No
	2,120	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102as11

WORD RECALL 1 11 Mango

type: numeric (byte)
label: dad_v139

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	3,851	0	0 No
	141	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102as12

WORD RECALL 1 12 Chair

type: numeric (byte)
label: dad_v140

range: [0,1] units: 1
unique values: 2 missing .: 6/4,096
unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	3,892	0	0 No
	100	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102as13

WORD RECALL 1 13 Coin

type: numeric (byte)

label: dad_vl41

range: [0,1] units: 1

unique values: 2 missing .: 6/4,096

unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	3,941	0	0 No
	51	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102as97

WORD RECALL 1 97 No words remembered

type: numeric (byte)

label: dad_vl42

range: [0,1] units: 1

unique values: 2 missing .: 6/4,096

unique mv codes: 3 missing .*: 98/4,096

tabulation:	Freq.	Numeric	Label
	3,523	0	0 No
	469	1	1 Yes
	6	.	.
	17	.d	.d
	81	.r	.r

wr102_incorrect

NUMBER OF INCORRECT ANSWERS GIVEN

type: numeric (byte)

range: [0,10] units: 1

unique values: 9 missing .: 7/4,096

unique mv codes: 3 missing .*: 64/4,096

tabulation:	Freq.	Value
	3,018	0
	756	1
	168	2
	49	3
	20	4
	7	5
	2	6
	3	7
	2	10
	7	.
	10	.d
	54	.r

wr103a

Trial List 2 Recall

type: string (str21)

unique values: 2,856 missing "": 7/4,096

examples: "1-7"

"2-1-4-9-6-8"

"6-2-10-5"

"8-9-2"

wr103as1

Trial List 2 Recall 1 Butter

type: numeric (byte)
label: dad_vl196

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
1,809 0 0 No
2,174 1 1 Yes
7 .
15 .d
91 .r

wr103as2

Trial List 2 Recall 2 Arm

type: numeric (byte)
label: dad_vl197

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
2,690 0 0 No
1,293 1 1 Yes
7 .
15 .d
91 .r

wr103as3

Trial List 2 Recall 3 Corner

type: numeric (byte)
label: dad_vl198

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
2,587 0 0 No
1,396 1 1 Yes
7 .
15 .d
91 .r

wr103as4

Trial List 2 Recall 4 Letter

type: numeric (byte)
label: dad_vl199

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
2,867 0 0 No
1,116 1 1 Yes

7 .
15 .d
91 .r

wr103as5

Trial List 2 Recall 5 Queen

type: numeric (byte)
label: dad_vl200

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
2,548 0 0 No
1,435 1 1 Yes
7 .
15 .d
91 .r

wr103as6

Trial List 2 Recall 6 Book

type: numeric (byte)
label: dad_vl201

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
2,803 0 0 No
1,180 1 1 Yes
7 .
15 .d
91 .r

wr103as7

Trial List 2 Recall 7 Stick

type: numeric (byte)
label: dad_vl202

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

tabulation: Freq. Numeric Label
1,767 0 0 No
2,216 1 1 Yes
7 .
15 .d
91 .r

wr103as8

Trial List 2 Recall 8 Ticket

type: numeric (byte)
label: dad_vl203

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 106/4,096

```

tabulation: Freq.   Numeric   Label
            2,858       0       0 No
            1,125       1       1 Yes
              7         .
              15        .d
              91        .r

```

wr103as9

Trial List 2 Recall 9 Grass

```

type: numeric (byte)
label: dad_vl204

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 7/4,096
missing .*: 106/4,096

```

```

tabulation: Freq.   Numeric   Label
            1,479       0       0 No
            2,504       1       1 Yes
              7         .
              15        .d
              91        .r

```

wr103as10

Trial List 2 Recall 10 Stone

```

type: numeric (byte)
label: dad_vl205

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 7/4,096
missing .*: 106/4,096

```

```

tabulation: Freq.   Numeric   Label
            1,968       0       0 No
            2,015       1       1 Yes
              7         .
              15        .d
              91        .r

```

wr103as11

Trial List 2 Recall 11 Mango

```

type: numeric (byte)
label: dad_vl206

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 7/4,096
missing .*: 106/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,929       0       0 No
              54         1       1 Yes
              7         .
              15        .d
              91        .r

```

wr103as12

Trial List 2 Recall 12 Chair

```

type: numeric (byte)
label: dad_vl207

```

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 106/4,096

tabulation:	Freq.	Numeric	Label
	3,907	0	0 No
	76	1	1 Yes
	7	.	.
	15	.d	.d
	91	.r	.r

 wr103as13

Trial List 2 Recall 13 Coin

type: numeric (byte)
 label: dad_vl208

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 106/4,096

tabulation:	Freq.	Numeric	Label
	3,951	0	0 No
	32	1	1 Yes
	7	.	.
	15	.d	.d
	91	.r	.r

 wr103as97

Trial List 2 Recall 97 No words remembered

type: numeric (byte)
 label: dad_vl209

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 106/4,096

tabulation:	Freq.	Numeric	Label
	3,689	0	0 No
	294	1	1 Yes
	7	.	.
	15	.d	.d
	91	.r	.r

 wr103_incorrect

NUMBER OF INCORRECT ANSWERS GIVEN

type: numeric (byte)

range: [0,10] units: 1
 unique values: 9 missing .: 7/4,096
 unique mv codes: 3 missing .*: 77/4,096

tabulation:	Freq.	Value
	3,130	0
	680	1
	155	2
	33	3
	6	4
	4	5
	1	6
	2	7
	1	10

7 .
9 .d
68 .r

wr104a

Trial List 3 Recall

type: string (str22)
unique values: 3,241 missing "": 7/4,096
examples: "1-7-2-10"
 "2-9-4-1-6"
 "5-2-8-10-4"
 "7-9-3-2-1-10"

wr104as1

Trial List 3 Recall 1 Butter

type: numeric (byte)
label: dad_v1217
range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096
tabulation: Freq. Numeric Label
 1,458 0 0 No
 2,501 1 1 Yes
 7 .
 14 .d
 116 .r

wr104as2

Trial List 3 Recall 2 Arm

type: numeric (byte)
label: dad_v1218
range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096
tabulation: Freq. Numeric Label
 2,340 0 0 No
 1,619 1 1 Yes
 7 .
 14 .d
 116 .r

wr104as3

Trial List 3 Recall 3 Corner

type: numeric (byte)
label: dad_v1219
range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096
tabulation: Freq. Numeric Label
 2,195 0 0 No
 1,764 1 1 Yes
 7 .

14 .d
116 .r

wr104as4

Trial List 3 Recall 4 Letter

type: numeric (byte)
label: dad_v1220

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation: Freq. Numeric Label
2,441 0 0 No
1,518 1 1 Yes
7 .
14 .d
116 .r

wr104as5

Trial List 3 Recall 5 Queen

type: numeric (byte)
label: dad_v1221

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation: Freq. Numeric Label
2,032 0 0 No
1,927 1 1 Yes
7 .
14 .d
116 .r

wr104as6

Trial List 3 Recall 6 Book

type: numeric (byte)
label: dad_v1222

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation: Freq. Numeric Label
2,604 0 0 No
1,355 1 1 Yes
7 .
14 .d
116 .r

wr104as7

Trial List 3 Recall 7 Stick

type: numeric (byte)
label: dad_v1223

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

```

tabulation: Freq.  Numeric  Label
            2,000      0  0 No
            1,959      1  1 Yes
             7         .
             14        .d
            116        .r

```

wr104as8

Trial List 3 Recall 8 Ticket

```

type: numeric (byte)
label: dad_vl224

range: [0,1]          units: 1
unique values: 2      missing .: 7/4,096
unique mv codes: 3    missing .*: 130/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,221      0  0 No
            1,738      1  1 Yes
             7         .
             14        .d
            116        .r

```

wr104as9

Trial List 3 Recall 9 Grass

```

type: numeric (byte)
label: dad_vl225

range: [0,1]          units: 1
unique values: 2      missing .: 7/4,096
unique mv codes: 3    missing .*: 130/4,096

```

```

tabulation: Freq.  Numeric  Label
            1,639      0  0 No
            2,320      1  1 Yes
             7         .
             14        .d
            116        .r

```

wr104as10

Trial List 3 Recall 10 Stone

```

type: numeric (byte)
label: dad_vl226

range: [0,1]          units: 1
unique values: 2      missing .: 7/4,096
unique mv codes: 3    missing .*: 130/4,096

```

```

tabulation: Freq.  Numeric  Label
            1,765      0  0 No
            2,194      1  1 Yes
             7         .
             14        .d
            116        .r

```

wr104as11

Trial List 3 Recall 11 Mango

```

type: numeric (byte)
label: dad_vl227

```

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation:	Freq.	Numeric	Label
	3,913	0	0 No
	46	1	1 Yes
	7	.	.
	14	.d	.d
	116	.r	.r

wr104as12

Trial List 3 Recall 12 Chair

type: numeric (byte)
label: dad_v1228

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation:	Freq.	Numeric	Label
	3,903	0	0 No
	56	1	1 Yes
	7	.	.
	14	.d	.d
	116	.r	.r

wr104as13

Trial List 3 Recall 13 Coin

type: numeric (byte)
label: dad_v1229

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation:	Freq.	Numeric	Label
	3,927	0	0 No
	32	1	1 Yes
	7	.	.
	14	.d	.d
	116	.r	.r

wr104as97

Trial List 3 Recall 97 No words remembered

type: numeric (byte)
label: dad_v1230

range: [0,1] units: 1
unique values: 2 missing .: 7/4,096
unique mv codes: 3 missing .*: 130/4,096

tabulation:	Freq.	Numeric	Label
	3,697	0	0 No
	262	1	1 Yes
	7	.	.
	14	.d	.d
	116	.r	.r

wr104_incorrect

NUMBER OF INCORRECT ANSWERS GIVEN

```

type: numeric (byte)
range: [0,10]
unique values: 9
unique mv codes: 3
units: 1
missing .: 7/4,096
missing .*: 93/4,096

```

```

tabulation: Freq. Value
3,218 0
591 1
139 2
32 3
8 4
3 5
3 6
1 9
1 10
7 .
8 .d
85 .r

```

wr105

WR ADMINISTRATION ISSUES

```

type: string (str7)
unique values: 27
examples: "0"
           "0"
           "0"
           "0"
missing "": 7/4,096

```

wr105s1

WR ADMINISTRATION ISSUES 1 An interruption occurred during administration of Lis

```

type: numeric (byte)
label: dad_v1238
range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 7/4,096
missing .*: 54/4,096

```

```

tabulation: Freq. Numeric Label
3,890      0 0 No
145       1 1 Yes
7         .
7         .d
47       .r

```

wr105s2

WR ADMINISTRATION ISSUES 2 An interruption occurred during administration of Lis

```

type: numeric (byte)
label: dad_v1239
range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 7/4,096
missing .*: 54/4,096

```

```

tabulation: Freq. Numeric Label
3,940      0 0 No
95       1 1 Yes
7         .
7         .d

```

 wr105s3 WR ADMINISTRATION ISSUES 3 An interruption occurred during administration of Lis

type: numeric (byte)
 label: dad_v1240

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 54/4,096

tabulation:	Freq.	Numeric	Label
	3,934	0	0 No
	101	1	1 Yes
	7	.	.
	7	.d	.d
	47	.r	.r

 wr105s4 WR ADMINISTRATION ISSUES 4 Respondent had difficulty hearing the words

type: numeric (byte)
 label: dad_v1241

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 54/4,096

tabulation:	Freq.	Numeric	Label
	3,851	0	0 No
	184	1	1 Yes
	7	.	.
	7	.d	.d
	47	.r	.r

 wr105s0 WR ADMINISTRATION ISSUES 0 No issues occurred

type: numeric (byte)
 label: dad_v1242

range: [0,1] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 54/4,096

tabulation:	Freq.	Numeric	Label
	358	0	0 No
	3,677	1	1 Yes
	7	.	.
	7	.d	.d
	47	.r	.r

 ds001 Digits repeated in forward order

type: numeric (byte)
 label: dad_v1944

range: [1,5] units: 1
 unique values: 2 missing .: 7/4,096
 unique mv codes: 3 missing .*: 214/4,096

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

```

1,081      1  1 Yes
2,794      5  5 No
      7      .
      46     .d
      168    .r

```

ds002

Digits in Backward order

```

type: numeric (byte)
label: dad_v1945

range: [1,5]          units: 1
unique values: 2      missing .: 8/4,096
unique mv codes: 3    missing .*: 275/4,096

```

```

tabulation: Freq.  Numeric  Label
1,147      1  1 Yes
2,666      5  5 No
      8      .
      75     .d
      200    .r

```

scl_intro

SYMBOL CANCELLATION INTRO

```

type: numeric (byte)
label: dad_v160, but 1 nonmissing value is not labeled

range: [0,6]          units: 1
unique values: 4      missing .: 8/4,096
unique mv codes: 3    missing .*: 212/4,096

```

```

tabulation: Freq.  Numeric  Label
166         0
3,416       1  1 Continue with task
51          5  5 Physical limitation on hands
243         6  6 Visual limitation
      8      .
      33     .d
      179    .r

```

scl

NUMBER OF COMPLETED CIRCLES

```

type: string (str2)

unique values: 16      missing "": 2,829/4,096

```

```

tabulation: Freq.  Value
2,829      ""
      6      ".d"
      11     ".r"
      2      "0"
      3      "1"
      1     "10"
      1     "11"
      1     "13"
      1     "19"
      1     "25"
      1      "3"
      1     "30"
      1      "4"
      1     "44"
      1     "47"

```

1 "50"
1,234 "60"

sc001

Phase 1

type: numeric (int)
range: [-999,58] units: 1
unique values: 45 missing .: 2,513/4,096
mean: 4.81364
std. dev: 62.5615
percentiles: 10% 25% 50% 75% 90%
0 0 6 13 22

sc002

Phase 1 wrong

type: numeric (int)
range: [-999,26] units: 1
unique values: 23 missing .: 2,513/4,096
mean: -2.07328
std. dev: 61.5826
percentiles: 10% 25% 50% 75% 90%
0 0 0 2 6

scl_correct

correctly circled

type: numeric (int)
range: [0,120] units: 1
unique values: 44 missing .: 1,618/4,096
unique mv codes: 3 missing .*: 117/4,096
mean: 8.49598
std. dev: 8.038
percentiles: 10% 25% 50% 75% 90%
0 2 7 12 19

scl_incorrect

incorrectly circled

type: numeric (byte)
range: [0,27] units: 1
unique values: 26 missing .: 1,618/4,096
unique mv codes: 3 missing .*: 116/4,096
mean: 2.45174
std. dev: 3.64237
percentiles: 10% 25% 50% 75% 90%
0 0 1 4 7

dr100

DELAYED RECALL

type: string (str25)
unique values: 2,284 missing "": 9/4,096
examples: "1-5-7-9"
 "11-9"
 "5-8-1-7-9-10"
 "97"

dr100s1

DELAYED RECALL 1 Butter

type: numeric (byte)
label: dad_vl261
range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096
tabulation: Freq. Numeric Label
 1,998 0 0 No
 1,967 1 1 Yes
 9 .
 25 .d
 97 .r

dr100s2

DELAYED RECALL 2 Arm

type: numeric (byte)
label: dad_vl262
range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096
tabulation: Freq. Numeric Label
 2,672 0 0 No
 1,293 1 1 Yes
 9 .
 25 .d
 97 .r

dr100s3

DELAYED RECALL 3 Corner

type: numeric (byte)
label: dad_vl263
range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096
tabulation: Freq. Numeric Label
 2,811 0 0 No
 1,154 1 1 Yes
 9 .
 25 .d
 97 .r

dr100s4

DELAYED RECALL 4 Letter

```

    type: numeric (byte)
    label: dad_v1264

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 9/4,096
    missing .*: 122/4,096

```

```

    tabulation: Freq.   Numeric   Label
                3,475       0       0 No
                490        1       1 Yes
                 9         .
                25         .d
                97         .r

```

dr100s5 DELAYED RECALL 5 Queen

```

    type: numeric (byte)
    label: dad_v1265

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 9/4,096
    missing .*: 122/4,096

```

```

    tabulation: Freq.   Numeric   Label
                2,847       0       0 No
                1,118       1       1 Yes
                 9         .
                25         .d
                97         .r

```

dr100s6 DELAYED RECALL 6 Book

```

    type: numeric (byte)
    label: dad_v1266

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 9/4,096
    missing .*: 122/4,096

```

```

    tabulation: Freq.   Numeric   Label
                2,986       0       0 No
                 979        1       1 Yes
                 9         .
                25         .d
                97         .r

```

dr100s7 DELAYED RECALL 7 Stick

```

    type: numeric (byte)
    label: dad_v1267

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 9/4,096
    missing .*: 122/4,096

```

```

    tabulation: Freq.   Numeric   Label
                2,587       0       0 No
                1,378       1       1 Yes
                 9         .
                25         .d
                97         .r

```

dr100s8

DELAYED RECALL 8 Ticket

type: numeric (byte)
label: dad_vl268

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation:	Freq.	Numeric	Label
	3,230	0	0 No
	735	1	1 Yes
	9	.	.
	25	.d	.d
	97	.r	.r

dr100s9

DELAYED RECALL 9 Grass

type: numeric (byte)
label: dad_vl269

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation:	Freq.	Numeric	Label
	2,156	0	0 No
	1,809	1	1 Yes
	9	.	.
	25	.d	.d
	97	.r	.r

dr100s10

DELAYED RECALL 10 Stone

type: numeric (byte)
label: dad_vl270

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation:	Freq.	Numeric	Label
	2,422	0	0 No
	1,543	1	1 Yes
	9	.	.
	25	.d	.d
	97	.r	.r

dr100s11

DELAYED RECALL 11 Mango

type: numeric (byte)
label: dad_vl271

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation:	Freq.	Numeric	Label
	3,658	0	0 No
	307	1	1 Yes

9 .
25 .d
97 .r

dr100s12

DELAYED RECALL 12 Chair

type: numeric (byte)
label: dad_v1272

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation: Freq. Numeric Label
3,706 0 0 No
259 1 1 Yes
9 .
25 .d
97 .r

dr100s13

DELAYED RECALL 13 Coin

type: numeric (byte)
label: dad_v1273

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation: Freq. Numeric Label
3,853 0 0 No
112 1 1 Yes
9 .
25 .d
97 .r

dr100s97

DELAYED RECALL 97 No words remembered

type: numeric (byte)
label: dad_v1274

range: [0,1] units: 1
unique values: 2 missing .: 9/4,096
unique mv codes: 3 missing .*: 122/4,096

tabulation: Freq. Numeric Label
3,127 0 0 No
838 1 1 Yes
9 .
25 .d
97 .r

dr100_incorrect

NUMBER OF INCORRECT ANSWERS GIVEN

type: numeric (byte)

range: [0,10] units: 1
unique values: 11 missing .: 9/4,096
unique mv codes: 3 missing .*: 86/4,096


```

tabulation: Freq. Value
            2,891 0
             722 1
             233 2
              87 3
              40 4
              17 5
               1 6
               4 7
               1 8
               2 9
               3 10
               9 .
              14 .d
              72 .r

```

wre_100

Temple

```

type: numeric (byte)
label: dad_v170

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 244/4,096

```

```

tabulation: Freq. Numeric Label
            612         1 1 Yes
           3,229         5 5 No
              11         .
              88         .d
             156         .r

```

wre_101

Tea

```

type: numeric (byte)
label: dad_v171

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 238/4,096

```

```

tabulation: Freq. Numeric Label
            610         1 1 Yes
           3,237         5 5 No
              11         .
              84         .d
             154         .r

```

wre_102

Butter

```

type: numeric (byte)
label: dad_v172

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 228/4,096

```

```

tabulation: Freq. Numeric Label
            3,565         1 1 Yes
             292         5 5 No
              11         .
              73         .d

```

155 .r

wre_103

Key

type: numeric (byte)
label: dad_v173

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 242/4,096

tabulation: Freq. Numeric Label
747 1 1 Yes
3,096 5 5 No
11 .
86 .d
156 .r

wre_104

Arm

type: numeric (byte)
label: dad_v174

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 240/4,096

tabulation: Freq. Numeric Label
3,146 1 1 Yes
699 5 5 No
11 .
84 .d
156 .r

wre_105

Corner

type: numeric (byte)
label: dad_v175

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 241/4,096

tabulation: Freq. Numeric Label
3,140 1 1 Yes
704 5 5 No
11 .
84 .d
157 .r

wre_106

Five

type: numeric (byte)
label: dad_v176

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 241/4,096

tabulation: Freq. Numeric Label

```
1,402      1  1 Yes
2,442      5  5 No
   11      .
   84      .d
   157     .r
```

wre_107

Letter

```
type: numeric (byte)
label: dad_v177

range: [1,5]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 242/4,096
```

```
tabulation: Freq.  Numeric  Label
            3,008      1  1 Yes
            835       5  5 No
            11        .
            85        .d
            157       .r
```

wre_108

Hotel

```
type: numeric (byte)
label: dad_v1357

range: [1,5]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 250/4,096
```

```
tabulation: Freq.  Numeric  Label
            666       1  1 Yes
            3,169     5  5 No
            11        .
            93        .d
            157       .r
```

wre_109

Mountain

```
type: numeric (byte)
label: dad_v1358

range: [1,5]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 248/4,096
```

```
tabulation: Freq.  Numeric  Label
            627       1  1 Yes
            3,210     5  5 No
            11        .
            90        .d
            158       .r
```

wre_110

Queen

```
type: numeric (byte)
label: dad_v1359

range: [1,5]          units: 1
```



```

    type: numeric (byte)
    label: dad_v1363

    range: [1,5]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3         missing .*: 255/4,096

```

```

    tabulation: Freq.  Numeric  Label
                1,272      1     1 Yes
                2,558      5     5 No
                 11         .
                 93         .d
                162         .r

```

wre_115 String

```

    type: numeric (byte)
    label: dad_v1364

    range: [1,5]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3         missing .*: 255/4,096

```

```

    tabulation: Freq.  Numeric  Label
                517       1     1 Yes
               3,313      5     5 No
                 11         .
                 93         .d
                162         .r

```

wre_116 Ticket

```

    type: numeric (byte)
    label: dad_v1365

    range: [1,5]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3         missing .*: 248/4,096

```

```

    tabulation: Freq.  Numeric  Label
                3,079      1     1 Yes
                 758       5     5 No
                 11         .
                 85         .d
                163         .r

```

wre_117 Troops

```

    type: numeric (byte)
    label: dad_v1366

    range: [1,5]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3         missing .*: 251/4,096

```

```

    tabulation: Freq.  Numeric  Label
                562       1     1 Yes
               3,272      5     5 No
                 11         .
                 89         .d
                162         .r

```

wre_118

Grass

```

type: numeric (byte)
label: dad_vl655

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 246/4,096

tabulation: Freq. Numeric Label
3,409 1 1 Yes
430 5 5 No
11 .
82 .d
164 .r

```

wre_119

Stone

```

type: numeric (byte)
label: dad_vl656

range: [1,5] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 241/4,096

tabulation: Freq. Numeric Label
3,472 1 1 Yes
372 5 5 No
11 .
78 .d
163 .r

```

wre_yes_correct

Number Correct Yes Responses

```

type: numeric (byte)

range: [1,10] units: 1
unique values: 10 missing .: 11/4,096
unique mv codes: 2 missing .*: 246/4,096

tabulation: Freq. Value
37 1
37 2
56 3
71 4
147 5
200 6
344 7
592 8
915 9
1,440 10
11 .
246 .e

```

wre_no_correct

Number Correct No Responses

```

type: numeric (byte)

range: [1,10] units: 1
unique values: 10 missing .: 11/4,096

```

unique mv codes: 2 missing .*: 367/4,096

tabulation:	Freq.	Value
	71	1
	63	2
	90	3
	109	4
	123	5
	206	6
	282	7
	450	8
	793	9
	1,531	10
	11	.
	367	.e

bm_1 BM1 - Recall of Story Points

type: string (str35)

unique values: 2,641 missing "": 11/4,096

examples: "1-102-4-10-7-8-9-103"
 "1-2-4-3-5-6-7"
 "101-102-3-104-7-105"
 "2-6-7-5-101"

bm_1s1 BM1 - Recall of Story Points 1 Three children

type: numeric (byte)
label: dad_v1283

range: [0,1] units: 1

unique values: 2 missing .: 11/4,096

unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	1,333	0	0 No
	2,519	1	1 Yes
	11	.	.
	29	.d	.d
	16	.e	.e
	188	.r	.r

bm_1s2 BM1 - Recall of Story Points 2 alone at home

type: numeric (byte)
label: dad_v1284

range: [0,1] units: 1

unique values: 2 missing .: 11/4,096

unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,066	0	0 No
	786	1	1 Yes
	11	.	.
	29	.d	.d
	16	.e	.e
	188	.r	.r

bm_1s3

BM1 - Recall of Story Points 3 House caught on fire

type: numeric (byte)
label: dad_v1285

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation: Freq. Numeric Label
1,691 0 0 No
2,161 1 1 Yes
11 .
29 .d
16 .e
188 .r

bm_1s4

BM1 - Recall of Story Points 4 Brave man

type: numeric (byte)
label: dad_v1286

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation: Freq. Numeric Label
3,046 0 0 No
806 1 1 Yes
11 .
29 .d
16 .e
188 .r

bm_1s5

BM1 - Recall of Story Points 5 Climbed

type: numeric (byte)
label: dad_v1287

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation: Freq. Numeric Label
3,202 0 0 No
650 1 1 Yes
11 .
29 .d
16 .e
188 .r

bm_1s6

BM1 - Recall of Story Points 6 back window

type: numeric (byte)
label: dad_v1288

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation: Freq. Numeric Label


```

2,843      0 0 No
1,009      1 1 Yes
  11       .
  29       .d
  16       .e
  188      .r

```

bm_1s7

BM1 - Recall of Story Points 7 carry to safety

```

type: numeric (byte)
label: dad_vl289

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 4    missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric  Label
2,838      0 0 No
1,014      1 1 Yes
  11       .
  29       .d
  16       .e
  188      .r

```

bm_1s8

BM1 - Recall of Story Points 8 Minor cuts

```

type: numeric (byte)
label: dad_vl290

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 4    missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric  Label
2,998      0 0 No
  854      1 1 Yes
  11       .
  29       .d
  16       .e
  188      .r

```

bm_1s9

BM1 - Recall of Story Points 9 bruises

```

type: numeric (byte)
label: dad_vl291

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 4    missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric  Label
3,144      0 0 No
  708      1 1 Yes
  11       .
  29       .d
  16       .e
  188      .r

```

bm_1s10

BM1 - Recall of Story Points 10 all were well

```

type: numeric (byte)
label: dad_v1292

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 11/4,096
missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,283     0      0 No
            569      1      1 Yes
            11       .
            29       .d
            16       .e
            188     .r

```

bm_1s101 BM1 - Recall of Story Points 101 Three children

```

type: numeric (byte)
label: dad_v1293

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 11/4,096
missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,276     0      0 No
            576      1      1 Yes
            11       .
            29       .d
            16       .e
            188     .r

```

bm_1s102 BM1 - Recall of Story Points 102 alone at home

```

type: numeric (byte)
label: dad_v1294

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 11/4,096
missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric   Label
            2,814     0      0 No
            1,038     1      1 Yes
            11       .
            29       .d
            16       .e
            188     .r

```

bm_1s103 BM1 - Recall of Story Points 103 House caught on fire

```

type: numeric (byte)
label: dad_v1295

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 11/4,096
missing .*: 233/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,006     0      0 No
            846      1      1 Yes
            11       .

```

29 .d
16 .e
188 .r

bm_1s104

BM1 - Recall of Story Points 104 Brave man

type: numeric (byte)
label: dad_v1296

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	2,358	0	0 No
	1,494	1	1 Yes
	11	.	.
	29	.d	.d
	16	.e	.e
	188	.r	.r

bm_1s105

BM1 - Recall of Story Points 105 Climbed

type: numeric (byte)
label: dad_v1297

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,400	0	0 No
	452	1	1 Yes
	11	.	.
	29	.d	.d
	16	.e	.e
	188	.r	.r

bm_1s106

BM1 - Recall of Story Points 106 back window

type: numeric (byte)
label: dad_v1298

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,057	0	0 No
	795	1	1 Yes
	11	.	.
	29	.d	.d
	16	.e	.e
	188	.r	.r

bm_1s107

BM1 - Recall of Story Points 107 carry to safety

type: numeric (byte)
label: dad_v1299

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	2,669	0	0 No
	1,183	1	1 Yes
	11	.	
	29	.d	
	16	.e	
	188	.r	

bm_1s108

BM1 - Recall of Story Points 108 Minor cuts

type: numeric (byte)
label: dad_v1300

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,358	0	0 No
	494	1	1 Yes
	11	.	
	29	.d	
	16	.e	
	188	.r	

bm_1s109

BM1 - Recall of Story Points 109 bruises

type: numeric (byte)
label: dad_v1301

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,695	0	0 No
	157	1	1 Yes
	11	.	
	29	.d	
	16	.e	
	188	.r	

bm_1s110

BM1 - Recall of Story Points 110 all were well

type: numeric (byte)
label: dad_v1302

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation:	Freq.	Numeric	Label
	3,437	0	0 No
	415	1	1 Yes
	11	.	
	29	.d	
	16	.e	
	188	.r	

bm_1s97

BM1 - Recall of Story Points 97 R cannot remember the story

type: numeric (byte)
label: dad_v1303

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 4 missing .*: 233/4,096

tabulation: Freq. Numeric Label
3,489 0 0 No
363 1 1 Yes
11 .
29 .d
16 .e
188 .r

lmlb_1

LM1B - Recall of Story Points

type: string (str66)

unique values: 2,642 missing "": 198/4,096

examples: "10-113-24-23"
"18-17-22-120-124"
"4-10-109"
"97"

lmlb_1s1

LM1B - Recall of Story Points 1 Manju

type: numeric (byte)
label: dad_v1305

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,070 0 0 No
696 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s2

LM1B - Recall of Story Points 2 Rani

type: numeric (byte)
label: dad_v1306

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
2,797 0 0 No
969 1 1 Yes
198 .
35 .d

11 .e
86 .r

lmlb_1s3

LM1B - Recall of Story Points 3 From East

type: numeric (byte)
label: dad_v1307

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,254 0 0 No
512 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s4

LM1B - Recall of Story Points 4 Delhi

type: numeric (byte)
label: dad_v1308

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
2,632 0 0 No
1,134 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s5

LM1B - Recall of Story Points 5 employed

type: numeric (byte)
label: dad_v1309

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,231 0 0 No
535 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s6

LM1B - Recall of Story Points 6 as a cook

type: numeric (byte)
label: dad_v1310

range: [0,1] units: 1

unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,096	0	0 No
	670	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s7

LM1B - Recall of Story Points 7 in a school

type: numeric (byte)
label: dad_v1311

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,402	0	0 No
	364	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s8

LM1B - Recall of Story Points 8 canteen

type: numeric (byte)
label: dad_v1312

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,445	0	0 No
	321	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s9

LM1B - Recall of Story Points 9 reported

type: numeric (byte)
label: dad_v1313

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,173	0	0 No
	593	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s10

LM1B - Recall of Story Points 10 at the police

```
type: numeric (byte)
label: dad_vl314

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

tabulation: Freq. Numeric Label
2,779      0 0 No
  987      1 1 Yes
  198      .
   35      .d
   11      .e
   86      .r
```

lmlb_1s11

LM1B - Recall of Story Points 11 station

```
type: numeric (byte)
label: dad_vl315

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,155      0 0 No
  611      1 1 Yes
  198      .
   35      .d
   11      .e
   86      .r
```

lmlb_1s12

LM1B - Recall of Story Points 12 that she had been held up

```
type: numeric (byte)
label: dad_vl316

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,670      0 0 No
   96      1 1 Yes
  198      .
   35      .d
   11      .e
   86      .r
```

lmlb_1s13

LM1B - Recall of Story Points 13 at Ramnagar Junction

```
type: numeric (byte)
label: dad_vl317

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096
```



```

tabulation: Freq.   Numeric   Label
            3,643       0    0 No
            123        1    1 Yes
            198        .
            35         .d
            11         .e
            86         .r

```

lmlb_1s14

LM1B - Recall of Story Points 14 the night before

```

type: numeric (byte)
label: dad_vl318

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4         missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,724       0    0 No
            42         1    1 Yes
            198        .
            35         .d
            11         .e
            86         .r

```

lmlb_1s15

LM1B - Recall of Story Points 15 and robbed

```

type: numeric (byte)
label: dad_vl319

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4         missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
            2,903       0    0 No
            863        1    1 Yes
            198        .
            35         .d
            11         .e
            86         .r

```

lmlb_1s16

LM1B - Recall of Story Points 16 of two hundred and fifty rupees.

```

type: numeric (byte)
label: dad_vl320

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4         missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
            2,955       0    0 No
            811        1    1 Yes
            198        .
            35         .d
            11         .e
            86         .r

```

lmlb_1s17

LM1B - Recall of Story Points 17 She had four

```

type: numeric (byte)
label: dad_v1321

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,092      0      0 No
674        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s18

LM1B - Recall of Story Points 18 small children

```

type: numeric (byte)
label: dad_v1322

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
2,878      0      0 No
888        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s19

LM1B - Recall of Story Points 19 the rent was due

```

type: numeric (byte)
label: dad_v1323

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,545      0      0 No
221        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s20

LM1B - Recall of Story Points 20 and they had not eaten

```

type: numeric (byte)
label: dad_v1324

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,383      0      0 No
383        1      1 Yes

```

198 .
35 .d
11 .e
86 .r

lmlb_1s21 LM1B - Recall of Story Points 21 for two days.

type: numeric (byte)
label: dad_vl325

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,615 0 0 No
151 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s22 LM1B - Recall of Story Points 22 The police,

type: numeric (byte)
label: dad_vl326

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
2,488 0 0 No
1,278 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s23 LM1B - Recall of Story Points 23 touched by the womans story

type: numeric (byte)
label: dad_vl327

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,218 0 0 No
548 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s24 LM1B - Recall of Story Points 24 took up a collection

type: numeric (byte)
label: dad_vl328

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	2,793	0	0 No
	973	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s25

LM1B - Recall of Story Points 25 for her

type: numeric (byte)
label: dad_vl329

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,166	0	0 No
	600	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s101

LM1B - Recall of Story Points 101 Manju

type: numeric (byte)
label: dad_vl330

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,505	0	0 No
	261	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s102

LM1B - Recall of Story Points 102 Rani

type: numeric (byte)
label: dad_vl331

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,589	0	0 No
	177	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e

 lmlb_1s103 LM1B - Recall of Story Points 103 From East

type: numeric (byte)
 label: dad_v1332

range: [0,1] units: 1
 unique values: 2 missing .: 198/4,096
 unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,714	0	0 No
	52	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

 lmlb_1s104 LM1B - Recall of Story Points 104 Delhi

type: numeric (byte)
 label: dad_v1333

range: [0,1] units: 1
 unique values: 2 missing .: 198/4,096
 unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,720	0	0 No
	46	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

 lmlb_1s105 LM1B - Recall of Story Points 105 employed

type: numeric (byte)
 label: dad_v1334

range: [0,1] units: 1
 unique values: 2 missing .: 198/4,096
 unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,525	0	0 No
	241	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

 lmlb_1s106 LM1B - Recall of Story Points 106 as a cook

type: numeric (byte)
 label: dad_v1335

range: [0,1] units: 1
 unique values: 2 missing .: 198/4,096

unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,567	0	0 No
	199	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s107

LM1B - Recall of Story Points 107 in a school

type: numeric (byte)
label: dad_v1336

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,693	0	0 No
	73	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s108

LM1B - Recall of Story Points 108 canteen

type: numeric (byte)
label: dad_v1337

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,670	0	0 No
	96	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s109

LM1B - Recall of Story Points 109 reported

type: numeric (byte)
label: dad_v1338

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,613	0	0 No
	153	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s110

LM1B - Recall of Story Points 110 at the police

```

type: numeric (byte)
label: dad_vl339

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4          missing .*: 132/4,096

tabulation: Freq.  Numeric  Label
            3,653    0      0 No
            113     1      1 Yes
            198     .
            35     .d
            11     .e
            86     .r

```

lmlb_1s111

LM1B - Recall of Story Points 111 station

```

type: numeric (byte)
label: dad_vl340

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4          missing .*: 132/4,096

tabulation: Freq.  Numeric  Label
            3,731    0      0 No
            35     1      1 Yes
            198     .
            35     .d
            11     .e
            86     .r

```

lmlb_1s112

LM1B - Recall of Story Points 112 that she had been held up

```

type: numeric (byte)
label: dad_vl341

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4          missing .*: 132/4,096

tabulation: Freq.  Numeric  Label
            3,705    0      0 No
            61     1      1 Yes
            198     .
            35     .d
            11     .e
            86     .r

```

lmlb_1s113

LM1B - Recall of Story Points 113 at Ramnagar Junction

```

type: numeric (byte)
label: dad_vl342

range: [0,1]                units: 1
unique values: 2            missing .: 198/4,096
unique mv codes: 4          missing .*: 132/4,096

tabulation: Freq.  Numeric  Label

```



```

type: numeric (byte)
label: dad_v1346

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,434      0      0 No
332        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s118

LM1B - Recall of Story Points 118 small children

```

type: numeric (byte)
label: dad_v1347

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,268      0      0 No
498        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s119

LM1B - Recall of Story Points 119 the rent was due

```

type: numeric (byte)
label: dad_v1348

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,651      0      0 No
115        1      1 Yes
198        .
35         .d
11         .e
86         .r

```

lmlb_1s120

LM1B - Recall of Story Points 120 and they had not eaten

```

type: numeric (byte)
label: dad_v1349

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 198/4,096
missing .*: 132/4,096

```

```

tabulation: Freq.   Numeric   Label
3,476      0      0 No
290        1      1 Yes
198        .

```

35 .d
11 .e
86 .r

lmlb_1s121 LM1B - Recall of Story Points 121 for two days.

type: numeric (byte)
label: dad_v1350

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,726 0 0 No
40 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s122 LM1B - Recall of Story Points 122 The police,

type: numeric (byte)
label: dad_v1351

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,697 0 0 No
69 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s123 LM1B - Recall of Story Points 123 touched by the womans story

type: numeric (byte)
label: dad_v1352

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation: Freq. Numeric Label
3,561 0 0 No
205 1 1 Yes
198 .
35 .d
11 .e
86 .r

lmlb_1s124 LM1B - Recall of Story Points 124 took up a collection

type: numeric (byte)
label: dad_v1353

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,385	0	0 No
	381	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s125

LM1B - Recall of Story Points 125 for her

type: numeric (byte)
label: dad_v1354

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	3,631	0	0 No
	135	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

lmlb_1s97

LM1B - Recall of Story Points 97 R Cannot remember story

type: numeric (byte)
label: dad_v1355

range: [0,1] units: 1
unique values: 2 missing .: 198/4,096
unique mv codes: 4 missing .*: 132/4,096

tabulation:	Freq.	Numeric	Label
	2,878	0	0 No
	888	1	1 Yes
	198	.	.
	35	.d	.d
	11	.e	.e
	86	.r	.r

cp_circle

Respondent attempted to draw a figure

type: numeric (byte)
label: dad_v11041

range: [1,97] units: 1
unique values: 3 missing .: 11/4,096
unique mv codes: 3 missing .*: 142/4,096

tabulation:	Freq.	Numeric	Label
	3,731	1	1 Drew a figure
	82	2	2 Did not draw
	130	97	97 Respondent cannot draw
	11	.	.
	10	.d	.d
	132	.r	.r

dc001

CP - Circular shape - Respondent

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 319/4,096

tabulation:	Freq.	Numeric	Label
	3,452	1	Drew correctly
	325	2	Did not draw
	18	.b	
	249	.m	
	52	.x	

dc002

CP - Closed circle - Respondent

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 319/4,096

tabulation:	Freq.	Numeric	Label
	3,428	1	Drew correctly
	349	2	Did not draw
	18	.b	
	249	.m	
	52	.x	

cp_diamond

Respondent attempted to draw a figure

type: numeric (byte)
label: dad_vl1042

range: [1,97] units: 1
unique values: 3 missing .: 11/4,096
unique mv codes: 3 missing .*: 148/4,096

tabulation:	Freq.	Numeric	Label
	3,670	1	1 Drew a figure
	126	2	2 Did not draw
	141	97	97 Respondent cannot draw
	11	.	
	12	.d	
	136	.r	

dd001

CP - Diamond draw 4 sides - Respondent

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 321/4,096

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

```

2,298      1  Drew correctly
1,477      2  Did not draw
   20      .b
   249      .m
   52      .x

```

dd002 CP - Diamond close 4 angles - Respondent

```

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 321/4,096

```

```

tabulation: Freq. Numeric Label
2,129      1  Drew correctly
1,646      2  Did not draw
   20      .b
   249      .m
   52      .x

```

dd003 CP - Diamond sides equal length - Respondent

```

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 321/4,096

```

```

tabulation: Freq. Numeric Label
1,718      1  Drew correctly
2,057      2  Did not draw
   20      .b
   249      .m
   52      .x

```

cp_rectangle Respondent attempted to draw a figure

```

type: numeric (byte)
label: dad_v11043

range: [1,97] units: 1
unique values: 3 missing .: 11/4,096
unique mv codes: 3 missing .*: 167/4,096

```

```

tabulation: Freq. Numeric Label
3,649      1  1 Drew a figure
   131      2  2 Did not draw
   138      97 97 Respondent cannot draw
   11      .
   15      .d
   152      .r

```

dr001 CP - Rectangle Both 4-Sided - Respondent

```

type: numeric (byte)
label: drawing_label

```

range: [1,2] units: 1
 unique values: 2 missing .: 0/4,096
 unique mv codes: 3 missing .*: 331/4,096

tabulation:	Freq.	Numeric	Label
	2,589	1	Drew correctly
	1,176	2	Did not draw
	29	.b	
	250	.m	
	52	.x	

 dr002

CP - Rectangle overlaps - Respondent

type: numeric (byte)
 label: drawing_label

range: [1,2] units: 1
 unique values: 2 missing .: 0/4,096
 unique mv codes: 3 missing .*: 331/4,096

tabulation:	Freq.	Numeric	Label
	2,262	1	Drew correctly
	1,503	2	Did not draw
	29	.b	
	250	.m	
	52	.x	

 cp_cube

Respondent attempted to draw a figure

type: numeric (byte)
 label: dad_v11044

range: [1,97] units: 1
 unique values: 3 missing .: 11/4,096
 unique mv codes: 3 missing .*: 200/4,096

tabulation:	Freq.	Numeric	Label
	3,414	1	1 Drew a figure
	309	2	2 Did not draw
	162	97	97 Respondent cannot draw
	11	.	
	19	.d	
	181	.r	

 ce001

CP - Cube 3D - Respondent

type: numeric (byte)
 label: drawing_label

range: [1,2] units: 1
 unique values: 2 missing .: 0/4,096
 unique mv codes: 3 missing .*: 352/4,096

tabulation:	Freq.	Numeric	Label
	1,046	1	Drew correctly
	2,698	2	Did not draw
	51	.b	
	249	.m	
	52	.x	

 ce002

CP - Cube face correct oriented - Respondent

```

-----
type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 352/4,096

```

```

tabulation: Freq. Numeric Label
             947         1 Drew correctly
            2,797         2 Did not draw
              51         .b
              249         .m
              52         .x

```

```

-----
ce003 CP - Cube internal lines - Respondent
-----

```

```

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 352/4,096

```

```

tabulation: Freq. Numeric Label
             523         1 Drew correctly
            3,221         2 Did not draw
              51         .b
              249         .m
              52         .x

```

```

-----
ce004 CP - Cube parallel sides - Respondent
-----

```

```

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 352/4,096

```

```

tabulation: Freq. Numeric Label
             676         1 Drew correctly
            3,068         2 Did not draw
              51         .b
              249         .m
              52         .x

```

```

-----
lm2_startstory Story started with
-----

```

```

type: numeric (byte)
label: dad_vl1053

range: [1,2] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 1,271/4,096

```

```

tabulation: Freq. Numeric Label
            2,250         1 1 Story 1: Brave Man, House on
                           fire, children rescued
             564         2 2 Story 2: Manju Rani, from East
                           Delhi, who was robbed

```

11 .
803 .d
468 .r

lm2b_1b_ Recall of Story 1 Points

type: string (str35)
unique values: 1,441 missing "": 11/4,096
examples: "1-2-3"
"101-102-3-104-106-110"
"97"
"97"

lm2b_1b_s1 Recall of Story 1 Points 1 Three children

type: numeric (byte)
label: dad_v1382
range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096
tabulation: Freq. Numeric Label
2,370 0 0 No
1,420 1 1 Yes
11 .
68 .d
227 .r

lm2b_1b_s2 Recall of Story 1 Points 2 alone at home

type: numeric (byte)
label: dad_v1383
range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096
tabulation: Freq. Numeric Label
3,289 0 0 No
501 1 1 Yes
11 .
68 .d
227 .r

lm2b_1b_s3 Recall of Story 1 Points 3 House caught on fire

type: numeric (byte)
label: dad_v1384
range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096
tabulation: Freq. Numeric Label
2,515 0 0 No
1,275 1 1 Yes
11 .

68 .d
227 .r

lm2b_1b_s4

Recall of Story 1 Points 4 Brave man

type: numeric (byte)
label: dad_v1385

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation: Freq. Numeric Label
3,288 0 0 No
502 1 1 Yes
11 .
68 .d
227 .r

lm2b_1b_s5

Recall of Story 1 Points 5 Climbed

type: numeric (byte)
label: dad_v1386

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation: Freq. Numeric Label
3,445 0 0 No
345 1 1 Yes
11 .
68 .d
227 .r

lm2b_1b_s6

Recall of Story 1 Points 6 back window

type: numeric (byte)
label: dad_v1387

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation: Freq. Numeric Label
3,204 0 0 No
586 1 1 Yes
11 .
68 .d
227 .r

lm2b_1b_s7

Recall of Story 1 Points 7 carry to safety

type: numeric (byte)
label: dad_v1388

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

```

tabulation: Freq.  Numeric  Label
            3,162      0      0 No
            628       1      1 Yes
            11        .
            68        .d
            227       .r

```

lm2b_1b_s8

Recall of Story 1 Points 8 Minor cuts

```

type: numeric (byte)
label: dad_v1389

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 295/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,317      0      0 No
            473       1      1 Yes
            11        .
            68        .d
            227       .r

```

lm2b_1b_s9

Recall of Story 1 Points 9 bruises

```

type: numeric (byte)
label: dad_v1390

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 295/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,447      0      0 No
            343       1      1 Yes
            11        .
            68        .d
            227       .r

```

lm2b_1b_s10

Recall of Story 1 Points 10 all were well

```

type: numeric (byte)
label: dad_v1391

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 295/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,473      0      0 No
            317       1      1 Yes
            11        .
            68        .d
            227       .r

```

lm2b_1b_s101

Recall of Story 1 Points 101 Three children

```

type: numeric (byte)
label: dad_v1392

```

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation:	Freq.	Numeric	Label
	3,434	0	0 No
	356	1	1 Yes
	11	.	
	68	.d	
	227	.r	

lm2b_1b_s102

Recall of Story 1 Points 102 alone at home

type: numeric (byte)
label: dad_v1393

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation:	Freq.	Numeric	Label
	3,336	0	0 No
	454	1	1 Yes
	11	.	
	68	.d	
	227	.r	

lm2b_1b_s103

Recall of Story 1 Points 103 House caught on fire

type: numeric (byte)
label: dad_v1394

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation:	Freq.	Numeric	Label
	3,359	0	0 No
	431	1	1 Yes
	11	.	
	68	.d	
	227	.r	

lm2b_1b_s104

Recall of Story 1 Points 104 Brave man

type: numeric (byte)
label: dad_v1395

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 295/4,096

tabulation:	Freq.	Numeric	Label
	3,033	0	0 No
	757	1	1 Yes
	11	.	
	68	.d	
	227	.r	

lm2b_1b_s105

Recall of Story 1 Points 105 Climbed

```

type: numeric (byte)
label: dad_vl396

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 11/4,096
missing .*: 295/4,096

```

```

tabulation: Freq.   Numeric   Label
3,593      0      0 No
197        1      1 Yes
11         .
68         .d
227        .r

```

lm2b_1b_s106 Recall of Story 1 Points 106 back window

```

type: numeric (byte)
label: dad_vl397

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 11/4,096
missing .*: 295/4,096

```

```

tabulation: Freq.   Numeric   Label
3,411      0      0 No
379        1      1 Yes
11         .
68         .d
227        .r

```

lm2b_1b_s107 Recall of Story 1 Points 107 carry to safety

```

type: numeric (byte)
label: dad_vl398

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 11/4,096
missing .*: 295/4,096

```

```

tabulation: Freq.   Numeric   Label
3,193      0      0 No
597        1      1 Yes
11         .
68         .d
227        .r

```

lm2b_1b_s108 Recall of Story 1 Points 108 Minor cuts

```

type: numeric (byte)
label: dad_vl399

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 11/4,096
missing .*: 295/4,096

```

```

tabulation: Freq.   Numeric   Label
3,560      0      0 No
230        1      1 Yes
11         .
68         .d
227        .r

```

lm2b_1b_s109

Recall of Story 1 Points 109 bruises

```
type: numeric (byte)
label: dad_vl400

range: [0,1]                units: 1
unique values: 2            missing .: 11/4,096
unique mv codes: 3          missing .*: 295/4,096

tabulation: Freq.  Numeric  Label
             3,707      0      0 No
             83         1      1 Yes
             11         .
             68         .d
             227        .r
```

lm2b_1b_s110

Recall of Story 1 Points 110 all were well

```
type: numeric (byte)
label: dad_vl401

range: [0,1]                units: 1
unique values: 2            missing .: 11/4,096
unique mv codes: 3          missing .*: 295/4,096

tabulation: Freq.  Numeric  Label
             3,594      0      0 No
             196         1      1 Yes
             11         .
             68         .d
             227        .r
```

lm2b_1b_s97

Recall of Story 1 Points 97 R cannot remember the story

```
type: numeric (byte)
label: dad_vl402

range: [0,1]                units: 1
unique values: 2            missing .: 11/4,096
unique mv codes: 3          missing .*: 295/4,096

tabulation: Freq.  Numeric  Label
             2,001      0      0 No
             1,789      1      1 Yes
             11         .
             68         .d
             227        .r
```

lm2b_1c_

Recall of Story 2 Points

```
type: string (str65)

unique values: 1,826          missing "": 11/4,096

examples: "1-4-10-113-116"
          "2-7-6-15-22"
          "97"
          "97"
```

lm2b_1c_s1

Recall of Story 2 Points 1 Manju

type: numeric (byte)
label: dad_vl404

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,063	0	0 No
	521	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s2

Recall of Story 2 Points 2 Rani

type: numeric (byte)
label: dad_vl405

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	2,964	0	0 No
	620	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s3

Recall of Story 2 Points 3 From East

type: numeric (byte)
label: dad_vl406

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,261	0	0 No
	323	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s4

Recall of Story 2 Points 4 Delhi

type: numeric (byte)
label: dad_vl407

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	2,789	0	0 No
	795	1	1 Yes

11 .
152 .d
349 .r

lm2b_1c_s5 Recall of Story 2 Points 5 employed

type: numeric (byte)
label: dad_vl408

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,179 0 0 No
405 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s6 Recall of Story 2 Points 6 as a cook

type: numeric (byte)
label: dad_vl409

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,096 0 0 No
488 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s7 Recall of Story 2 Points 7 in a school

type: numeric (byte)
label: dad_vl410

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,336 0 0 No
248 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s8 Recall of Story 2 Points 8 canteen

type: numeric (byte)
label: dad_vl411

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

```

tabulation: Freq.  Numeric  Label
            3,321      0      0 No
            263       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s9

Recall of Story 2 Points 9 reported

```

type: numeric (byte)
label: dad_vl412

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,101      0      0 No
            483       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s10

Recall of Story 2 Points 10 at the police

```

type: numeric (byte)
label: dad_vl413

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,876      0      0 No
            708       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s11

Recall of Story 2 Points 11 station

```

type: numeric (byte)
label: dad_vl414

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,108      0      0 No
            476       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s12

Recall of Story 2 Points 12 that she had been held up

```

type: numeric (byte)
label: dad_vl415

```


range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,499	0	0 No
	85	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s13

Recall of Story 2 Points 13 at Ramnagar Junction

type: numeric (byte)
label: dad_vl416

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,504	0	0 No
	80	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s14

Recall of Story 2 Points 14 the night before

type: numeric (byte)
label: dad_vl417

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,536	0	0 No
	48	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s15

Recall of Story 2 Points 15 and robbed

type: numeric (byte)
label: dad_vl418

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	2,976	0	0 No
	608	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s16

Recall of Story 2 Points 16 of two hundred and fifty rupees.

type: numeric (byte)
label: dad_v1419

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
2,912 0 0 No
672 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s17

Recall of Story 2 Points 17 She had four

type: numeric (byte)
label: dad_v1420

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,106 0 0 No
478 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s18

Recall of Story 2 Points 18 small children

type: numeric (byte)
label: dad_v1421

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
2,999 0 0 No
585 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s19

Recall of Story 2 Points 19 the rent was due

type: numeric (byte)
label: dad_v1422

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,427 0 0 No
157 1 1 Yes
11 .
152 .d

 lm2b_1c_s20 Recall of Story 2 Points 20 and they had not eaten

```

    type: numeric (byte)
    label: dad_v1423

    range: [0,1]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3          missing .*: 501/4,096

    tabulation: Freq.  Numeric  Label
                 3,340      0    0 No
                 244       1    1 Yes
                 11         .
                 152       .d
                 349       .r
  
```

 lm2b_1c_s21 Recall of Story 2 Points 21 for two days.

```

    type: numeric (byte)
    label: dad_v1424

    range: [0,1]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3          missing .*: 501/4,096

    tabulation: Freq.  Numeric  Label
                 3,466      0    0 No
                 118       1    1 Yes
                 11         .
                 152       .d
                 349       .r
  
```

 lm2b_1c_s22 Recall of Story 2 Points 22 The police,

```

    type: numeric (byte)
    label: dad_v1425

    range: [0,1]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3          missing .*: 501/4,096

    tabulation: Freq.  Numeric  Label
                 2,640      0    0 No
                 944       1    1 Yes
                 11         .
                 152       .d
                 349       .r
  
```

 lm2b_1c_s23 Recall of Story 2 Points 23 touched by the womans story

```

    type: numeric (byte)
    label: dad_v1426

    range: [0,1]                units: 1
    unique values: 2            missing .: 11/4,096
    unique mv codes: 3          missing .*: 501/4,096

    tabulation: Freq.  Numeric  Label
  
```

```

3,175      0  0 No
409        1  1 Yes
11         .
152        .d
349        .r

```

lm2b_1c_s24 Recall of Story 2 Points 24 took up a collection

```

type: numeric (byte)
label: dad_v1427

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

tabulation: Freq.   Numeric  Label
2,879      0  0 No
705        1  1 Yes
11         .
152        .d
349        .r

```

lm2b_1c_s25 Recall of Story 2 Points 25 for her

```

type: numeric (byte)
label: dad_v1428

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

tabulation: Freq.   Numeric  Label
3,137      0  0 No
447        1  1 Yes
11         .
152        .d
349        .r

```

lm2b_1c_s101 Recall of Story 2 Points 101 Manju

```

type: numeric (byte)
label: dad_v1429

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

tabulation: Freq.   Numeric  Label
3,410      0  0 No
174        1  1 Yes
11         .
152        .d
349        .r

```

lm2b_1c_s102 Recall of Story 2 Points 102 Rani

```

type: numeric (byte)
label: dad_v1430

range: [0,1]          units: 1

```



```

    type: numeric (byte)
    label: dad_v1434

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 11/4,096
    missing .*: 501/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,470      0      0 No
             114      1      1 Yes
              11      .
             152      .d
             349      .r

```

lm2b_1c_s107 Recall of Story 2 Points 107 in a school

```

    type: numeric (byte)
    label: dad_v1435

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 11/4,096
    missing .*: 501/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,543      0      0 No
              41      1      1 Yes
              11      .
             152      .d
             349      .r

```

lm2b_1c_s108 Recall of Story 2 Points 108 canteen

```

    type: numeric (byte)
    label: dad_v1436

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 11/4,096
    missing .*: 501/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,519      0      0 No
              65      1      1 Yes
              11      .
             152      .d
             349      .r

```

lm2b_1c_s109 Recall of Story 2 Points 109 reported

```

    type: numeric (byte)
    label: dad_v1437

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 11/4,096
    missing .*: 501/4,096

```

```

tabulation: Freq.   Numeric   Label
            3,487      0      0 No
              97      1      1 Yes
              11      .
             152      .d
             349      .r

```

lm2b_1c_s110

Recall of Story 2 Points 110 at the police

type: numeric (byte)
label: dad_vl438

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,501	0	0 No
	83	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s111

Recall of Story 2 Points 111 station

type: numeric (byte)
label: dad_vl439

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,570	0	0 No
	14	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s112

Recall of Story 2 Points 112 that she had been held up

type: numeric (byte)
label: dad_vl440

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,551	0	0 No
	33	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s113

Recall of Story 2 Points 113 at Ramnagar Junction

type: numeric (byte)
label: dad_vl441

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,478	0	0 No
	106	1	1 Yes

11 .
152 .d
349 .r

lm2b_1c_s114 Recall of Story 2 Points 114 the night before

type: numeric (byte)
label: dad_v1442

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,568 0 0 No
16 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s115 Recall of Story 2 Points 115 and robbed

type: numeric (byte)
label: dad_v1443

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,360 0 0 No
224 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s116 Recall of Story 2 Points 116 of two hundred and fifty rupees.

type: numeric (byte)
label: dad_v1444

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation: Freq. Numeric Label
3,352 0 0 No
232 1 1 Yes
11 .
152 .d
349 .r

lm2b_1c_s117 Recall of Story 2 Points 117 She had four

type: numeric (byte)
label: dad_v1445

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096


```

tabulation: Freq.  Numeric  Label
            3,375      0      0 No
            209       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s118 Recall of Story 2 Points 118 small children

```

type: numeric (byte)
label: dad_v1446

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,301      0      0 No
            283       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s119 Recall of Story 2 Points 119 the rent was due

```

type: numeric (byte)
label: dad_v1447

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,515      0      0 No
            69        1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s120 Recall of Story 2 Points 120 and they had not eaten

```

type: numeric (byte)
label: dad_v1448

range: [0,1]          units: 1
unique values: 2      missing .: 11/4,096
unique mv codes: 3    missing .*: 501/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,399      0      0 No
            185       1      1 Yes
            11         .
            152        .d
            349        .r

```

lm2b_1c_s121 Recall of Story 2 Points 121 for two days.

```

type: numeric (byte)
label: dad_v1449

```

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,553	0	0 No
	31	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s122 Recall of Story 2 Points 122 The police,

type: numeric (byte)
label: dad_vl450

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,551	0	0 No
	33	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s123 Recall of Story 2 Points 123 touched by the womans story

type: numeric (byte)
label: dad_vl451

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,424	0	0 No
	160	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s124 Recall of Story 2 Points 124 took up a collection

type: numeric (byte)
label: dad_vl452

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

tabulation:	Freq.	Numeric	Label
	3,310	0	0 No
	274	1	1 Yes
	11	.	.
	152	.d	.d
	349	.r	.r

lm2b_1c_s125 Recall of Story 2 Points 125 for her

```

-----
type: numeric (byte)
label: dad_vl453

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

```

```

tabulation: Freq. Numeric Label
3,489      0 0 No
95         1 1 Yes
11         .
152        .d
349        .r

```

```

-----
lm2b_1c_s97 Recall of Story 2 Points 97 R Cannot remember story
-----

```

```

type: numeric (byte)
label: dad_vl454

range: [0,1] units: 1
unique values: 2 missing .: 11/4,096
unique mv codes: 3 missing .*: 501/4,096

```

```

tabulation: Freq. Numeric Label
1,941      0 0 No
1,643      1 1 Yes
11         .
152        .d
349        .r

```

```

-----
lm2_iwerckpt1 Iwer Checkpoint 1
-----

```

```

type: numeric (byte)
label: dad_vl508

range: [1,5] units: 1
unique values: 2 missing .: 1,260/4,096
unique mv codes: 3 missing .*: 272/4,096

```

```

tabulation: Freq. Numeric Label
392         1 1 Yes
2,172       5 5 No
1,260       .
63          .d
209         .r

```

```

-----
lm2_iwerckpt2 Iwer Checkpoint 2
-----

```

```

type: numeric (byte)
label: dad_vl509

range: [1,5] units: 1
unique values: 2 missing .: 96/4,096
unique mv codes: 3 missing .*: 413/4,096

```

```

tabulation: Freq. Numeric Label
507         1 1 Yes
3,080       5 5 No
96          .
149         .d

```

 lm2b_2 Womans Name

```

    type: numeric (byte)
    label: dad_v1510

    range: [1,5]                units: 1
    unique values: 2            missing .: 96/4,096
    unique mv codes: 3         missing .*: 685/4,096

    tabulation: Freq.  Numeric  Label
                2,288      1  1 Yes
                1,027      5  5 No
                 96         .
                 376        .d
                 309        .r
  
```

 lm2b_2a LM2b_2 Score

```

    type: numeric (byte)

    range: [1,1]                units: 1
    unique values: 1            missing .: 774/4,096
    unique mv codes: 2         missing .*: 2,295/4,096

    tabulation: Freq.  Value
                1,027  1
                 774  .
                2,295  .e
  
```

 lm2b_3 Story location

```

    type: numeric (byte)
    label: dad_v1665

    range: [1,5]                units: 1
    unique values: 2            missing .: 96/4,096
    unique mv codes: 3         missing .*: 760/4,096

    tabulation: Freq.  Numeric  Label
                2,674      1  1 Yes
                 566       5  5 No
                 96         .
                 457        .d
                 303        .r
  
```

 lm2b_3a LM2b_3 Score

```

    type: numeric (byte)

    range: [1,1]                units: 1
    unique values: 1            missing .: 849/4,096
    unique mv codes: 2         missing .*: 573/4,096

    tabulation: Freq.  Value
                2,674  1
                 849  .
                 573  .e
  
```

lm2b_4

Cook

```

type: numeric (byte)
label: dad_vl667

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 96/4,096
missing .*: 681/4,096

tabulation: Freq.   Numeric   Label
2,914      1      1 Yes
405        5      5 No
96         .
369        .d
312        .r

```

lm2b_4a

LM2b_4 Score

```

type: numeric (byte)

range: [1,1]
unique values: 1
unique mv codes: 2

units: 1
missing .: 773/4,096
missing .*: 409/4,096

tabulation: Freq.   Value
2,914      1
773        .
409        .e

```

lm2b_5

Work in Restaurant

```

type: numeric (byte)
label: dad_vl669

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 97/4,096
missing .*: 776/4,096

tabulation: Freq.   Numeric   Label
2,096      1      1 Yes
1,127      5      5 No
97         .
452        .d
324        .r

```

lm2b_5a

LM2b_5 Score

```

type: numeric (byte)

range: [1,1]
unique values: 1
unique mv codes: 2

units: 1
missing .: 867/4,096
missing .*: 2,102/4,096

tabulation: Freq.   Value
1,127      1
867        .
2,102      .e

```

lm2b_6

Have Four Children

```

type: numeric (byte)
label: dad_vl697

range: [1,5]                units: 1
unique values: 2            missing .: 96/4,096
unique mv codes: 3         missing .*: 677/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,587    1      1 Yes
            736     5      5 No
            96      .
            357     .d
            320     .r

```

lm2b_6a

LM2b_6 Score

```

type: numeric (byte)

range: [1,1]                units: 1
unique values: 1            missing .: 770/4,096
unique mv codes: 2         missing .*: 739/4,096

```

```

tabulation: Freq.  Value
            2,587    1
            770     .
            739     .e

```

lm2b_7

Children Teens

```

type: numeric (byte)
label: dad_vl698

range: [1,5]                units: 1
unique values: 2            missing .: 96/4,096
unique mv codes: 3         missing .*: 1,002/4,096

```

```

tabulation: Freq.  Numeric  Label
            1,199    1      1 Yes
            1,799    5      5 No
            96      .
            676     .d
            326     .r

```

lm2b_7a

LM2b_7 Score

```

type: numeric (byte)

range: [1,1]                units: 1
unique values: 1            missing .: 1,096/4,096
unique mv codes: 2         missing .*: 1,201/4,096

```

```

tabulation: Freq.  Value
            1,799    1
            1,096    .
            1,201    .e

```

lm2b_8

Robbery location

```

    type: numeric (byte)
    label: dad_v1699

    range: [1,5]                units: 1
    unique values: 2            missing .: 96/4,096
    unique mv codes: 3          missing .*: 1,030/4,096

```

```

    tabulation: Freq.  Numeric  Label
                2,017      1    1 Yes
                953       5    5 No
                96        .
                700       .d
                330       .r

```

lm2b_8a LM2b_ 8 Score

```

    type: numeric (byte)

    range: [1,1]                units: 1
    unique values: 1            missing .: 1,119/4,096
    unique mv codes: 2          missing .*: 2,024/4,096

```

```

    tabulation: Freq.  Value
                953    1
                1,119 .
                2,024 .e

```

lm2b_9 Report Robbery 2 Nights Before

```

    type: numeric (byte)
    label: dad_v1700

    range: [1,5]                units: 1
    unique values: 2            missing .: 96/4,096
    unique mv codes: 3          missing .*: 985/4,096

```

```

    tabulation: Freq.  Numeric  Label
                1,996      1    1 Yes
                1,019      5    5 No
                96        .
                657       .d
                328       .r

```

lm2b_9a LM2b_9 Score

```

    type: numeric (byte)

    range: [1,1]                units: 1
    unique values: 1            missing .: 1,077/4,096
    unique mv codes: 2          missing .*: 2,000/4,096

```

```

    tabulation: Freq.  Value
                1,019    1
                1,077 .
                2,000 .e

```

lm2b_10 Report Robbery at Police Station

```

    type: numeric (byte)
    label: dad_v1701

```

range: [1,5] units: 1
 unique values: 2 missing .: 96/4,096
 unique mv codes: 3 missing .*: 719/4,096

tabulation:	Freq.	Numeric	Label
	2,826	1	1 Yes
	455	5	5 No
	96	.	.
	394	.d	.d
	325	.r	.r

lm2b_10a

LM2b_10 Score

type: numeric (byte)

range: [1,1] units: 1
 unique values: 1 missing .: 813/4,096
 unique mv codes: 2 missing .*: 457/4,096

tabulation:	Freq.	Value
	2,826	1
	813	.
	457	.e

lm2b_11

Robbed of 450 rupees

type: numeric (byte)
 label: dad_v1702

range: [1,5] units: 1
 unique values: 2 missing .: 96/4,096
 unique mv codes: 3 missing .*: 827/4,096

tabulation:	Freq.	Numeric	Label
	1,796	1	1 Yes
	1,377	5	5 No
	96	.	.
	505	.d	.d
	322	.r	.r

lm2b_11a

LM2b_11 Score

type: numeric (byte)

range: [1,1] units: 1
 unique values: 1 missing .: 917/4,096
 unique mv codes: 2 missing .*: 1,802/4,096

tabulation:	Freq.	Value
	1,377	1
	917	.
	1,802	.e

lm2b_12

No Food for 4 Days

type: numeric (byte)
 label: dad_v1703

range: [1,5] units: 1

unique values: 2 missing .: 97/4,096
unique mv codes: 3 missing .*: 816/4,096

tabulation: Freq. Numeric Label
2,372 1 1 Yes
811 5 5 No
97 .
486 .d
330 .r

lm2b_12a LM2b_12 Score

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 908/4,096
unique mv codes: 2 missing .*: 2,377/4,096

tabulation: Freq. Value
811 1
908 .
2,377 .e

lm2b_13 Was Rent Due

type: numeric (byte)
label: dad_v1704

range: [1,5] units: 1
unique values: 2 missing .: 96/4,096
unique mv codes: 3 missing .*: 838/4,096

tabulation: Freq. Numeric Label
2,469 1 1 Yes
693 5 5 No
96 .
513 .d
325 .r

lm2b_13a LM2b_13 Score

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 931/4,096
unique mv codes: 2 missing .*: 696/4,096

tabulation: Freq. Value
2,469 1
931 .
696 .e

lm2b_14 Police Catch Thief

type: numeric (byte)
label: dad_v1705

range: [1,5] units: 1
unique values: 2 missing .: 97/4,096
unique mv codes: 3 missing .*: 931/4,096

```

tabulation: Freq.  Numeric  Label
            1,297      1      1 Yes
            1,771      5      5 No
              97       .
              605      .d
              326      .r

```

lm2b_14a

LM2b_14 Score

```

type: numeric (byte)

range: [1,1]          units: 1
unique values: 1      missing .: 1,017/4,096
unique mv codes: 2    missing .*: 1,307/4,096

```

```

tabulation: Freq.  Value
            1,772  1
            1,017  .
            1,307  .e

```

lm2b_15

Police Feel Sorry

```

type: numeric (byte)
label: dad_v1706

range: [1,5]          units: 1
unique values: 2      missing .: 96/4,096
unique mv codes: 3    missing .*: 807/4,096

```

```

tabulation: Freq.  Numeric  Label
            2,561      1      1 Yes
              632      5      5 No
                96       .
                486      .d
                321      .r

```

lm2b_15a

LM2b_15 Score

```

type: numeric (byte)

range: [1,1]          units: 1
unique values: 1      missing .: 899/4,096
unique mv codes: 2    missing .*: 636/4,096

```

```

tabulation: Freq.  Value
            2,561  1
              899  .
              636  .e

```

lm2b_16

Police Take Up Collection

```

type: numeric (byte)
label: dad_v1707

range: [1,5]          units: 1
unique values: 2      missing .: 101/4,096
unique mv codes: 3    missing .*: 821/4,096

```

```

tabulation: Freq.  Numeric  Label

```

```

2,563      1  1 Yes
  611      5  5 No
  101      .
  499      .d
  322      .r

```

```

-----
lm2b_16a                                         LM2b_16 Score
-----

```

```

type: numeric (byte)

range: [1,1]          units: 1
unique values: 1      missing .: 915/4,096
unique mv codes: 2    missing .*: 617/4,096

tabulation: Freq. Value
             2,564  1
             915   .
             617   .e

```

```

-----
lm2b_bscore                                     Sum of LM2b_2a thru LM2b_16a
-----

```

```

type: numeric (byte)

range: [1,15]        units: 1
unique values: 15     missing .: 97/4,096
unique mv codes: 2    missing .*: 493/4,096

tabulation: Freq. Value
             52  1
             40  2
             61  3
             86  4
            177  5
            309  6
            678  7
            606  8
            544  9
            412 10
            237 11
            158 12
            102 13
             37 14
              7 15
             97  .
            493 .e

```

```

-----
rf103_animalsanswers                             TOTAL ANIMAL ANSWERS
-----

```

```

type: numeric (byte)

range: [0,90]        units: 1
unique values: 38     missing .: 12/4,096
unique mv codes: 3    missing .*: 103/4,096

mean: 11.6242
std. dev: 4.85834

percentiles:      10%      25%      50%      75%      90%
                  6        8        11       14       17

```

```

-----
rf105_animalnumincorrect                         NUMBER OF INCORRECT ANIMAL NAMES GIVEN
-----

```

```

-----
type: numeric (byte)
range: [0,16] units: 1
unique values: 13 missing .: 15/4,096
unique mv codes: 4 missing .*: 176/4,096

```

```

tabulation: Freq. Value
3,589 0
205 1
74 2
20 3
7 4
3 5
1 6
1 7
1 10
1 11
1 12
1 15
1 16
15 .
10 .d
85 .e
81 .r

```

```

-----
rf_repeatanswers

```

```

Total repeated Animals
-----

```

```

type: numeric (byte)
range: [0,25] units: 1
unique values: 16 missing .: 15/4,096
unique mv codes: 3 missing .*: 93/4,096

```

```

tabulation: Freq. Value
2,088 0
861 1
519 2
285 3
122 4
49 5
32 6
10 7
5 8
5 9
4 10
2 13
1 14
3 15
1 19
1 25
15 .
10 .d
83 .r

```

```

-----
rf106_animalproblems

```

```

PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS
-----

```

```

type: string (str3)
unique values: 9 missing "": 124/4,096

```

```

tabulation: Freq. Value
124 ""

```

```

1 ".d"
3 ".r"
44 "1"
1 "2"
4 "3"
19 "4"
42 "5"
1 "5-4"
3,857 "6"

```

```

rf106_animalproblemss1                PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 1
                                        (InterrupOcc60Second) Interruption

```

```

type: numeric (byte)
label: dad_v152

range: [0,1]                units: 1
unique values: 2            missing .: 124/4,096
unique mv codes: 3         missing .*: 4/4,096

tabulation: Freq.  Numeric  Label
3,924        0  0 No
44           1  1 Yes
124          .
1            .d
3            .r

```

```

rf106_animalproblemss3                PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 3
                                        (TechnicalCompterProblem) Technica

```

```

type: numeric (byte)
label: dad_v153

range: [0,1]                units: 1
unique values: 2            missing .: 124/4,096
unique mv codes: 3         missing .*: 4/4,096

tabulation: Freq.  Numeric  Label
3,964        0  0 No
4            1  1 Yes
124          .
1            .d
3            .r

```

```

rf106_animalproblemss4                PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 4
                                        (RDidNotUnderstand) R did not unde

```

```

type: numeric (byte)
label: dad_v154

range: [0,1]                units: 1
unique values: 2            missing .: 124/4,096
unique mv codes: 3         missing .*: 4/4,096

tabulation: Freq.  Numeric  Label
3,948        0  0 No
20           1  1 Yes
124          .
1            .d
3            .r

```

rf106_animalproblemss5

PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 5
(OthProblem_PleaseSpecify) Other p

```

type: numeric (byte)
label: dad_vl55

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 124/4,096
missing .*: 4/4,096

tabulation: Freq.   Numeric   Label
3,925      0      0 No
43         1      1 Yes
124        .
1          .d
3          .r

```

rf106_animalproblemss6

PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 6
(NoProblemsOccurred) No problems o

```

type: numeric (byte)
label: dad_vl56

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 124/4,096
missing .*: 4/4,096

tabulation: Freq.   Numeric   Label
111        0      0 No
3,857      1      1 Yes
124        .
1          .d
3          .r

```

cpr_intro

CPR Introduction

```

type: numeric (byte)
label: dad_vl373

range: [1,97]
unique values: 2
unique mv codes: 3

units: 1
missing .: 15/4,096
missing .*: 329/4,096

tabulation: Freq.   Numeric   Label
3,145      1      1 Continue
607        97     97 Respondent cannot remember
any of the 4 shapes
15         .
67         .d
262        .r

```

cpr_circle

CPR - Circular Shape

```

type: numeric (byte)
label: dad_vl1045

range: [1,97]
unique values: 3
unique mv codes: 3

units: 1
missing .: 554/4,096
missing .*: 205/4,096

tabulation: Freq.   Numeric   Label

```

```

2,274      1 1 Drew a figure
  945      2 2 Did not draw
  118     97 97 Respondent cannot draw
  554      .
   76     .d
  129     .r

```

rdc001

CPR - Circular shape - Respondent

```

      type: numeric (byte)
      label: drawing_label

      range: [1,2]                units: 1
      unique values: 2            missing .: 0/4,096
      unique mv codes: 3          missing .*: 358/4,096

```

```

      tabulation: Freq.  Numeric  Label
                  1,954      1    Drew correctly
                  1,784      2    Did not draw
                   52        .b
                   254        .m
                   52        .x

```

rdc002

CPR - Closed circle - Respondent

```

      type: numeric (byte)
      label: drawing_label

      range: [1,2]                units: 1
      unique values: 2            missing .: 0/4,096
      unique mv codes: 3          missing .*: 358/4,096

```

```

      tabulation: Freq.  Numeric  Label
                  1,947      1    Drew correctly
                  1,791      2    Did not draw
                   52        .b
                   254        .m
                   52        .x

```

cpr_diamond

CPR - Diamond shape

```

      type: numeric (byte)
      label: dad_vl1046

      range: [1,97]              units: 1
      unique values: 3            missing .: 554/4,096
      unique mv codes: 3          missing .*: 230/4,096

```

```

      tabulation: Freq.  Numeric  Label
                  1,647      1    1 Drew a figure
                  1,509      2    2 Did not draw
                   156      97    97 Respondent cannot draw
                   554      .
                   90      .d
                   140      .r

```

rdd001

CPR - Diamond draw 4 sides - Respondent

```

      type: numeric (byte)
      label: drawing_label

```

```

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 357/4,096

```

```

tabulation: Freq. Numeric Label
            998         1 Drew correctly
            2,741       2 Did not draw
             52         .b
            253         .m
             52         .x

```

rdd002 CPR- Diamond close 4 angles - Respondent

```

type: numeric (byte)
label: drawing_label

```

```

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 357/4,096

```

```

tabulation: Freq. Numeric Label
            910         1 Drew correctly
            2,829       2 Did not draw
             52         .b
            253         .m
             52         .x

```

rdd003 CPR - Diamond sides equal length - Respondent

```

type: numeric (byte)
label: drawing_label

```

```

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 357/4,096

```

```

tabulation: Freq. Numeric Label
            809         1 Drew correctly
            2,930       2 Did not draw
             52         .b
            253         .m
             52         .x

```

cpr_rectangle CPR - rectangle Shape

```

type: numeric (byte)
label: dad_vl1047

```

```

range: [1,97] units: 1
unique values: 3 missing .: 554/4,096
unique mv codes: 3 missing .*: 224/4,096

```

```

tabulation: Freq. Numeric Label
            2,129         1 1 Drew a figure
            1,039         2 2 Did not draw
             150         97 97 Respondent cannot draw
             554         .
             85         .d
             139         .r

```



```

type: numeric (byte)
label: drawing_label

range: [1,2]                units: 1
unique values: 2            missing .: 0/4,096
unique mv codes: 3         missing .*: 358/4,096

tabulation: Freq.  Numeric  Label
            1,303      1     Drew correctly
            2,435      2     Did not draw
             52         .b
            254         .m
             52         .x

```

```

type: numeric (byte)
label: drawing_label

range: [1,2]                units: 1
unique values: 2            missing .: 0/4,096
unique mv codes: 3         missing .*: 358/4,096

tabulation: Freq.  Numeric  Label
            1,057      1     Drew correctly
            2,681      2     Did not draw
             52         .b
            254         .m
             52         .x

```

```

type: numeric (byte)
label: dad_v11048

range: [1,97]              units: 1
unique values: 3           missing .: 554/4,096
unique mv codes: 3        missing .*: 236/4,096

tabulation: Freq.  Numeric  Label
            1,585      1     1 Drew a figure
            1,513      2     2 Did not draw
             208       97    97 Respondent cannot draw
             554         .
             91         .d
            145         .r

```

```

type: numeric (byte)
label: drawing_label

range: [1,2]                units: 1
unique values: 2            missing .: 0/4,096
unique mv codes: 3         missing .*: 358/4,096

tabulation: Freq.  Numeric  Label
            292         1     Drew correctly
            3,446      2     Did not draw

```

52 .b
254 .m
52 .x

rce002 CPR - Cube face correct oriented - Respondent

type: numeric (byte)
label: drawing_label
range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 358/4,096

tabulation:	Freq.	Numeric	Label
	253	1	Drew correctly
	3,485	2	Did not draw
	52	.b	
	254	.m	
	52	.x	

rce003 CPR - Cube internal lines - Respondent

type: numeric (byte)
label: drawing_label
range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 358/4,096

tabulation:	Freq.	Numeric	Label
	141	1	Drew correctly
	3,597	2	Did not draw
	52	.b	
	254	.m	
	52	.x	

rce004 CPR - Cube parallel sides - Respondent

type: numeric (byte)
label: drawing_label
range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 358/4,096

tabulation:	Freq.	Numeric	Label
	188	1	Drew correctly
	3,550	2	Did not draw
	52	.b	
	254	.m	
	52	.x	

cd1 CLOCK DRAWING

type: string (str3)
unique values: 7 missing "": 14/4,096

tabulation:	Freq.	Value
	14	" "

```

147 ".d"
361 ".r"
2,346 "1"
4 "1-2"
830 "2"
2 "2-1"
392 "97"

```

cd1s1

CLOCK DRAWING 1 Drew the clock

```

type: numeric (byte)
label: dad_v11049

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 14/4,096
missing .*: 508/4,096

```

```

tabulation: Freq.   Numeric   Label
1,222      0      0 No
2,352      1      1 Yes
14         .
147        .d
361        .r

```

cd1s2

CLOCK DRAWING 2 Did not draw

```

type: numeric (byte)
label: dad_v11050

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 14/4,096
missing .*: 508/4,096

```

```

tabulation: Freq.   Numeric   Label
2,738      0      0 No
836        1      1 Yes
14         .
147        .d
361        .r

```

cd1s97

CLOCK DRAWING 97 Respondent cannot draw

```

type: numeric (byte)
label: dad_v11051

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 14/4,096
missing .*: 508/4,096

```

```

tabulation: Freq.   Numeric   Label
3,182      0      0 No
392        1      1 Yes
14         .
147        .d
361        .r

```

ck001

Clock - Closed circle

```

type: numeric (byte)
label: drawing_label

```

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 471/4,096

tabulation:	Freq.	Numeric	Label
	2,047	1	Drew correctly
	1,578	2	Did not draw
	168	.b	
	251	.m	
	52	.x	

ck002

Clock - Numbers placed correctly

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 471/4,096

tabulation:	Freq.	Numeric	Label
	588	1	Drew correctly
	3,037	2	Did not draw
	168	.b	
	251	.m	
	52	.x	

ck003

Clock - Two clock hands

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 471/4,096

tabulation:	Freq.	Numeric	Label
	1,058	1	Drew correctly
	2,567	2	Did not draw
	168	.b	
	251	.m	
	52	.x	

ck004

Clock - Correct time

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 471/4,096

tabulation:	Freq.	Numeric	Label
	657	1	Drew correctly
	2,968	2	Did not draw
	168	.b	
	251	.m	
	52	.x	

ck005

Clock - Hr and min hands diff length

type: numeric (byte)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/4,096
unique mv codes: 3 missing .*: 471/4,096

tabulation:	Freq.	Numeric	Label
	534	1	Drew correctly
	3,091	2	Did not draw
	168	.b	
	251	.m	
	52	.x	

ef100b

Palm-up Palm-down

type: numeric (byte)
label: dad_v1987, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 4 missing .: 1,600/4,096
unique mv codes: 3 missing .*: 47/4,096

tabulation:	Freq.	Numeric	Label
	216	1	1 Correctly repeated 1-4 movements
	2,149	2	
	33	5	5 Incorrect or did not repeat
	51	97	97 Not assessed
	1,600	.	
	9	.d	
	38	.r	

ef101b

Clenched Extended Hand movements

type: numeric (byte)
label: dad_v1988, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 4 missing .: 1,600/4,096
unique mv codes: 3 missing .*: 51/4,096

tabulation:	Freq.	Numeric	Label
	274	1	1 Correctly repeated 1-4 movements
	2,038	2	
	84	5	5 Incorrect or did not repeat
	49	97	97 Not assessed
	1,600	.	
	9	.d	
	42	.r	

ef102b

fist-side-palm

type: numeric (byte)
label: dad_v1989, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 4 missing .: 1,600/4,096
unique mv codes: 3 missing .*: 56/4,096

```
tabulation: Freq. Numeric Label
            951      1 1 Correctly repeated 1-4
            movements
            607      2
            771      5 5 Incorrect or did not repeat
            111     97 97 Not assessed
            1,600     .
            9         .d
            47         .r
```

ef103a

Touch a circle

```
type: numeric (byte)
label: dad_v1990

range: [1,97]          units: 1
unique values: 3      missing .: 1,600/4,096
unique mv codes: 3    missing .*: 85/4,096
```

```
tabulation: Freq. Numeric Label
            2,226     1 1 Correct
            118      5 5 Incorrect
            67       97 97 Not assessed
            1,600     .
            26       .d
            59       .r
```

ef103b

Touch the yellow square

```
type: numeric (byte)
label: dad_v1991

range: [1,97]          units: 1
unique values: 3      missing .: 1,600/4,096
unique mv codes: 3    missing .*: 81/4,096
```

```
tabulation: Freq. Numeric Label
            1,812     1 1 Correct
            534      5 5 Incorrect
            69       97 97 Not assessed
            1,600     .
            20       .d
            61       .r
```

ef103c

Touch the large diamond

```
type: numeric (byte)
label: dad_v11082

range: [1,97]          units: 1
unique values: 3      missing .: 1,600/4,096
unique mv codes: 3    missing .*: 89/4,096
```

```
tabulation: Freq. Numeric Label
            1,516     1 1 Correct
            814      5 5 Incorrect
            77       97 97 Not assessed
            1,600     .
            26       .d
            63       .r
```

ef103d

Touch the black circle then the black diamond

```
      type: numeric (byte)
      label: dad_vl1083

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,600/4,096
      unique mv codes: 3            missing .*: 86/4,096

      tabulation: Freq.  Numeric  Label
                  1,287      1     1 Correct
                  1,043      5     5 Incorrect
                   80       97    97 Not assessed
                  1,600      .
                   22       .d
                   64       .r
```

ef103e

Before touching the blue square, touch the yellow square

```
      type: numeric (byte)
      label: dad_vl1084

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,600/4,096
      unique mv codes: 3            missing .*: 86/4,096

      tabulation: Freq.  Numeric  Label
                  1,041      1     1 Correct
                  1,290      5     5 Incorrect
                   79       97    97 Not assessed
                  1,600      .
                   23       .d
                   63       .r
```

ef103f

After tapping the yellow diamond, tap the blue circle

```
      type: numeric (byte)
      label: dad_vl1085

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,600/4,096
      unique mv codes: 3            missing .*: 88/4,096

      tabulation: Freq.  Numeric  Label
                  984       1     1 Correct
                  1,350      5     5 Incorrect
                   74       97    97 Not assessed
                  1,600      .
                   22       .d
                   66       .r
```

ef103g

Instead of tapping the yellow square, tap the black circle

```
      type: numeric (byte)
      label: dad_vl1086

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,604/4,096
      unique mv codes: 3            missing .*: 89/4,096
```

```

tabulation: Freq.  Numeric  Label
            1,442      1      1 Correct
            885       5      5 Incorrect
            76        97     97 Not assessed
            1,604      .
            20        .d
            69        .r

```

jp100a

Elephant - Monkey

```

type: numeric (byte)
label: dad_v1992

range: [1,3]          units: 1
unique values: 3      missing .: 1,603/4,096
unique mv codes: 3    missing .*: 271/4,096

```

```

tabulation: Freq.  Numeric  Label
            447      1      1 Animals, members of Animal
                        Kingdom
            491      2      2 Have tails
            1,284    3      3 Answers not pertinent,
                        differences
            1,603    .
            219     .d
            52      .r

```

jp100b

Rose - Jasmine

```

type: numeric (byte)
label: dad_v1993

range: [1,3]          units: 1
unique values: 3      missing .: 1,600/4,096
unique mv codes: 3    missing .*: 254/4,096

```

```

tabulation: Freq.  Numeric  Label
            951      1      1 Both Flowers
            508      2      2 Both have smell/ have petals
            783      3      3 Answers not pertinent,
                        differences
            1,600    .
            197     .d
            57      .r

```

jp101a

Lie - .Mistake

```

type: numeric (byte)
label: dad_v1994

range: [1,2]          units: 1
unique values: 2      missing .: 1,602/4,096
unique mv codes: 3    missing .*: 316/4,096

```

```

tabulation: Freq.  Numeric  Label
            438      1      1 Lie is deliberate, Mistake is
                        unintentional
            1,740    2      2 Anything else
            1,602    .
            253     .d
            63      .r

```

jp101b

River - Pond

```
      type: numeric (byte)
      label: dad_vl995

      range: [1,2]                units: 1
      unique values: 2            missing .: 1,600/4,096
      unique mv codes: 3          missing .*: 137/4,096

      tabulation: Freq.  Numeric  Label
                  1,464      1    1 River is flowing water, Pond
                  895        2    is non-flowing water
                  1,600      .    2 Anything else
                  85         .d
                  52         .r
```

jp102a

25paise coins will you give me for one Rupee

```
      type: numeric (byte)
      label: dad_vl996

      range: [1,2]                units: 1
      unique values: 2            missing .: 1,600/4,096
      unique mv codes: 3          missing .*: 236/4,096

      tabulation: Freq.  Numeric  Label
                  1,888      1    1 Correct
                  372        2    2 Incorrect
                  1,600      .
                  162        .d
                  74         .r
```

jp102b

25paise coins will you need to make six and half rupees

```
      type: numeric (byte)
      label: dad_vl997

      range: [1,2]                units: 1
      unique values: 2            missing .: 1,600/4,096
      unique mv codes: 3          missing .*: 443/4,096

      tabulation: Freq.  Numeric  Label
                  784        1    1 Correct
                  1,269      2    2 Incorrect
                  1,600      .
                  343        .d
                  100        .r
```

jp103a

find a lost child on road

```
      type: numeric (byte)
      label: dad_vl998

      range: [1,3]                units: 1
      unique values: 3            missing .: 1,611/4,096
      unique mv codes: 3          missing .*: 66/4,096

      tabulation: Freq.  Numeric  Label
                  630        1    1 Take the child to Police
```

```

station
1,112      2  2 Call neighbors/ ask child
677        3  3 No clear response
1,611      .
18         .d
48         .r

```

ss_1 subtraction from 100

```

type: numeric (byte)
label: dad_v1946

range: [1,2] units: 1
unique values: 2 missing .: 24/4,096
unique mv codes: 3 missing .*: 400/4,096

```

```

tabulation: Freq. Numeric Label
2,289      1  1 SS_1number
1,383      2  2 R cannot count
24         .
155        .d
245        .r

```

ss_2 2nd time subtraction

```

type: numeric (int)

range: [0,194] units: 1
unique values: 69 missing .: 1,804/4,096
unique mv codes: 3 missing .*: 128/4,096

```

```

mean: 82.7879
std. dev: 13.918

```

```

percentiles:      10%      25%      50%      75%      90%
                  80       84       86       86       88

```

ss_3 3rd time subtraction

```

type: numeric (int)

range: [-90,187] units: 1
unique values: 81 missing .: 1,805/4,096
unique mv codes: 3 missing .*: 226/4,096

```

```

mean: 74.8751
std. dev: 14.2972

```

```

percentiles:      10%      25%      50%      75%      90%
                  68       73       79       79       83

```

ss_4 4th time subtraction

```

type: numeric (int)

range: [0,184] units: 1
unique values: 80 missing .: 1,806/4,096
unique mv codes: 3 missing .*: 288/4,096

```

```

mean: 67.4311

```

std. dev: 13.7932
percentiles: 10% 25% 50% 75% 90%
58 63 72 72 77

ss_5 5th time subtraction

type: numeric (int)
range: [0,174] units: 1
unique values: 90 missing .: 1,809/4,096
unique mv codes: 3 missing .*: 313/4,096
mean: 60.115
std. dev: 13.8913
percentiles: 10% 25% 50% 75% 90%
48 55 65 65 71

ss_1number 7 Subtracted from 100

type: numeric (int)
range: [0,700] units: 1
unique values: 56 missing .: 24/4,096
unique mv codes: 4 missing .*: 1,783/4,096
mean: 91.1774
std. dev: 17.0596
percentiles: 10% 25% 50% 75% 90%
92 93 93 93 93

ss_score Score of 7s Series

type: numeric (byte)
range: [0,68] units: 1
unique values: 11 missing .: 13/4,096
unique mv codes: 4 missing .*: 2,020/4,096
tabulation: Freq. Value
74 0
479 1
364 2
345 3
296 4
497 5
4 6
1 45
1 53
1 63
1 68
13 .
17 .d
1,995 .e
8 .r

csidl_elbow CSID1: Elbow

```

    type: numeric (byte)
    label: dad_v1257

    range: [1,5]                units: 1
    unique values: 2            missing .: 21/4,096
    unique mv codes: 3          missing .*: 107/4,096

```

```

    tabulation: Freq.  Numeric  Label
                3,780      1     1 Correct
                188        5     5 Incorrect
                 21         .
                 28         .d
                 79         .r

```

csid2_hammer

CSID2: Hammer

```

    type: numeric (byte)
    label: dad_v1258

    range: [1,5]                units: 1
    unique values: 2            missing .: 21/4,096
    unique mv codes: 3          missing .*: 128/4,096

```

```

    tabulation: Freq.  Numeric  Label
                2,805      1     1 Correct
                1,142      5     5 Incorrect
                 21         .
                 46         .d
                 82         .r

```

csid3_store

CSID3: Store

```

    type: numeric (byte)
    label: dad_v1259

    range: [1,5]                units: 1
    unique values: 2            missing .: 15/4,096
    unique mv codes: 3          missing .*: 150/4,096

```

```

    tabulation: Freq.  Numeric  Label
                3,604      1     1 Correct
                 327        5     5 Incorrect
                 15         .
                 62         .d
                 88         .r

```

csid4_point

CSID4: Point

```

    type: numeric (byte)
    label: dad_v1260

    range: [1,5]                units: 1
    unique values: 2            missing .: 16/4,096
    unique mv codes: 3          missing .*: 142/4,096

```

```

    tabulation: Freq.  Numeric  Label
                3,589      1     1 Correct
                 349        5     5 Incorrect
                 16         .
                 44         .d
                 98         .r

```

rv_a1

RAVEN A1

type: numeric (byte)
label: dad_v1521

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 377/4,096

tabulation: Freq. Numeric Label
3,242 1 1 Correct
462 5 5 Incorrect
15 .
94 .d
283 .r

rv_a2

RAVEN A2

type: numeric (byte)
label: dad_v1522

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 391/4,096

tabulation: Freq. Numeric Label
3,316 1 1 Correct
374 5 5 Incorrect
15 .
92 .d
299 .r

rv_a4

RAVEN A4

type: numeric (byte)
label: dad_v1523

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 391/4,096

tabulation: Freq. Numeric Label
3,006 1 1 Correct
684 5 5 Incorrect
15 .
89 .d
302 .r

rv_a5

RAVEN A5

type: numeric (byte)
label: dad_v1524

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 400/4,096

tabulation: Freq. Numeric Label
2,745 1 1 Correct
936 5 5 Incorrect

15 .
91 .d
309 .r

rv_a6

RAVEN A6

type: numeric (byte)
label: dad_v1525

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 401/4,096

tabulation:	Freq.	Numeric	Label
	2,089	1	1 Correct
	1,591	5	5 Incorrect
	15	.	
	92	.d	
	309	.r	

rv_a7

RAVEN A7

type: numeric (byte)
label: dad_v1526

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 410/4,096

tabulation:	Freq.	Numeric	Label
	1,063	1	1 Correct
	2,608	5	5 Incorrect
	15	.	
	93	.d	
	317	.r	

rv_a8

RAVEN A8

type: numeric (byte)
label: dad_v1527

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 412/4,096

tabulation:	Freq.	Numeric	Label
	1,675	1	1 Correct
	1,994	5	5 Incorrect
	15	.	
	94	.d	
	318	.r	

rv_a11

RAVEN A11

type: numeric (byte)
label: dad_v1734

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 415/4,096

```

tabulation: Freq.  Numeric  Label
            685      1      1 Correct
            2,981    5      5 Incorrect
            15       .
            95       .d
            320      .r

```

rv_a12

RAVEN A12

```

type: numeric (byte)
label: dad_v1735

```

```

range: [1,5]          units: 1
unique values: 2      missing .: 15/4,096
unique mv codes: 3    missing .*: 411/4,096

```

```

tabulation: Freq.  Numeric  Label
            594      1      1 Correct
            3,076    5      5 Incorrect
            15       .
            91       .d
            320      .r

```

rv_b1

RAVEN B1

```

type: numeric (byte)
label: dad_v1736

```

```

range: [1,5]          units: 1
unique values: 2      missing .: 15/4,096
unique mv codes: 3    missing .*: 408/4,096

```

```

tabulation: Freq.  Numeric  Label
            3,062    1      1 Correct
            611      5      5 Incorrect
            15       .
            83       .d
            325      .r

```

rv_b2

RAVEN B2

```

type: numeric (byte)
label: dad_v1737

```

```

range: [1,5]          units: 1
unique values: 2      missing .: 15/4,096
unique mv codes: 3    missing .*: 407/4,096

```

```

tabulation: Freq.  Numeric  Label
            1,559    1      1 Correct
            2,115    5      5 Incorrect
            15       .
            84       .d
            323      .r

```

rv_b3

RAVEN B3

```

type: numeric (byte)
label: dad_v1738

```

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 412/4,096

tabulation:	Freq.	Numeric	Label
	1,384	1	1 Correct
	2,285	5	5 Incorrect
	15	.	
	87	.d	
	325	.r	

rv_b4

RAVEN B4

type: numeric (byte)
label: dad_v1739

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 412/4,096

tabulation:	Freq.	Numeric	Label
	1,679	1	1 Correct
	1,990	5	5 Incorrect
	15	.	
	87	.d	
	325	.r	

rv_b5

RAVEN B5

type: numeric (byte)
label: dad_v1740

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 410/4,096

tabulation:	Freq.	Numeric	Label
	874	1	1 Correct
	2,797	5	5 Incorrect
	15	.	
	85	.d	
	325	.r	

rv_b6

RAVEN B6

type: numeric (byte)
label: dad_v1741

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 412/4,096

tabulation:	Freq.	Numeric	Label
	884	1	1 Correct
	2,785	5	5 Incorrect
	15	.	
	85	.d	
	327	.r	

rv_b8

RAVEN B8

type: numeric (byte)
label: dad_v1742

range: [1,5] units: 1
unique values: 2 missing .: 15/4,096
unique mv codes: 3 missing .*: 412/4,096

tabulation:	Freq.	Numeric	Label
	500	1	1 Correct
	3,169	5	5 Incorrect
	15	.	
	85	.d	
	327	.r	

rv_b10

RAVEN B10

type: numeric (byte)
label: dad_v1743

range: [1,5] units: 1
unique values: 2 missing .: 32/4,096
unique mv codes: 3 missing .*: 410/4,096

tabulation:	Freq.	Numeric	Label
	772	1	1 Correct
	2,882	5	5 Incorrect
	32	.	
	86	.d	
	324	.r	

rv_score

RV Score

type: numeric (byte)

range: [1,17] units: 1
unique values: 17 missing .: 15/4,096
unique mv codes: 2 missing .*: 392/4,096

tabulation:	Freq.	Value
	69	1
	91	2
	121	3
	171	4
	253	5
	383	6
	566	7
	570	8
	469	9
	330	10
	266	11
	161	12
	106	13
	61	14
	29	15
	26	16
	17	17
	15	.
	392	.e

g1_total

G1_Total Correct

```

type: numeric (byte)

range: [0,10]          units: 1
unique values: 11      missing .: 19/4,096
unique mv codes: 3     missing .*: 183/4,096

```

```

tabulation: Freq. Value
             312  0
             140  1
             172  2
             205  3
             250  4
             372  5
             256  6
             262  7
             300  8
             361  9
            1,264 10
             19  .
             21  .d
             162  .r

```

g2_total

G2_Total Correct

```

type: numeric (byte)

range: [0,10]          units: 1
unique values: 11      missing .: 19/4,096
unique mv codes: 3     missing .*: 206/4,096

```

```

tabulation: Freq. Value
             621  0
             233  1
             272  2
             309  3
             375  4
             363  5
             256  6
             203  7
             230  8
             301  9
             708 10
             19  .
             25  .d
             181  .r

```

bc101_intro

BC INTRODUCTION TO BACKWARD COUNT

```

type: numeric (byte)
label: dad_v162

range: [1,2]          units: 1
unique values: 2      missing .: 2,509/4,096
unique mv codes: 3    missing .*: 180/4,096

```

```

tabulation: Freq. Numeric Label
             864         1  1 Continue
             543         2  2 R can not count
            2,509         .
              67         .d
             113         .r

```

```

type: numeric (int)
range: [1,189]           units: 1
unique values: 90       missing .: 3,235/4,096
unique mv codes: 2     missing .*: 6/4,096

mean: 30.1754
std. dev: 25.3772

percentiles:      10%      25%      50%      75%      90%
                  10       18       25       35       48
    
```

bc102_finalnumber BC FINAL NUMBER R REACHED AT 30 SECONDS

```

type: numeric (byte)
range: [0,100]          units: 1
unique values: 70       missing .: 3,232/4,096
unique mv codes: 3     missing .*: 6/4,096

mean: 74.6958
std. dev: 15.649

percentiles:      10%      25%      50%      75%      90%
                  60       69       78       84       90
    
```

bc103 Number of Errors

```

type: numeric (byte)
range: [0,92]           units: 1
unique values: 51       missing .: 3,232/4,096
unique mv codes: 3     missing .*: 6/4,096

mean: 4.76573
std. dev: 13.1805

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        2        11
    
```

ob001 iwer observation noise

```

type: numeric (byte)
label: dad_vl1000
range: [1,5]           units: 1
unique values: 5       missing .: 3,248/4,096
unique mv codes: 2     missing .*: 48/4,096

tabulation:  Freq.  Numeric  Label
              223    1 1 1 Quiet
              314    2 2 2
              184    3 3 3
               53    4 4 4
               26    5 5 5 Noisy
             3,248    .
               48    .r
    
```

ob002

iwere observation odor

```

type: numeric (byte)
label: dad_vl1001

range: [1,5] units: 1
unique values: 5 missing .: 3,248/4,096
unique mv codes: 2 missing .*: 48/4,096

```

tabulation:	Freq.	Numeric	Label
	286	1	1 1 No smell
	297	2	2 2
	172	3	3 3
	23	4	4 4
	22	5	5 5 Strong smell
	3,248	.	
	48	.r	

ob003

iwere observation odor

```

type: numeric (byte)
label: dad_vl1002

range: [1,5] units: 1
unique values: 5 missing .: 3,248/4,096
unique mv codes: 2 missing .*: 48/4,096

```

tabulation:	Freq.	Numeric	Label
	395	1	1 1 No air pollution
	254	2	2 2
	126	3	3 3
	23	4	4 4
	2	5	5 5 Strong air pollution
	3,248	.	
	48	.r	

ob004

iwere observation upkeep house

```

type: numeric (byte)
label: dad_vl1003

range: [1,5] units: 1
unique values: 5 missing .: 3,248/4,096
unique mv codes: 2 missing .*: 48/4,096

```

tabulation:	Freq.	Numeric	Label
	191	1	1 1 Very well kept
	225	2	2 2
	239	3	3 3
	108	4	4 4
	37	5	5 5 Very poorly kept (needs major repairs)
	3,248	.	
	48	.r	

ob005

respondent observation

```

type: string (str243)

unique values: 705 missing "": 3,248/4,096

```

```
examples: ""  
          ""  
          ""  
          ".r"
```

```
warning: variable has leading, embedded, and trailing blanks
```