

Codebook for raw data - Informant

dm_age Informant Age

type: numeric (byte)
range: [18,92] units: 1
unique values: 74 missing .: 10/4,047
unique mv codes: 3 missing .*: 11/4,047

mean: 44.2824
std. dev: 16.7808

percentiles: 10% 25% 50% 75% 90%
24 30 40 60 68

dm_gender Informant Gender

type: numeric (byte)
label: dad_v1103

range: [1,2] units: 1
unique values: 2 missing .: 10/4,047
unique mv codes: 2 missing .*: 1/4,047

tabulation: Freq. Numeric Label
1,464 1 1 Male
2,572 2 2 Female
10 .
1 .r

dm_educ1 EVER ATTENDED SCHOOL

type: numeric (byte)
label: dad_v1750

range: [1,5] units: 1
unique values: 2 missing .: 10/4,047
unique mv codes: 2 missing .*: 2/4,047

tabulation: Freq. Numeric Label
3,122 1 1 Yes
913 5 5 No
10 .
2 .r

dm_educ2 Informant Ed Level

type: numeric (byte)
label: dad_v1104, but 9 nonmissing values are not labeled

range: [1,97] units: 1
unique values: 19 missing .: 925/4,047

examples: 3 3 Middle Completed (Standard 8-9)
4 4 Secondary Completed (Standard 10-11)
7 7 Graduate degree (B.A., B.Sc., B.Com.) Completed
.

dm_rtr Informant Rel To Respondent

```

type: numeric (byte)
label: dad_vl105

range: [1,15]          units: 1
unique values: 15      missing .: 10/4,047
unique mv codes: 2     missing .*: 1/4,047

```

```

tabulation: Freq.   Numeric  Label
1,204      1      1 Spouse/partner
696        2      2 Son
302        3      3 Daughter
27         4      4 Son-in-law
954        5      5 Daughter-in-law
239        6      6 Grandchild
139        7      7 Parent
119        8      8 Parent-in-law
32         9      9 Brother
29        10     10 Sister
61        11     11 Grandparent
102       12     12 Other relative
1         13     13 Servant
27        14     14 Friend
104       15     15 Other, non-relative
10        .
1         .r

```

dm_years Informant Yrs Known Respondent

```

type: numeric (byte)

range: [1,85]          units: 1
unique values: 78      missing .: 10/4,047
unique mv codes: 3     missing .*: 10/4,047

mean: 23.4356
std. dev: 16.3303

percentiles:          10%      25%      50%      75%      90%
                   10        10        17        38        50

```

dm_freq Informant Freq See Respondent

```

type: numeric (byte)
label: dad_vl108

range: [1,97]          units: 1
unique values: 8       missing .: 10/4,047
unique mv codes: 2     missing .*: 1/4,047

tabulation: Freq.   Numeric  Label
3,057      1      1 Lives with Respondent
819        2      2 Daily
58         3      3 Several times a week
23         4      4 Once a week
36         5      5 One to three times a month
28         6      6 Less than once a month
3          7      7 Never
12         97     97 Other
10        .
1         .r

```

dm_care Inf Caregiver for Respondent

```

type: numeric (byte)
label: dad_vl110

range: [1,5] units: 1
unique values: 2 missing .: 11/4,047
unique mv codes: 2 missing .*: 1/4,047

```

```

tabulation: Freq. Numeric Label
            3,350      1 1 Yes
            685       5 5 No
            11        .
            1         .r

```

dm_stroke

Resp Diagnosed Stroke

```

type: numeric (byte)
label: dad_vl582

range: [1,5] units: 1
unique values: 2 missing .: 11/4,047
unique mv codes: 3 missing .*: 21/4,047

```

```

tabulation: Freq. Numeric Label
            238       1 1 Yes
            3,777     5 5 No
            11        .
            19        .d
            2         .r

```

dm_park

Resp Diagnosed Parkinsons

```

type: numeric (byte)
label: dad_vl583

range: [1,5] units: 1
unique values: 2 missing .: 11/4,047
unique mv codes: 3 missing .*: 20/4,047

```

```

tabulation: Freq. Numeric Label
            142       1 1 Yes
            3,874     5 5 No
            11        .
            18        .d
            2         .r

```

dm_mem

Resp Diagnosed Memory Probs

```

type: numeric (byte)
label: dad_vl585

range: [1,5] units: 1
unique values: 2 missing .: 11/4,047
unique mv codes: 3 missing .*: 34/4,047

```

```

tabulation: Freq. Numeric Label
            466       1 1 Yes
            3,536     5 5 No
            11        .
            32        .d
            2         .r

```

dm_ad

Resp Diagnosed Alzheimers

type: numeric (byte)
label: dad_v1584

range: [1,5] units: 1
unique values: 2 missing .: 11/4,047
unique mv codes: 3 missing .*: 16/4,047

tabulation: Freq. Numeric Label
143 1 1 Yes
3,877 5 5 No
11 .
14 .d
2 .r

j1a

Remembering Family, Friends, Dates

type: numeric (byte)
label: dad_v1588

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 12/4,047

tabulation: Freq. Numeric Label
32 1 1 Much Improved
80 2 2 A Bit Improved
2,266 3 3 Not much changed
1,223 4 4 A Bit Worse
379 5 5 Much worse
42 6 6 Does not apply; RName doesnt
do activity
13 .
9 .d
3 .r

j1score

J1 Score

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 63/4,047
unique mv codes: 2 missing .*: 4/4,047

tabulation: Freq. Value
32 1
80 2
2,266 3
1,223 4
379 5
63 .
4 .e

j2a

Remembering Recent Happenings

type: numeric (byte)
label: dad_v1592

```

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 19/4,047

```

```

tabulation: Freq. Numeric Label
            33      1  1 Much Improved
            81      2  2 A Bit Improved
           2,358    3  3 Not much changed
           1,202    4  4 A Bit Worse
            327    5  5 Much worse
            14     6  6 Does not apply; RName doesnt
                do activity
            13     .
            16    .d
            3     .r

```

```

j2score J2 Score

```

```

type: numeric (byte)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 45/4,047
unique mv codes: 2 missing .*: 1/4,047

```

```

tabulation: Freq. Value
            33  1
            81  2
           2,358 3
           1,202 4
            327 5
             45  .
              1  .e

```

```

j3a Recalling Conversations

```

```

type: numeric (byte)
label: dad_v1753

```

```

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 21/4,047

```

```

tabulation: Freq. Numeric Label
            18      1  1 Much Improved
            74      2  2 A Bit Improved
           2,340    3  3 Not much changed
           1,253    4  4 A Bit Worse
            321    5  5 Much worse
              7     6  6 Does not apply; RName doesnt
                do activity
            13     .
            16    .d
            5     .r

```

```

j3score J3 Score

```

```

type: numeric (byte)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 40/4,047
unique mv codes: 2 missing .*: 1/4,047

```

```

tabulation:  Freq.  Value
              18    1
              74    2
            2,340    3
            1,253    4
              321    5
              40    .
              1    .e

```

```

j4aRemembering Address and Telephone

```

```

      type: numeric (byte)
      label: dad_v1757

      range: [1,6]                units: 1
unique values: 6                missing .: 13/4,047
unique mv codes: 3              missing .*: 21/4,047

```

```

tabulation:  Freq.  Numeric  Label
              18      1  1 Much Improved
              63      2  2 A Bit Improved
            2,253      3  3 Not much changed
              930      4  4 A Bit Worse
              334      5  5 Much worse
              415      6  6 Does not apply; RName doesnt
                               do activity
              13      .
              17      .d
              4      .r

```

```

j4scoreJ4 Score

```

```

      type: numeric (byte)

      range: [1,5]                units: 1
unique values: 5                missing .: 427/4,047
unique mv codes: 2              missing .*: 22/4,047

```

```

tabulation:  Freq.  Value
              18    1
              63    2
            2,253    3
              930    4
              334    5
              427    .
              22    .e

```

```

j5aRemembering Day and Month

```

```

      type: numeric (byte)
      label: dad_v1761

      range: [1,6]                units: 1
unique values: 6                missing .: 13/4,047
unique mv codes: 3              missing .*: 17/4,047

```

```

tabulation:  Freq.  Numeric  Label
              29      1  1 Much Improved
              73      2  2 A Bit Improved
            2,485      3  3 Not much changed
              980      4  4 A Bit Worse
              339      5  5 Much worse

```

```

111      6 6 Does not apply; RName doesnt
          do activity
13       .
14       .d
3        .r

```

j5score

J5 Score

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 5      missing .: 140/4,047
unique mv codes: 2    missing .*: 1/4,047

```

```

tabulation: Freq. Value
            29  1
            73  2
          2,485 3
            980 4
            339 5
            140 .
             1  .e

```

j6a

Remembering Where Things Are Kept

```

type: numeric (byte)
label: dad_v1765

range: [1,6]          units: 1
unique values: 6      missing .: 13/4,047
unique mv codes: 3    missing .*: 14/4,047

```

```

tabulation: Freq. Numeric Label
            12      1  1 Much Improved
            53      2  2 A Bit Improved
          2,170      3  3 Not much changed
          1,385      4  4 A Bit Worse
            366      5  5 Much worse
             34      6  6 Does not apply; RName doesnt
                    do activity
            13       .
            11       .d
             3       .r

```

j6score

J6 Score

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 5      missing .: 59/4,047
unique mv codes: 2    missing .*: 2/4,047

```

```

tabulation: Freq. Value
            12  1
            53  2
          2,170 3
          1,385 4
            366 5
             59 .
              2 .e

```



```

type: numeric (byte)
label: dad_v1769

range: [1,6]                units: 1
unique values: 6            missing .: 13/4,047
unique mv codes: 3         missing .*: 18/4,047

```

```

tabulation: Freq.  Numeric  Label
             15         1  1 Much Improved
             51         2  2 A Bit Improved
            1,936       3  3 Not much changed
            1,545       4  4 A Bit Worse
             432        5  5 Much worse
             37         6  6 Does not apply; RName doesnt
                    do activity
             13         .
             15         .d
             3          .r

```

j7score

J7 Score

```

type: numeric (byte)

range: [1,5]                units: 1
unique values: 5            missing .: 66/4,047
unique mv codes: 2         missing .*: 2/4,047

```

```

tabulation: Freq.  Value
             15     1
             51     2
            1,936   3
            1,545   4
             432    5
             66     .
             2      .e

```

j8a

Knowing How to Work Machines

```

type: numeric (byte)
label: dad_v1773

range: [1,6]                units: 1
unique values: 6            missing .: 13/4,047
unique mv codes: 3         missing .*: 32/4,047

```

```

tabulation: Freq.  Numeric  Label
             27         1  1 Much Improved
             81         2  2 A Bit Improved
            2,094       3  3 Not much changed
             768        4  4 A Bit Worse
             281        5  5 Much worse
             751        6  6 Does not apply; RName doesnt
                    do activity
             13         .
             29         .d
             3          .r

```

j8score

J8 Score

```

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 768/4,047
unique mv codes: 2 missing .*: 28/4,047

```

```

tabulation: Freq. Value
             27 1
             81 2
            2,094 3
             768 4
             281 5
             768 .
             28 .e

```

```

j9a Learning to Use a New Gadget

```

```

type: numeric (byte)
label: dad_v1777

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 39/4,047

```

```

tabulation: Freq. Numeric Label
             38      1 1 Much Improved
             121     2 2 A Bit Improved
            1,522     3 3 Not much changed
             816     4 4 A Bit Worse
             328     5 5 Much worse
            1,170     6 6 Does not apply; RName doesnt
                    do activity
             13      .
             35     .d
             4      .r

```

```

j9score J9 Score

```

```

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 1,204/4,047
unique mv codes: 2 missing .*: 18/4,047

```

```

tabulation: Freq. Value
             38 1
             121 2
            1,522 3
             816 4
             328 5
            1,204 .
             18 .e

```

```

j10a Learning New Things

```

```

type: numeric (byte)
label: dad_v1781

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 35/4,047

```

```

tabulation:  Freq.  Numeric  Label
              40      1      1 Much Improved
              179     2      2 A Bit Improved
            1,666     3      3 Not much changed
            1,108     4      4 A Bit Worse
              486     5      5 Much worse
              520     6      6 Does not apply; RName doesnt
                                do activity
              13      .
              32     .d
              3      .r

```

j10score

J10 Score

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 5      missing .: 566/4,047
unique mv codes: 2    missing .*: 2/4,047

```

```

tabulation:  Freq.  Value
              40      1
              179     2
            1,666     3
            1,108     4
              486     5
              566     .
              2      .e

```

j11a

Following a Story in Book or on TV

```

type: numeric (byte)
label: dad_v1785

range: [1,6]          units: 1
unique values: 6      missing .: 13/4,047
unique mv codes: 3    missing .*: 24/4,047

```

```

tabulation:  Freq.  Numeric  Label
              35      1      1 Much Improved
              121     2      2 A Bit Improved
            2,359     3      3 Not much changed
              679     4      4 A Bit Worse
              257     5      5 Much worse
              559     6      6 Does not apply; RName doesnt
                                do activity
              13      .
              20     .d
              4      .r

```

j11score

J11 Score

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 5      missing .: 583/4,047
unique mv codes: 2    missing .*: 13/4,047

```

```

tabulation:  Freq.  Value
              35      1
              121     2
            2,359     3

```

679 4
257 5
583 .
13 .e

j12a Making Everyday Decisions

type: numeric (byte)
label: dad_v1789

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 20/4,047

tabulation: Freq. Numeric Label

25	1	1 Much Improved
93	2	2 A Bit Improved
2,388	3	3 Not much changed
875	4	4 A Bit Worse
364	5	5 Much worse
269	6	6 Does not apply; RName doesnt do activity
13	.	
15	.d	
5	.r	

j12score J12 Score

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 291/4,047
unique mv codes: 2 missing .*: 11/4,047

tabulation: Freq. Value

25	1
93	2
2,388	3
875	4
364	5
291	.
11	.e

j13a Handling Money for Shopping

type: numeric (byte)
label: dad_v1793

range: [1,6] units: 1
unique values: 6 missing .: 13/4,047
unique mv codes: 3 missing .*: 17/4,047

tabulation: Freq. Numeric Label

28	1	1 Much Improved
77	2	2 A Bit Improved
2,422	3	3 Not much changed
774	4	4 A Bit Worse
364	5	5 Much worse
352	6	6 Does not apply; RName doesnt do activity
13	.	
12	.d	

```
j13score
```

J13 Score

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique mv codes: 2
units: 1
missing .: 372/4,047
missing .*: 10/4,047

```

```

tabulation: Freq. Value
              28 1
              77 2
            2,422 3
              774 4
              364 5
              372 .
              10 .e

```

```
j14a
```

Handling Fin Matters with Bank

```

type: numeric (byte)
label: dad_v1797
range: [1,6]
unique values: 6
unique mv codes: 3
units: 1
missing .: 14/4,047
missing .*: 20/4,047

```

```

tabulation: Freq. Numeric Label
              34      1 1 Much Improved
              92      2 2 A Bit Improved
            2,060      3 3 Not much changed
              706      4 4 A Bit Worse
              360      5 5 Much worse
              761      6 6 Does not apply; RName doesnt
                    do activity
              14      .
              15      .d
              5      .r

```

```
j14score
```

J14 Score

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique mv codes: 2
units: 1
missing .: 781/4,047
missing .*: 14/4,047

```

```

tabulation: Freq. Value
              34 1
              92 2
            2,060 3
              706 4
              360 5
              781 .
              14 .e

```

```
j15a
```

Handling Everyday Math

```
type: numeric (byte)
```

```

label: dad_vl801

range: [1,6] units: 1
unique values: 6 missing .: 14/4,047
unique mv codes: 3 missing .*: 25/4,047

```

```

tabulation: Freq. Numeric Label
             25         1  1 Much Improved
              70         2  2 A Bit Improved
            2,386         3  3 Not much changed
             857         4  4 A Bit Worse
             334         5  5 Much worse
             336         6  6 Does not apply; RName doesnt
                                do activity
              14         .
              20         .d
               5         .r

```

j15score

J15 Score

```

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 370/4,047
unique mv codes: 2 missing .*: 5/4,047

```

```

tabulation: Freq. Value
             25     1
              70     2
            2,386   3
             857     4
             334     5
             370     .
               5     .e

```

j16a

Using Intelligence to Reason

```

type: numeric (byte)
label: dad_vl805

range: [1,6] units: 1
unique values: 6 missing .: 14/4,047
unique mv codes: 3 missing .*: 21/4,047

```

```

tabulation: Freq. Numeric Label
             31         1  1 Much Improved
              92         2  2 A Bit Improved
            2,598         3  3 Not much changed
             920         4  4 A Bit Worse
             299         5  5 Much worse
              72         6  6 Does not apply; RName doesnt
                                do activity
              14         .
              17         .d
               4         .r

```

j16score

J16 Score

```

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 106/4,047

```

unique mv codes: 2 missing .*: 1/4,047

tabulation:	Freq.	Value
	31	1
	92	2
	2,598	3
	920	4
	299	5
	106	.
	1	.e

jormscore JORM Score

type: numeric (double)

range: [1,5] units: 1.000e-08
unique values: 215 missing .: 14/4,047
unique mv codes: 2 missing .*: 6/4,047

mean: 3.44369
std. dev: .541115

percentiles:	10%	25%	50%	75%	90%
	3	3.0625	3.3125	3.75	4.2

jormrespond JORM Responses Counted

type: numeric (byte)

range: [1,16] units: 1
unique values: 16 missing .: 11/4,047
unique mv codes: 2 missing .*: 8/4,047

tabulation:	Freq.	Value
	3	1
	2	2
	4	3
	3	4
	9	5
	11	6
	23	7
	26	8
	49	9
	97	10
	131	11
	192	12
	329	13
	478	14
	636	15
	2,035	16
	11	.
	8	.e

bl2_2 Ability to Feed Self

type: numeric (byte)
label: dad_vl112

range: [1,4] units: 1
unique values: 4 missing .: 14/4,047
unique mv codes: 3 missing .*: 4/4,047

```

tabulation: Freq.  Numeric  Label
            3,844      1  1 Feeds self without assistance
            87         2  2 Feeds self with minor
                    assistance
            38         3  3 Feeds self with much
                    assistance
            60         4  4 Has to be fed
            14         .
            1          .d
            3          .r

```

b12_3

Ability to Use Toilet

```

type: numeric (byte)
label: dad_vl113, but 1 nonmissing value is not labeled

range: [1,9]                      units: 1
unique values: 5                    missing .: 14/4,047
unique mv codes: 3                  missing .*: 6/4,047

```

```

tabulation: Freq.  Numeric  Label
            3,849      1  1 Clean, cares for self at
                    toilet
            95         2  2 Occasional incontinence, or
                    needs to be reminded
            54         3  3 Frequent incontinence, or
                    needs much assistance
            26         4  4 Little or no control
            3          9
            14         .
            2          .d
            4          .r

```

b12_4

Ability to Dress Self

```

type: numeric (byte)
label: dad_vl114

range: [1,4]                      units: 1
unique values: 4                    missing .: 14/4,047
unique mv codes: 3                  missing .*: 5/4,047

```

```

tabulation: Freq.  Numeric  Label
            3,806      1  1 Unaided
            141         2  2 Occasionally misplaces
                    buttons, etc., requires minor
                    help
            34         3  3 Wrong sequences, forgets
                    items, requires much assistance
            47         4  4 Unable to dress
            14         .
            1          .d
            4          .r

```

act_1

Hrs Spent Watching TV

```

type: numeric (byte)
label: dad_vl594, but 2 nonmissing values are not labeled

range: [0,9]                      units: 1
unique values: 9                    missing .: 15/4,047
unique mv codes: 3                  missing .*: 23/4,047

```



```

tabulation:  Freq.  Numeric  Label
              679      0  0 None
              564      1  1 One half
              915      2  2 One
              990      3  3 Two to three
              207      4  4 Four to six
               60      5  5 Seven or more
              590      6  6 Never
               1       8
               3       9
              15       .
              17      .d
               6      .r

```

act_2 Hrs Spent Reading

```

type: numeric (byte)
label: dad_v1595, but 2 nonmissing values are not labeled

range: [0,9] units: 1
unique values: 9 missing .: 15/4,047
unique mv codes: 3 missing .*: 27/4,047

```

```

tabulation:  Freq.  Numeric  Label
              1,223    0  0 None
               504     1  1 One half
               519     2  2 One
               174     3  3 Two to three
                30     4  4 Four to six
                 6     5  5 Seven or more
              1,542     6  6 Never
                 5     8
                 2     9
                15     .
                21    .d
                 6    .r

```

act_5 Hrs Spent Playing Puzzles/GamesHrs Spent Chores/Maint/Gardening

```

type: numeric (byte)
label: dad_v1598, but 1 nonmissing value is not labeled

range: [0,8] units: 1
unique values: 8 missing .: 16/4,047
unique mv codes: 3 missing .*: 17/4,047

```

```

tabulation:  Freq.  Numeric  Label
              808      0  0 None
              417      1  1 One half
              771      2  2 One
              996      3  3 Two to three
              361      4  4 Four to six
              171      5  5 Seven or more
              489      6  6 Never
               1       8
              16       .
              11      .d
               6      .r

```

act_7 Hrs Spent Using Computer/Internet

```

type: numeric (byte)
label: dad_vl600, but 2 nonmissing values are not labeled

range: [0,9] units: 1
unique values: 9 missing .: 16/4,047
unique mv codes: 3 missing .*: 19/4,047

```

```

tabulation: Freq. Numeric Label
1,315      0 0 None
           35 1 1 One half
           56 2 2 One
           32 3 3 Two to three
            8 4 4 Four to six
            5 5 5 Seven or more
2,553      6 6 Never
           3 8
           5 9
           16 .
           13 .d
            6 .r

```

act_8

Hrs Spent Taking Naps

```

type: numeric (byte)
label: dad_vl601, but 1 nonmissing value is not labeled

range: [0,8] units: 1
unique values: 8 missing .: 16/4,047
unique mv codes: 3 missing .*: 25/4,047

```

```

tabulation: Freq. Numeric Label
           541 0 0 None
           488 1 1 One half
1,161      2 2 One
           965 3 3 Two to three
           301 4 4 Four to six
           268 5 5 Seven or more
           279 6 6 Never
            3 8
            16 .
            20 .d
             5 .r

```

act_9

Other Activities

```

type: numeric (byte)
label: dad_vl602

range: [1,5] units: 1
unique values: 2 missing .: 16/4,047
unique mv codes: 3 missing .*: 18/4,047

```

```

tabulation: Freq. Numeric Label
           714 1 1 Yes
3,299      5 5 No
           16 .
            9 .d
            9 .r

```

act_9a

Other Activities

```

type: string (str157)

```

unique values: 604 missing "": 3,333/4,047

examples: ""
""
""
""

warning: variable has leading, embedded, and trailing blanks

act_10 Prepares Hot Meals

type: numeric (byte)
label: dad_vl812

range: [1,6] units: 1
unique values: 3 missing .: 16/4,047
unique mv codes: 3 missing .*: 9/4,047

tabulation:	Freq.	Numeric	Label
	1,610	1	1 Yes
	1,410	5	5 No
	1,002	6	6 Its not customary for RName to do this
	16	.	.
	3	.d	.d
	6	.r	.r

act_11 Number of Days Prepares Hot Meals

type: numeric (byte)

range: [1,7] units: 1
unique values: 7 missing .: 2,437/4,047
unique mv codes: 3 missing .*: 9/4,047

tabulation:	Freq.	Value
	209	1
	163	2
	94	3
	57	4
	71	5
	20	6
	987	7
	2,437	.
	7	.d
	2	.r

act_12 Number of Times Prepares Hot Meals

type: numeric (byte)

range: [1,10] units: 1
unique values: 8 missing .: 2,437/4,047
unique mv codes: 3 missing .*: 11/4,047

tabulation:	Freq.	Value
	583	1
	753	2
	243	3
	2	4
	2	5

3 6
9 7
4 10
2,437 .
8 .d
3 .r

act_13

Able To Travel on Own

type: numeric (byte)
label: dad_vl815

range: [1,5] units: 1
unique values: 2 missing .: 16/4,047
unique mv codes: 3 missing .*: 11/4,047

tabulation:	Freq.	Numeric	Label
	2,468	1	1 Yes
	1,552	5	5 No
	16	.	.
	7	.d	.d
	4	.r	.r

act_14

Use Public Transit on Own

type: numeric (byte)
label: dad_vl816

range: [1,5] units: 1
unique values: 2 missing .: 16/4,047
unique mv codes: 3 missing .*: 12/4,047

tabulation:	Freq.	Numeric	Label
	2,473	1	1 Yes
	1,546	5	5 No
	16	.	.
	6	.d	.d
	6	.r	.r

act_15

Freq Go To Work/Volunteer

type: numeric (byte)
label: dad_vl817, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 16/4,047
unique mv codes: 3 missing .*: 16/4,047

tabulation:	Freq.	Numeric	Label
	583	1	1 Daily
	226	2	2 Several times a week
	183	3	3 Once a week
	174	4	4 Once a month
	595	5	5 Rarely
	2,247	6	6 Never
	5	8	
	2	9	
	16	.	.
	11	.d	.d
	5	.r	.r

act_16

Freq Go To Store/Market

```

type: numeric (byte)
label: dad_vl818, but 2 nonmissing values are not labeled

range: [1,9]                units: 1
unique values: 8             missing .: 16/4,047
unique mv codes: 3          missing .*: 14/4,047

```

tabulation:	Freq.	Numeric	Label
	491	1	1 Daily
	647	2	2 Several times a week
	567	3	3 Once a week
	291	4	4 Once a month
	700	5	5 Rarely
	1,316	6	6 Never
	2	8	
	3	9	
	16	.	
	8	.d	
	6	.r	

act_17

Store//Mkt: Alone or With Someone

```

type: numeric (byte)
label: dad_vl819

range: [1,5]                units: 1
unique values: 2             missing .: 1,351/4,047
unique mv codes: 2          missing .*: 1/4,047

```

tabulation:	Freq.	Numeric	Label
	2,287	1	1 Alone
	408	5	5 With Someone
	1,351	.	
	1	.r	

act_22

Freq Go for Walk

```

type: numeric (byte)
label: dad_vl824, but 2 nonmissing values are not labeled

range: [1,9]                units: 1
unique values: 8             missing .: 16/4,047
unique mv codes: 3          missing .*: 16/4,047

```

tabulation:	Freq.	Numeric	Label
	1,223	1	1 Daily
	154	2	2 Several times a week
	83	3	3 Once a week
	30	4	4 Once a month
	361	5	5 Rarely
	2,160	6	6 Never
	1	8	
	3	9	
	16	.	
	9	.d	
	7	.r	

act_23

Walk: Alone or With Someone

```

    type: numeric (byte)
    label: dad_vl825

    range: [1,5]                units: 1
    unique values: 2            missing .: 2,196/4,047
    unique mv codes: 2          missing .*: 1/4,047

```

```

    tabulation: Freq.  Numeric  Label
                1,588      1    1 Alone
                262        5    5 With Someone
                2,196      .
                1          .r

```

act_24

Freq Play Sports/Exercise

```

    type: numeric (byte)
    label: dad_vl826, but 2 nonmissing values are not labeled

    range: [1,9]                units: 1
    unique values: 8            missing .: 16/4,047
    unique mv codes: 3          missing .*: 20/4,047

```

```

    tabulation: Freq.  Numeric  Label
                245      1    1 Daily
                37       2    2 Several times a week
                26       3    3 Once a week
                19       4    4 Once a month
                175      5    5 Rarely
                3,504    6    6 Never
                2        8
                3        9
                16       .
                13      .d
                7        .r

```

act_25

Sports/Exercise: Alone or With Someone

```

    type: numeric (byte)
    label: dad_vl827

    range: [1,5]                units: 1
    unique values: 2            missing .: 3,545/4,047
    unique mv codes: 2          missing .*: 2/4,047

```

```

    tabulation: Freq.  Numeric  Label
                406      1    1 Alone
                94       5    5 With Someone
                3,545    .
                2        .d

```

act_26

Does Other Activities Outside Home

```

    type: numeric (byte)
    label: dad_vl829

    range: [1,5]                units: 1
    unique values: 2            missing .: 16/4,047
    unique mv codes: 3          missing .*: 14/4,047

```

```

    tabulation: Freq.  Numeric  Label
                586      1    1 Yes
                3,431    5    5 No

```

16 .
7 .d
7 .r

act_26a

Other Activities Outside Home

type: string (str105)
unique values: 510 missing "": 3,461/4,047
examples: ""
""
""
""
warning: variable has leading, embedded, and trailing blanks

act_27

Felt Happy

type: numeric (byte)
label: dad_vl831, but 2 nonmissing values are not labeled
range: [1,9] units: 1
unique values: 7 missing .: 16/4,047
unique mv codes: 3 missing .*: 49/4,047
tabulation: Freq. Numeric Label
495 1 1 Not at all
609 2 2 A little
1,489 3 3 Somewhat
948 4 4 Quite a bit
431 5 5 Very much
8 8
2 9
16 .
41 .d
8 .r

act_29

Felt Engaged

type: numeric (byte)
label: dad_vl833, but 1 nonmissing value is not labeled
range: [1,8] units: 1
unique values: 6 missing .: 16/4,047
unique mv codes: 3 missing .*: 33/4,047
tabulation: Freq. Numeric Label
870 1 1 Not at all
674 2 2 A little
1,240 3 3 Somewhat
830 4 4 Quite a bit
379 5 5 Very much
5 8
16 .
23 .d
10 .r

act_30

Felt Alert

```

type: numeric (byte)
label: dad_vl834, but 1 nonmissing value is not labeled

range: [1,8] units: 1
unique values: 6 missing .: 16/4,047
unique mv codes: 3 missing .*: 40/4,047

```

tabulation:	Freq.	Numeric	Label
	782	1	1 Not at all
	523	2	2 A little
	1,215	3	3 Somewhat
	929	4	4 Quite a bit
	532	5	5 Very much
	10	8	
	16	.	
	30	.d	
	10	.r	

act_31

Felt AlertInterested

```

type: numeric (byte)
label: dad_vl835, but 3 nonmissing values are not labeled

range: [0,9] units: 1
unique values: 8 missing .: 16/4,047
unique mv codes: 3 missing .*: 46/4,047

```

tabulation:	Freq.	Numeric	Label
	282	0	
	786	1	1 Not at all
	514	2	2 A little
	1,138	3	3 Somewhat
	798	4	4 Quite a bit
	460	5	5 Very much
	6	8	
	1	9	
	16	.	
	35	.d	
	11	.r	

act_36

Felt Confused

```

type: numeric (byte)
label: dad_vl840, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 7 missing .: 16/4,047
unique mv codes: 3 missing .*: 54/4,047

```

tabulation:	Freq.	Numeric	Label
	2,076	1	1 Not at all
	700	2	2 A little
	692	3	3 Somewhat
	385	4	4 Quite a bit
	116	5	5 Very much
	7	8	
	1	9	
	16	.	
	43	.d	
	11	.r	

act_37

Felt Withdrawn


```

type: numeric (byte)
label: dad_vl841, but 1 nonmissing value is not labeled

range: [1,8] units: 1
unique values: 6 missing .: 16/4,047
unique mv codes: 3 missing .*: 43/4,047

```

tabulation:	Freq.	Numeric	Label
	2,261	1	1 Not at all
	573	2	2 A little
	646	3	3 Somewhat
	344	4	4 Quite a bit
	154	5	5 Very much
	10	8	
	16	.	
	33	.d	
	10	.r	

act_38

Change In Daily Activities

```

type: numeric (byte)
label: dad_vl842

range: [1,3] units: 1
unique values: 3 missing .: 16/4,047
unique mv codes: 3 missing .*: 19/4,047

```

tabulation:	Freq.	Numeric	Label
	1,421	1	1 No change
	2,040	2	2 Slowing down
	551	3	3 Activities decreased or discontinued
	16	.	
	11	.d	
	8	.r	

csi_cogact1

Decline in Mental Functioning

```

type: numeric (byte)
label: dad_vl603

range: [1,5] units: 1
unique values: 2 missing .: 16/4,047
unique mv codes: 3 missing .*: 31/4,047

```

tabulation:	Freq.	Numeric	Label
	1,146	1	1 Yes
	2,854	5	5 No
	16	.	
	21	.d	
	10	.r	

csi_cogact1a_month

Date First Noticed: Month

```

type: numeric (byte)
label: dad_vl604

range: [1,12] units: 1
unique values: 12 missing .: 2,901/4,047
unique mv codes: 3 missing .*: 284/4,047

```

```

tabulation:  Freq.  Numeric  Label
              112      1  1  January
              72      2  2  February
              97      3  3  March
             108      4  4  April
              78      5  5  May
              67      6  6  June
              61      7  7  July
              79      8  8  August
              42      9  9  September
              52     10 10  October
              54     11 11  November
              40     12 12  December
            2,901      .
              280     .d
               4      .r

```

csi_cogact1a_year Date First Noticed: Year

```

type: numeric (int)

range: [1978,2018] units: 1
unique values: 31 missing .: 2,901/4,047
unique mv codes: 3 missing .*: 52/4,047

mean: 2013.76
std. dev: 5.21911

percentiles:      10%      25%      50%      75%      90%
                  2009      2013      2015      2017      2018

```

csi_cogact1a_me Calculated Months Elapsed

```

type: numeric (int)

range: [1,478] units: 1
unique values: 172 missing .: 3,187/4,047
unique mv codes: 2 missing .*: 6/4,047

mean: 57.8208
std. dev: 63.4209

percentiles:      10%      25%      50%      75%      90%
                  12       22       39       66      120

```

csi_cogact1b Pace of Decline

```

type: numeric (byte)
label: dad_v1609

range: [1,2] units: 1
unique values: 2 missing .: 2,901/4,047
unique mv codes: 3 missing .*: 5/4,047

tabulation:  Freq.  Numeric  Label
              974      1  1  Slowly
              167      2  2  Suddenly
            2,901      .
               4      .d
               1      .r

```

```

-----
      type: numeric (byte)
      label: dad_vl610

      range: [1,2]                units: 1
unique values: 2                missing .: 2,901/4,047
unique mv codes: 3             missing .*: 7/4,047

      tabulation: Freq.  Numeric  Label
                  969      1      1 Steady
                  170      2      2 Abrupt
                  2,901      .
                  6        .d
                  1        .r

```

```

-----
      type: numeric (byte)
      label: dad_vl611

      range: [1,5]                units: 1
unique values: 2                missing .: 16/4,047
unique mv codes: 3             missing .*: 32/4,047

      tabulation: Freq.  Numeric  Label
                  931      1      1 Yes
                  3,068     5      5 No
                  16        .
                  21        .d
                  11        .r

```

```

-----
      type: numeric (byte)
      label: dad_vl843

      range: [1,2]                units: 1
unique values: 2                missing .: 3,116/4,047
unique mv codes: 2             missing .*: 1/4,047

      tabulation: Freq.  Numeric  Label
                  822      1      1 Slowly
                  108      2      2 Suddenly
                  3,116     .
                  1        .d

```

```

-----
      type: numeric (byte)
      label: dad_vl844

      range: [1,2]                units: 1
unique values: 2                missing .: 3,116/4,047
unique mv codes: 2             missing .*: 1/4,047

      tabulation: Freq.  Numeric  Label
                  808      1      1 Steady
                  122      2      2 Abrupt
                  3,116     .
                  1        .d

```

csi_cogact3

Forget Where Put Things

type: numeric (byte)
label: dad_vl845, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 16/4,047
unique mv codes: 3 missing .*: 25/4,047

tabulation: Freq. Numeric Label

600	1	1 Yes
1,924	2	2 Sometimes
1,475	5	5 No
4	8	
3	9	
16	.	
14	.d	
11	.r	

csi_cogact4

Forget Where Things Kept

type: numeric (byte)
label: dad_vl846, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 16/4,047
unique mv codes: 3 missing .*: 29/4,047

tabulation: Freq. Numeric Label

602	1	1 Yes
1,851	2	2 Sometimes
1,541	5	5 No
7	8	
1	9	
16	.	
18	.d	
11	.r	

csi_cogact5

Forget Friends Names

type: numeric (byte)
label: dad_vl847, but 1 nonmissing value is not labeled

range: [1,8] units: 1
unique values: 4 missing .: 16/4,047
unique mv codes: 3 missing .*: 47/4,047

tabulation: Freq. Numeric Label

237	1	1 Yes
689	2	2 Sometimes
3,051	5	5 No
7	8	
16	.	
34	.d	
13	.r	

csi_cogact6

Forget Family Member Names

type: numeric (byte)

label: dad_vl848, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 16/4,047
 unique mv codes: 3 missing .*: 20/4,047

tabulation:	Freq.	Numeric	Label
	134	1	1 Yes
	361	2	2 Sometimes
	3,514	5	5 No
	2	8	
	16	.	
	10	.d	
	10	.r	

 csi_cogact7

Forget in Middle Convo

type: numeric (byte)
 label: dad_vl849, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 16/4,047
 unique mv codes: 3 missing .*: 34/4,047

tabulation:	Freq.	Numeric	Label
	342	1	1 Yes
	1,100	2	2 Sometimes
	2,550	5	5 No
	5	8	
	16	.	
	22	.d	
	12	.r	

 csi_cogact8

Hard Time Finding Right Words

type: numeric (byte)
 label: dad_vl850, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 16/4,047
 unique mv codes: 3 missing .*: 35/4,047

tabulation:	Freq.	Numeric	Label
	347	1	1 Yes
	957	2	2 Sometimes
	2,691	5	5 No
	1	8	
	16	.	
	22	.d	
	13	.r	

 csi_cogact9

Uses Wrong Word

type: numeric (byte)
 label: dad_vl851, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 16/4,047
 unique mv codes: 3 missing .*: 32/4,047

tabulation:	Freq.	Numeric	Label
	252	1	1 Yes

```

708      2 2 Sometimes
3,036    5 5 No
3        8
16       .
19       .d
13       .r

```

csi_cogact10

Talks About Past Not Present

```

type: numeric (byte)
label: dad_vl852, but 1 nonmissing value is not labeled

range: [1,8]          units: 1
unique values: 4      missing .: 16/4,047
unique mv codes: 3    missing .*: 41/4,047

tabulation: Freq.   Numeric  Label
             532     1      1 Yes
             1,411   2      2 Sometimes
             2,040   5      5 No
             7       8
             16      .
             25      .d
             16      .r

```

csi_cogact11

Forget When Last Saw Inf

```

type: numeric (byte)
label: dad_vl853, but 2 nonmissing values are not labeled

range: [1,9]          units: 1
unique values: 5      missing .: 16/4,047
unique mv codes: 3    missing .*: 30/4,047

tabulation: Freq.   Numeric  Label
             206     1      1 Yes
             390     2      2 Sometimes
             3,399   5      5 No
             5       8
             1       9
             16      .
             17      .d
             13      .r

```

csi_cogact12

Forget What Happened Prior Day

```

type: numeric (byte)
label: dad_vl854, but 1 nonmissing value is not labeled

range: [1,8]          units: 1
unique values: 4      missing .: 16/4,047
unique mv codes: 3    missing .*: 29/4,047

tabulation: Freq.   Numeric  Label
             290     1      1 Yes
             639     2      2 Sometimes
             3,069   5      5 No
             4       8
             16      .
             17      .d
             12      .r

```

csi_cogact13

Forget Where He/She Is

type: numeric (byte)
label: dad_vl855, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 16/4,047
unique mv codes: 3 missing .*: 21/4,047

tabulation:	Freq.	Numeric	Label
	117	1	1 Yes
	292	2	2 Sometimes
	3,598	5	5 No
	2	8	
	1	9	
	16	.	
	10	.d	
	11	.r	

csi_cogact14

Gets Lost in Community

type: numeric (byte)
label: dad_vl856, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 16/4,047
unique mv codes: 3 missing .*: 43/4,047

tabulation:	Freq.	Numeric	Label
	216	1	1 Yes
	340	2	2 Sometimes
	3,421	5	5 No
	7	8	
	4	9	
	16	.	
	26	.d	
	17	.r	

csi_cogact15

Gets Lost in Own Home

type: numeric (byte)
label: dad_vl857, but 1 nonmissing value is not labeled

range: [1,9] units: 1
unique values: 4 missing .: 16/4,047
unique mv codes: 3 missing .*: 28/4,047

tabulation:	Freq.	Numeric	Label
	70	1	1 Yes
	155	2	2 Sometimes
	3,776	5	5 No
	2	9	
	16	.	
	14	.d	
	14	.r	

ten_1

Difficulty HH Chores

type: numeric (byte)
label: dad_vl118, but 2 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 5 missing .: 17/4,047
 unique mv codes: 3 missing .*: 50/4,047

tabulation:	Freq.	Numeric	Label
	801	1	1 Yes
	549	2	2 Sometimes
	2,521	5	5 No
	20	8	
	89	9	
	17	.	
	22	.d	
	28	.r	

 ten_1a Problem Due To Phys Disability

type: numeric (byte)
 label: dad_vl119

range: [1,5] units: 1
 unique values: 2 missing .: 2,698/4,047
 unique mv codes: 2 missing .*: 6/4,047

tabulation:	Freq.	Numeric	Label
	926	1	1 Yes
	417	5	5 No
	2,698	.	
	6	.d	

 ten_2 Loss of Special Skill or Hobby

type: numeric (byte)
 label: dad_vl120, but 2 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 4 missing .: 16/4,047
 unique mv codes: 3 missing .*: 38/4,047

tabulation:	Freq.	Numeric	Label
	1,353	1	1 Yes
	2,405	5	5 No
	224	8	
	11	9	
	16	.	
	29	.d	
	9	.r	

 ten_3 Change in Handling Money

type: numeric (byte)
 label: dad_vl121, but 2 nonmissing values are not labeled

range: [0,9] units: 1
 unique values: 5 missing .: 16/4,047
 unique mv codes: 3 missing .*: 24/4,047

tabulation:	Freq.	Numeric	Label
	2,344	0	0 No difficulty
	871	1	1 Some difficulty
	742	2	2 Cannot handle money
	34	8	

16 9
16 .
14 .d
10 .r

ten_4

Difficulty Daily Routine

type: numeric (byte)
label: dad_vl122, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 16/4,047
unique mv codes: 3 missing .*: 28/4,047

tabulation:	Freq.	Numeric	Label
	545	1	1 Yes
	848	2	2 Sometimes
	2,568	5	5 No
	39	8	
	3	9	
	16	.	
	19	.d	
	9	.r	

ten_5

Change in Ability to Think/Reason

type: numeric (byte)
label: dad_vl123, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 4 missing .: 19/4,047
unique mv codes: 3 missing .*: 30/4,047

tabulation:	Freq.	Numeric	Label
	1,108	1	1 Yes
	2,745	5	5 No
	141	8	
	4	9	
	19	.	
	19	.d	
	11	.r	

b11_1

Ability to Perform HH Tasks

type: numeric (byte)
label: dad_vl124

range: [1,3] units: 1
unique values: 3 missing .: 1,469/4,047
unique mv codes: 3 missing .*: 20/4,047

tabulation:	Freq.	Numeric	Label
	1,133	1	1 No loss
	998	2	2 Some loss
	427	3	3 Severe loss
	1,469	.	
	7	.d	
	13	.r	

b11_1a

HH Tasks - Physical/Mental/Both

```

type: numeric (byte)
label: dad_vl126

range: [1,3] units: 1
unique values: 3 missing .: 2,622/4,047
unique mv codes: 2 missing .*: 6/4,047

```

```

tabulation: Freq. Numeric Label
              733      1  1 Physical
              126      2  2 Mental
              560      3  3 Both
            2,622      .
              6        .d

```

b11_2 Ability to Cope with Money

```

type: numeric (byte)
label: dad_vl125

range: [1,3] units: 1
unique values: 3 missing .: 1,468/4,047
unique mv codes: 3 missing .*: 22/4,047

```

```

tabulation: Freq. Numeric Label
              1,737      1  1 No loss
              553      2  2 Some loss
              267      3  3 Severe loss
            1,468      .
              11        .d
              11        .r

```

b11_2a Coping with Money - Physical/Mental/Both

```

type: numeric (byte)
label: dad_vl127

range: [1,3] units: 1
unique values: 3 missing .: 3,227/4,047
unique mv codes: 2 missing .*: 6/4,047

```

```

tabulation: Freq. Numeric Label
              200      1  1 Physical
              165      2  2 Mental
              449      3  3 Both
            3,227      .
              6        .d

```

b11_3 Ability to Remember Lists

```

type: numeric (byte)
label: dad_vl128

range: [1,3] units: 1
unique values: 3 missing .: 1,466/4,047
unique mv codes: 3 missing .*: 48/4,047

```

```

tabulation: Freq. Numeric Label
              1,470      1  1 No loss
              768      2  2 Some loss
              295      3  3 Severe loss
            1,466      .

```

27 .d
21 .r

b11_3a

Remembering Lists - Physical/Mental/Both

type: numeric (byte)
label: dad_vl129
range: [1,3] units: 1
unique values: 3 missing .: 2,984/4,047
unique mv codes: 2 missing .*: 12/4,047

tabulation:	Freq.	Numeric	Label
	261	1	1 Physical
	275	2	2 Mental
	515	3	3 Both
	2,984	.	
	12	.d	

b11_4

Ability to Find Way in Home

type: numeric (byte)
label: dad_vl130
range: [1,3] units: 1
unique values: 3 missing .: 1,466/4,047
unique mv codes: 3 missing .*: 18/4,047

tabulation:	Freq.	Numeric	Label
	2,080	1	1 No loss
	364	2	2 Some loss
	119	3	3 Severe loss
	1,466	.	
	9	.d	
	9	.r	

b11_4a

Find Way in Home - Physical/Mental/Both

type: numeric (byte)
label: dad_vl131
range: [1,3] units: 1
unique values: 3 missing .: 3,564/4,047
unique mv codes: 2 missing .*: 2/4,047

tabulation:	Freq.	Numeric	Label
	123	1	1 Physical
	88	2	2 Mental
	270	3	3 Both
	3,564	.	
	2	.d	

b11_5

Ability to Find Way on Streets

type: numeric (byte)
label: dad_vl132
range: [1,3] units: 1
unique values: 3 missing .: 1,466/4,047
unique mv codes: 3 missing .*: 17/4,047

```

tabulation: Freq.  Numeric  Label
            2,048      1      1 No loss
              398      2      2 Some loss
              118      3      3 Severe loss
            1,466      .
              6        .d
              11        .r

```

b11_5a Find Way on Streets - Physical/Mental/Both

```

type: numeric (byte)
label: dad_v1612

range: [1,3] units: 1
unique values: 3 missing .: 3,531/4,047
unique mv codes: 2 missing .*: 2/4,047

```

```

tabulation: Freq.  Numeric  Label
            133      1      1 Physical
              97      2      2 Mental
              284      3      3 Both
            3,531      .
              2        .d

```

b11_6 Ability to Grasp Situation

```

type: numeric (byte)
label: dad_v1613

range: [1,3] units: 1
unique values: 3 missing .: 1,466/4,047
unique mv codes: 3 missing .*: 16/4,047

```

```

tabulation: Freq.  Numeric  Label
            1,745      1      1 No loss
              654      2      2 Some loss
              166      3      3 Severe loss
            1,466      .
              6        .d
              10        .r

```

b11_6a Grasp Situation - Physical/Mental/Both

```

type: numeric (byte)
label: dad_v1614

range: [1,3] units: 1
unique values: 3 missing .: 3,227/4,047
unique mv codes: 2 missing .*: 9/4,047

```

```

tabulation: Freq.  Numeric  Label
            180      1      1 Physical
            192      2      2 Mental
            439      3      3 Both
           3,227      .
              9        .d

```

b11_7 Ability to Recall Events

```

    type: numeric (byte)
    label: dad_v1615

    range: [1,3]
    unique values: 3
    unique mv codes: 3

    units: 1
    missing .: 1,466/4,047
    missing .*: 21/4,047

```

```

tabulation: Freq.   Numeric   Label
            1,676       1     1 No loss
              713       2     2 Some loss
              171       3     3 Severe loss
            1,466       .
              11       .d
              10       .r

```

b11_7a Recall Events - Physical/Mental/Both

```

    type: numeric (byte)
    label: dad_v1616

    range: [1,3]
    unique values: 3
    unique mv codes: 3

    units: 1
    missing .: 3,163/4,047
    missing .*: 7/4,047

```

```

tabulation: Freq.   Numeric   Label
            196       1     1 Physical
            234       2     2 Mental
            447       3     3 Both
           3,163       .
              6       .d
              1       .r

```

b11_8 Tend to Dwell on Past

```

    type: numeric (byte)
    label: dad_v1617

    range: [1,3]
    unique values: 3
    unique mv codes: 3

    units: 1
    missing .: 1,466/4,047
    missing .*: 38/4,047

```

```

tabulation: Freq.   Numeric   Label
            1,305       1     1 None
            1,060       2     2 Sometimes
              178       3     3 Frequently
           1,466       .
              27       .d
              11       .r

```

b11_8a Dwell on Past - Physical/Mental/Both

```

    type: numeric (byte)
    label: dad_v1618

    range: [1,3]
    unique values: 3
    unique mv codes: 3

    units: 1
    missing .: 2,809/4,047
    missing .*: 22/4,047

```

```

tabulation: Freq.   Numeric   Label
            298       1     1 Physical
            354       2     2 Mental
            564       3     3 Both

```

2,809	.
21	.d
1	.r