

Codebook for raw data - Cognition

intro_101s1 Respondent IW Introduction 1 Yes, difficulty in hearing

type: numeric (int)
label: dad_vl15

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 9/3,224

tabulation:	Freq.	Numeric	Label
	2,354	0	0 No
	859	1	1 Yes
	2	.	.
	2	.d	.d
	7	.r	.r

intro_101s2 Respondent IW Introduction 2 Yes, difficulty in seeing

type: numeric (int)
label: dad_vl16

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 9/3,224

tabulation:	Freq.	Numeric	Label
	1,863	0	0 No
	1,350	1	1 Yes
	2	.	.
	2	.d	.d
	7	.r	.r

intro_101s3 Respondent IW Introduction 3 None

type: numeric (int)
label: dad_vl17

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 9/3,224

tabulation:	Freq.	Numeric	Label
	1,660	0	0 No
	1,553	1	1 Yes
	2	.	.
	2	.d	.d
	7	.r	.r

cogval_101b rating sleep quality

type: numeric (int)
label: dad_vl556

range: [1,5] units: 1
unique values: 5 missing .: 1,588/3,224
unique mv codes: 3 missing .*: 11/3,224

```

tabulation:  Freq.  Numeric  Label
              109      1      1 Very good
              697      2      2 Good
              460      3      3 Average
              310      4      4 Poor
              49       5      5 Very poor
1,588        .
              4       .d
              7       .r

```

cogval_101c

rating current memory

```

type: numeric (int)
label: dad_v1557

```

```

range: [1,5]          units: 1
unique values: 5      missing .: 1,588/3,224
unique mv codes: 3    missing .*: 19/3,224

```

```

tabulation:  Freq.  Numeric  Label
              70      1      1 Very good
              514      2      2 Good
              664      3      3 Average
              312      4      4 Poor
              57       5      5 Very poor
1,588        .
              8       .d
              11      .r

```

cogval_101d

Compared to two years ago, memory is

```

type: numeric (int)
label: dad_v1558

```

```

range: [1,3]          units: 1
unique values: 3      missing .: 1,588/3,224
unique mv codes: 3    missing .*: 18/3,224

```

```

tabulation:  Freq.  Numeric  Label
              67      1      1 Better now
              697      2      2 About the same
              854      3      3 Worse now than it was then
1,588        .
              8       .d
              10      .r

```

cogval_101e

rating of other mental abilities

```

type: numeric (int)
label: dad_v1559, but 1 nonmissing value is not labeled

```

```

range: [0,5]          units: 1
unique values: 6      missing .: 1,588/3,224
unique mv codes: 3    missing .*: 25/3,224

```

```

tabulation:  Freq.  Numeric  Label
              245      0
              37      1      1 Very good
              463      2      2 Good
              545      3      3 Average
              284      4      4 Poor
              37      5      5 Very poor

```

1,588 .
16 .d
9 .r

cogval_101f Compared to two years ago, other mental abilities are

type: numeric (int)
label: dad_v1560

range: [1,3] units: 1
unique values: 3 missing .: 1,588/3,224
unique mv codes: 3 missing .*: 23/3,224

tabulation:	Freq.	Numeric	Label
	97	1	1 Better now
	734	2	2 About the same
	782	3	3 Worse now than it was then
	1,588	.	
	13	.d	
	10	.r	

mmse102_year CORRECT YEAR

type: numeric (int)
label: dad_v124, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 717/3,224

tabulation:	Freq.	Numeric	Label
	1,454	1	1 Correct
	663	5	5 Error
	388	97	
	2	.	
	687	.d	
	30	.r	

mmse103_season CURRENT SEASON OF THE YEAR--CORRECT

type: numeric (int)
label: dad_v127, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 240/3,224

tabulation:	Freq.	Numeric	Label
	2,642	1	1 Correct
	292	5	5 Error
	48	97	
	2	.	
	220	.d	
	20	.r	

mmse104_date DATE CORRECT

type: numeric (int)

label: dad_vl136, but 1 nonmissing value is not labeled

range: [1,97] units: 1
 unique values: 3 missing .: 2/3,224
 unique mv codes: 3 missing .*: 508/3,224

tabulation:	Freq.	Numeric	Label
	1,962	1	1 Correct
	559	5	5 Error
	193	97	
	2	.	
	483	.d	
	25	.r	

 mmse105_day

----- CURRENT DAY OF THE WEEK--CORRECT -----

type: numeric (int)
 label: dad_vl140, but 1 nonmissing value is not labeled

range: [1,97] units: 1
 unique values: 3 missing .: 2/3,224
 unique mv codes: 3 missing .*: 148/3,224

tabulation:	Freq.	Numeric	Label
	2,586	1	1 Correct
	366	5	5 Error
	122	97	
	2	.	
	123	.d	
	25	.r	

 mmse106_month

----- CURRENT MONTH--CORRECT -----

type: numeric (int)
 label: dad_vl144, but 1 nonmissing value is not labeled

range: [1,97] units: 1
 unique values: 3 missing .: 2/3,224
 unique mv codes: 3 missing .*: 349/3,224

tabulation:	Freq.	Numeric	Label
	2,308	1	1 Correct
	429	5	5 Error
	136	97	
	2	.	
	323	.d	
	26	.r	

 mmse107_state

----- CURRENT STATE R IN IS--CORRECT -----

type: numeric (int)
 label: dad_vl146, but 1 nonmissing value is not labeled

range: [1,97] units: 1
 unique values: 3 missing .: 2/3,224
 unique mv codes: 3 missing .*: 531/3,224

tabulation:	Freq.	Numeric	Label
	1,877	1	1 Correct
	629	5	5 Error
	185	97	
	2	.	

506 .d
25 .r

mmse108_city CURRENT CITY/VILLAGE--CORRECT

type: numeric (int)
label: dad_vl150, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 91/3,224

tabulation:	Freq.	Numeric	Label
	2,987	1	1 Correct
	96	5	5 Error
	48	97	
	2	.	
	70	.d	
	21	.r	

mmse109_floor CURRENT FLOOR OF BLDG R IS ON

type: numeric (int)
label: dad_vl151, but 3 nonmissing values are not labeled

range: [0,97] units: 1
unique values: 5 missing .: 2,911/3,224
unique mv codes: 3 missing .*: 34/3,224

tabulation:	Freq.	Numeric	Label
	52	0	
	181	1	1 Correct
	1	2	
	34	5	5 Error
	11	97	
	2,911	.	
	33	.d	
	1	.r	

mmse109_floor_home CURRENT FLOOR--CORRECT -- CHANGED TO WHAT IS PLACE USED FOR

type: numeric (int)
label: dad_vl152, but 1 nonmissing value is not labeled

range: [1,97] units: 1
unique values: 3 missing .: 315/3,224
unique mv codes: 3 missing .*: 71/3,224

tabulation:	Freq.	Numeric	Label
	2,682	1	1 Correct
	117	5	5 Error
	39	97	
	315	.	
	50	.d	
	21	.r	

mmse110_name_home CURRENT ADDRESS--CORRECT -- CHANGED TO DISTRICT

type: numeric (int)
label: dad_vl616, but 1 nonmissing value is not labeled

```

range: [1,97] units: 1
unique values: 3 missing .: 315/3,224
unique mv codes: 3 missing .*: 316/3,224

```

```

tabulation: Freq. Numeric Label
            2,164      1 1 Correct
            344       5 5 Error
            85        97
            315       .
            291       .d
            25        .r

```

mmse110_name CURRENT ADDRESS--CORRECT -- CHANGED TO DISTRICT -- BW: I CHANGED IT TO HOSPITAL

```

type: numeric (int)
label: dad_vl617, but 1 nonmissing value is not labeled

```

```

range: [1,97] units: 1
unique values: 3 missing .: 2,911/3,224
unique mv codes: 3 missing .*: 37/3,224

```

```

tabulation: Freq. Numeric Label
            245      1 1 Correct
            20       5 5 Error
            11        97
            2,911     .
            36        .d
            1         .r

```

mmse111_address HOME ADDRESS

```

type: numeric (int)
label: dad_vl614, but 1 nonmissing value is not labeled

```

```

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 202/3,224

```

```

tabulation: Freq. Numeric Label
            2,743      1 1 Correct
            180       5 5 Error
            97        97
            2         .
            178       .d
            24        .r

```

mmse112_trial1 TRIAL 1

```

type: numeric (double)

```

```

range: [0,3] units: 1
unique values: 4 missing .: 2/3,224
unique mv codes: 3 missing .*: 64/3,224

```

```

tabulation: Freq. Value
            45 0
            95 1
            379 2
            2,639 3
            2 .
            18 .d

```

```
-----
mmse112_incorrect1                                     MMSE112 INCORRECT1
-----
```

```

      type: numeric (double)
      range: [0,4]
      unique values: 5
      unique mv codes: 3
      units: 1
      missing .: 2,705/3,224
      missing .*: 5/3,224

      tabulation: Freq. Value
                  280 0
                  174 1
                   43 2
                   16 3
                    1 4
                2,705 .
                    3 .d
                    2 .r

```

```
-----
mmse112_trial2                                         TRIAL 2
-----
```

```

      type: numeric (double)
      range: [0,3]
      unique values: 4
      unique mv codes: 3
      units: 1
      missing .: 2,705/3,224
      missing .*: 7/3,224

      tabulation: Freq. Value
                  26 0
                  28 1
                 109 2
                 349 3
                2,705 .
                    6 .d
                    1 .r

```

```
-----
mmse112_incorrect2                                     MMSE112 INCORRECT2
-----
```

```

      type: numeric (double)
      range: [0,3]
      unique values: 4
      unique mv codes: 2
      units: 1
      missing .: 3,061/3,224
      missing .*: 1/3,224

      tabulation: Freq. Value
                  82 0
                  56 1
                   20 2
                    4 3
                 3,061 .
                    1 .d

```

```
-----
mmse112_trial3                                         TRIAL 3
-----
```

```

      type: numeric (double)
      range: [0,3]
      unique values: 4
      unique mv codes: 3
      units: 1
      missing .: 3,061/3,224
      missing .*: 5/3,224

```



```

tabulation:  Freq.  Value
              18    0
              18    1
              63    2
              59    3
            3,061  .
              3    .d
              2    .r

```

mmse112_incorrect3

MMSE112 INCORRECT3

type: numeric (double)

```

range: [0,3]          units: 1
unique values: 4      missing .: 3,125/3,224
unique mv codes: 2    missing .*: 2/3,224

```

```

tabulation:  Freq.  Value
              48    0
              32    1
              15    2
               2    3
            3,125  .
               2    .r

```

mmse112_ntrials

NUMBER OF MMSE112 TRIALS (0-3)

type: numeric (double)

```

range: [1,3]          units: 1
unique values: 3      missing .: 2/3,224
unique mv codes: 2    missing .*: 64/3,224

```

```

tabulation:  Freq.  Value
            2,646  1
             354  2
             158  3
               2  .
              64  .e

```

mmse113_corrbackwards_1_

LIST Backwards

type: numeric (int)
label: dad_vl188

```

range: [1,7]          units: 1
unique values: 7      missing .: 2/3,224
unique mv codes: 4    missing .*: 406/3,224

```

```

tabulation:  Freq.  Numeric  Label
            2,545    1    1  sunday
             132    2    2  saturday
              19    3    3  friday
               2    4    4  thursday
               4    5    5  wednesday
               6    6    6  tuesday
             108    7    7  monday
               2    .
             162    .d
             119    .e
             125    .r

```

mmse113_corrbackwards_2_

LIST Backwards

type: numeric (int)
label: dad_vl189

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 357/3,224

tabulation:	Freq.	Numeric	Label
	40	1	1 sunday
	2,265	2	2 saturday
	138	3	3 friday
	19	4	4 thursday
	15	5	5 wednesday
	126	6	6 tuesday
	262	7	7 monday
	2	.	
	172	.d	
	58	.e	
	127	.r	

mmse113_corrbackwards_3_

LIST Backwards

type: numeric (int)
label: dad_vl190

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 398/3,224

tabulation:	Freq.	Numeric	Label
	43	1	1 sunday
	32	2	2 saturday
	2,092	3	3 friday
	142	4	4 thursday
	129	5	5 wednesday
	277	6	6 tuesday
	109	7	7 monday
	2	.	
	181	.d	
	87	.e	
	130	.r	

mmse113_corrbackwards_4_

LIST Backwards

type: numeric (int)
label: dad_vl191

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 433/3,224

tabulation:	Freq.	Numeric	Label
	24	1	1 sunday
	53	2	2 saturday
	38	3	3 friday
	2,092	4	4 thursday
	382	5	5 wednesday
	125	6	6 tuesday
	75	7	7 monday

2 .
189 .d
113 .e
131 .r

mmse113_corrbackwards_5_

LIST Backwards

type: numeric (int)
label: dad_vl192

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 477/3,224

tabulation: Freq. Numeric Label
30 1 1 sunday
33 2 2 saturday
159 3 3 friday
288 4 4 thursday
1,993 5 5 wednesday
199 6 6 tuesday
43 7 7 monday
2 .
199 .d
146 .e
132 .r

mmse113_corrbackwards_6_

LIST Backwards

type: numeric (int)
label: dad_vl193

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 523/3,224

tabulation: Freq. Numeric Label
25 1 1 sunday
173 2 2 saturday
248 3 3 friday
146 4 4 thursday
100 5 5 wednesday
1,852 6 6 tuesday
155 7 7 monday
2 .
207 .d
183 .e
133 .r

mmse113_corrbackwards_7_

LIST Backwards

type: numeric (int)
label: dad_vl194

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 615/3,224

tabulation: Freq. Numeric Label
226 1 1 sunday
235 2 2 saturday
119 3 3 friday

```

      78      4 4 thursday
      43      5 5 wednesday
      63      6 6 tuesday
1,843      7 7 monday
      2      .
      217     .d
      265     .e
      133     .r

```

mmsel13_corrforwards_1_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl179

      range: [1,7]                units: 1
unique values: 7                missing .: 2/3,224
unique mv codes: 4              missing .*: 206/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,879    1 1 sunday
              98     2 2 monday
               8     3 3 tuesday
                4     4 4 wednesday
                 2     5 5 thursday
                13    6 6 friday
                12    7 7 saturday
                 2     .
                57    .d
                93    .e
                56    .r

```

mmsel13_corrforwards_2_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl180

      range: [1,7]                units: 1
unique values: 7                missing .: 2/3,224
unique mv codes: 4              missing .*: 138/3,224

```

```

tabulation: Freq.  Numeric  Label
            10     1 1 sunday
           2,911    2 2 monday
            105    3 3 tuesday
             12    4 4 wednesday
               6    5 5 thursday
              10    6 6 friday
              30    7 7 saturday
                 2     .
              54    .d
              29    .e
              55    .r

```

mmsel13_corrforwards_3_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl181

      range: [1,7]                units: 1
unique values: 7                missing .: 2/3,224
unique mv codes: 4              missing .*: 146/3,224

```

```

tabulation:  Freq.  Numeric  Label
              10      1  1  sunday
              23      2  2  monday
            2,894      3  3  tuesday
              108      4  4  wednesday
              15      5  5  thursday
              15      6  6  friday
              11      7  7  saturday
               2      .
              54      .d
              37      .e
              55      .r

```

mmse113_corrforwards_4_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl182

      range: [1,7]                units: 1
unique values: 7                  missing .: 2/3,224
unique mv codes: 4                missing .*: 148/3,224

```

```

tabulation:  Freq.  Numeric  Label
              5      1  1  sunday
             12      2  2  monday
             21      3  3  tuesday
          2,879      4  4  wednesday
             127      5  5  thursday
             25      6  6  friday
              5      7  7  saturday
               2      .
             56      .d
             38      .e
             54      .r

```

mmse113_corrforwards_5_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl183

      range: [1,7]                units: 1
unique values: 7                  missing .: 2/3,224
unique mv codes: 4                missing .*: 174/3,224

```

```

tabulation:  Freq.  Numeric  Label
              10      1  1  sunday
               8      2  2  monday
              10      3  3  tuesday
              30      4  4  wednesday
          2,841      5  5  thursday
             128      6  6  friday
              21      7  7  saturday
               2      .
             59      .d
             60      .e
             55      .r

```

mmse113_corrforwards_6_

LIST FORWARD

```

      type: numeric (int)
      label: dad_vl184

```

```

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 187/3,224

```

```

tabulation: Freq. Numeric Label
            14         1  1  sunday
            11         2  2  monday
            11         3  3  tuesday
            12         4  4  wednesday
            24         5  5  thursday
          2,829        6  6  friday
            134        7  7  saturday
             2         .
            62        .d
            70        .e
            55        .r

```

mmsel13_corrforwards_7_

LIST FORWARD

```

type: numeric (int)
label: dad_vl185

```

```

range: [1,7] units: 1
unique values: 7 missing .: 2/3,224
unique mv codes: 4 missing .*: 241/3,224

```

```

tabulation: Freq. Numeric Label
            97         1  1  sunday
            12         2  2  monday
             9         3  3  tuesday
             3         4  4  wednesday
            18         5  5  thursday
            24         6  6  friday
          2,818        7  7  saturday
             2         .
            65        .d
           120        .e
            56        .r

```

mmsel14_delayed

MMSE114 Delayed

```

type: numeric (double)

```

```

range: [0,97] units: 1
unique values: 5 missing .: 2/3,224
unique mv codes: 3 missing .*: 166/3,224

```

```

tabulation: Freq. Value
            341      0
            515      1
            916      2
          1,281      3
             3     97
             2      .
            113     .d
             53     .r

```

mmsel14_incorrect

MMSE114 Incorrect

```

type: numeric (double)

```

```

range: [0,3] units: 1

```

unique values: 4 missing .: 1,452/3,224
unique mv codes: 3 missing .*: 15/3,224

tabulation: Freq. Value
1,157 0
418 1
134 2
48 3
1,452 .
11 .d
4 .r

mmse115_watch

WATCH ID--CORRECT

type: numeric (int)
label: dad_vl155

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 52/3,224

tabulation: Freq. Numeric Label
3,085 1 1 Correct
56 5 5 Error
29 97 97 Not Assessed
2 .
19 .d
33 .r

mmse115_pencil

PENCIL IDENTIFICATION--CORRECT

type: numeric (int)
label: dad_vl157

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 49/3,224

tabulation: Freq. Numeric Label
2,712 1 1 Correct
432 5 5 Error
29 97 97 Not Assessed
2 .
15 .d
34 .r

mmse116_repeat

REPEAT

type: numeric (int)
label: dad_vl158

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 85/3,224

tabulation: Freq. Numeric Label
2,768 1 1 Correct
303 5 5 Error
66 97 97 Not Assessed
2 .
36 .d
49 .r

mmse117

can respondent Read and Write

type: numeric (int)
label: dad_v1611

range: [1,5] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 33/3,224

tabulation:	Freq.	Numeric	Label
	1,406	1	1 Yes
	1,783	5	5 No
	2	.	
	4	.d	
	29	.r	

mmse117_read

READ

type: string (str3)

unique values: 8 missing "": 1,818/3,224

tabulation:	Freq.	Value
	1,818	" "
	1	".d"
	6	".r"
	463	"1"
	535	"1-2"
	306	"2"
	53	"2-1"
	34	"5"
	8	"97"

mmse117_reads1

READ 1 Correct; Respondent closed eyes

type: numeric (int)
label: dad_v1159

range: [0,1] units: 1
unique values: 2 missing .: 1,818/3,224
unique mv codes: 3 missing .*: 7/3,224

tabulation:	Freq.	Numeric	Label
	348	0	0 No
	1,051	1	1 Yes
	1,818	.	
	1	.d	
	6	.r	

mmse117_reads2

READ 2 Correct, Respondent read the phrase aloud

type: numeric (int)
label: dad_v1160

range: [0,1] units: 1
unique values: 2 missing .: 1,818/3,224
unique mv codes: 3 missing .*: 7/3,224

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------


```

      505      0 0 No
      894      1 1 Yes
1,818      .
      1      .d
      6      .r

```

mmse117_reads5

READ 5 (Error_) Error or Omission

```

      type: numeric (int)
      label: dad_vl161

      range: [0,1]          units: 1
unique values: 2          missing .: 1,818/3,224
unique mv codes: 3       missing .*: 7/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,365      0 0 No
              34       1 1 Yes
            1,818      .
              1       .d
              6       .r

```

mmse117_reads97

READ 97 (NA) Not Assessed

```

      type: numeric (int)
      label: dad_vl162

      range: [0,1]          units: 1
unique values: 2          missing .: 1,818/3,224
unique mv codes: 3       missing .*: 7/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,391      0 0 No
              8       1 1 Yes
            1,818      .
              1       .d
              6       .r

```

mmse117_copy

COPY

```

      type: numeric (int)
      label: dad_vl612

      range: [1,5]          units: 1
unique values: 2          missing .: 1,408/3,224
unique mv codes: 3       missing .*: 77/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,459      1 1 R closed eyes
              280      5 5 R did not close eyes
            1,408      .
              19       .d
              58       .r

```

mmse118_hand

HANDEDNESS

```

      type: numeric (int)
      label: dad_vl164

      range: [1,97]        units: 1

```

unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 54/3,224

tabulation:	Freq.	Numeric	Label
	2,766	1	1 Correct
	353	5	5 Error
	49	97	97 Not Assessed
	2	.	
	13	.d	
	41	.r	

mmse118_folds

FOLDS PAPER

type: numeric (int)
label: dad_v1165

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 56/3,224

tabulation:	Freq.	Numeric	Label
	2,648	1	1 Correct
	452	5	5 Error
	66	97	97 Not Assessed
	2	.	
	15	.d	
	41	.r	

mmse118_back

GIVES PAPER BACK

type: numeric (int)
label: dad_v1166

range: [1,97] units: 1
unique values: 3 missing .: 2/3,224
unique mv codes: 3 missing .*: 49/3,224

tabulation:	Freq.	Numeric	Label
	2,813	1	1 Correct
	259	5	5 Error
	101	97	97 Not Assessed
	2	.	
	10	.d	
	39	.r	

mmse119_write

WRITE COMPLETE SENTENCE

type: numeric (int)
label: dad_v1167

range: [1,97] units: 1
unique values: 4 missing .: 1,818/3,224
unique mv codes: 3 missing .*: 31/3,224

tabulation:	Freq.	Numeric	Label
	940	1	1 Correct
	336	2	2 Correct, Writes full name
	84	5	5 Error or Omission
	15	97	97 Not Assessed
	1,818	.	
	9	.d	
	22	.r	

mmse119_say

Respondent says the sentence

```
type: numeric (int)
label: dad_v1613

range: [1,5]          units: 1
unique values: 2      missing .: 1,408/3,224
unique mv codes: 3    missing .*: 86/3,224

tabulation: Freq.   Numeric  Label
            1,474     1      1 R said one full sentence
            256       5      5 R could not say a full
                        sentence
            1,408     .
            49        .d
            37        .r
```

mmse120_draw

COPY DRAWING

```
type: numeric (int)
label: dad_v1168

range: [1,97]        units: 1
unique values: 3      missing .: 2/3,224
unique mv codes: 3    missing .*: 147/3,224

tabulation: Freq.   Numeric  Label
            2,771     1      1 Drew the figure
            228       5      5 Did not draw the figure
            76        97     97 Not Assessed
            2         .
            18        .d
            129       .r
```

hs001

Pentagon overlaps

```
type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2      missing .: 0/3,224
unique mv codes: 3    missing .*: 190/3,224

tabulation: Freq.   Numeric  Label
            787     1      Drew correctly
            2,247    2      Did not draw
            25       .b
            145     .m
            20      .x
```

hs002

Pentagon - 5 angles preserved

```
type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2      missing .: 0/3,224
unique mv codes: 3    missing .*: 190/3,224

tabulation: Freq.   Numeric  Label
```

```

      871      1  Drew correctly
    2,163      2  Did not draw
      25      .b
      145      .m
      20      .x

```

ht102_scissors

Cut paper

```

      type: numeric (int)
      label: dad_v19

      range: [1,5]                units: 1
  unique values: 2                missing .: 2/3,224
  unique mv codes: 3              missing .*: 83/3,224

```

```

  tabulation: Freq.  Numeric  Label
                2,633      1  1 Scissors or shears only
                506       5  5 Not Correct
                 2        .
                 53       .d
                 30       .r

```

ht103_coconut

NAME COCONUT

```

      type: numeric (int)
      label: dad_v110

      range: [1,5]                units: 1
  unique values: 2                missing .: 2/3,224
  unique mv codes: 3              missing .*: 287/3,224

```

```

  tabulation: Freq.  Numeric  Label
                1,873      1  1 Coconut
                1,062      5  5 Incorrect
                 2        .
                241       .d
                 46       .r

```

ht104_pm

Current Prime Minister

```

      type: numeric (int)
      label: dad_v111

      range: [1,5]                units: 1
  unique values: 2                missing .: 2/3,224
  unique mv codes: 3              missing .*: 749/3,224

```

```

  tabulation: Freq.  Numeric  Label
                1,875      1  1 Last name (MODI) correct
                 598       5  5 Incorrect
                 2        .
                 700       .d
                 49       .r

```

wr102a

WORD RECALL 1

```

      type: string (str18)

  unique values: 1,259                missing "": 1/3,224

```

examples: "1-5-10-6"
"10-7-1-9"
"5-7-10-6-9-1"
"9-10-2"

wr102as1

WORD RECALL 1 1 Butter

type: numeric (int)
label: dad_vl29

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	1,767	0	0 No
	1,367	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as2

WORD RECALL 1 2 Arm

type: numeric (int)
label: dad_vl30

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	2,466	0	0 No
	668	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as3

WORD RECALL 1 3 Corner

type: numeric (int)
label: dad_vl31

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	2,587	0	0 No
	547	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as4

WORD RECALL 1 4 Letter

type: numeric (int)
label: dad_vl32

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224

unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	2,814	0	0 No
	320	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as5

WORD RECALL 1 5 Queen

type: numeric (int)
label: dad_vl33

range:	[0,1]	units:	1
unique values:	2	missing .:	1/3,224
unique mv codes:	3	missing .*:	89/3,224

tabulation:	Freq.	Numeric	Label
	2,596	0	0 No
	538	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as6

WORD RECALL 1 6 Book

type: numeric (int)
label: dad_vl34

range:	[0,1]	units:	1
unique values:	2	missing .:	1/3,224
unique mv codes:	3	missing .*:	89/3,224

tabulation:	Freq.	Numeric	Label
	2,643	0	0 No
	491	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as7

WORD RECALL 1 7 Stick

type: numeric (int)
label: dad_vl35

range:	[0,1]	units:	1
unique values:	2	missing .:	1/3,224
unique mv codes:	3	missing .*:	89/3,224

tabulation:	Freq.	Numeric	Label
	2,137	0	0 No
	997	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

wr102as8

WORD RECALL 1 8 Ticket

type: numeric (int)

label: dad_vl36

range: [0,1] units: 1
 unique values: 2 missing .: 1/3,224
 unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	2,610	0	0 No
	524	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

 wr102as9

WORD RECALL 1 9 Grass

type: numeric (int)
 label: dad_vl37

range: [0,1] units: 1
 unique values: 2 missing .: 1/3,224
 unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	1,476	0	0 No
	1,658	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

 wr102as10

WORD RECALL 1 10 Stone

type: numeric (int)
 label: dad_vl38

range: [0,1] units: 1
 unique values: 2 missing .: 1/3,224
 unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	1,562	0	0 No
	1,572	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

 wr102as11

WORD RECALL 1 11 Mango

type: numeric (int)
 label: dad_vl39

range: [0,1] units: 1
 unique values: 2 missing .: 1/3,224
 unique mv codes: 3 missing .*: 89/3,224

tabulation:	Freq.	Numeric	Label
	3,036	0	0 No
	98	1	1 Yes
	1	.	.
	11	.d	.d
	78	.r	.r

```

type: numeric (int)
label: dad_vl40

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation: Freq. Numeric Label
3,073 0 0 No
61 1 1 Yes
1 .
11 .d
78 .r

```

```

type: numeric (int)
label: dad_vl41

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation: Freq. Numeric Label
3,106 0 0 No
28 1 1 Yes
1 .
11 .d
78 .r

```

```

type: numeric (int)
label: dad_vl42

range: [0,1] units: 1
unique values: 2 missing .: 1/3,224
unique mv codes: 3 missing .*: 89/3,224

tabulation: Freq. Numeric Label
2,739 0 0 No
395 1 1 Yes
1 .
11 .d
78 .r

```

```

type: numeric (double)

range: [0,10] units: 1
unique values: 9 missing .: 2/3,224
unique mv codes: 3 missing .*: 59/3,224

tabulation: Freq. Value
2,373 0
592 1
133 2
36 3

```


18 4
5 5
2 6
2 7
2 10
2 .
7 .d
52 .r

wr103a

Trial List 2 Recall

type: string (str21)
unique values: 2,308 missing "": 2/3,224
examples: "1-6-7-9"
 "2-12"
 "6-2-5-9"
 "8-9-3-10-6"

wr103as1

Trial List 2 Recall 1 Butter

type: numeric (int)
label: dad_vl197
range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	1,378	0	0 No
	1,750	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as2

Trial List 2 Recall 2 Arm

type: numeric (int)
label: dad_vl198
range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	2,073	0	0 No
	1,055	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as3

Trial List 2 Recall 3 Corner

type: numeric (int)
label: dad_vl199
range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

```

tabulation: Freq.  Numeric  Label
            2,092      0      0 No
            1,036      1      1 Yes
              2         .
              9         .d
             85         .r

```

wr103as4

Trial List 2 Recall 4 Letter

```

type: numeric (int)
label: dad_vl200

range: [0,1]          units: 1
unique values: 2      missing .: 2/3,224
unique mv codes: 3    missing .*: 94/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,195      0      0 No
            933        1      1 Yes
              2         .
              9         .d
             85         .r

```

wr103as5

Trial List 2 Recall 5 Queen

```

type: numeric (int)
label: dad_vl201

range: [0,1]          units: 1
unique values: 2      missing .: 2/3,224
unique mv codes: 3    missing .*: 94/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,025      0      0 No
            1,103      1      1 Yes
              2         .
              9         .d
             85         .r

```

wr103as6

Trial List 2 Recall 6 Book

```

type: numeric (int)
label: dad_vl202

range: [0,1]          units: 1
unique values: 2      missing .: 2/3,224
unique mv codes: 3    missing .*: 94/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,132      0      0 No
            996        1      1 Yes
              2         .
              9         .d
             85         .r

```

wr103as7

Trial List 2 Recall 7 Stick

```

type: numeric (int)
label: dad_vl203

```

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	1,418	0	0 No
	1,710	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as8

Trial List 2 Recall 8 Ticket

type: numeric (int)
label: dad_vl204

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	2,230	0	0 No
	898	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as9

Trial List 2 Recall 9 Grass

type: numeric (int)
label: dad_vl205

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	1,209	0	0 No
	1,919	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as10

Trial List 2 Recall 10 Stone

type: numeric (int)
label: dad_vl206

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	1,633	0	0 No
	1,495	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as11

Trial List 2 Recall 11 Mango

type: numeric (int)
label: dad_v1207

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	3,086	0	0 No
	42	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as12

Trial List 2 Recall 12 Chair

type: numeric (int)
label: dad_v1208

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	3,074	0	0 No
	54	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as13

Trial List 2 Recall 13 Coin

type: numeric (int)
label: dad_v1209

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	3,103	0	0 No
	25	1	1 Yes
	2	.	
	9	.d	
	85	.r	

wr103as97

Trial List 2 Recall 97 No words remembered

type: numeric (int)
label: dad_v1210

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 94/3,224

tabulation:	Freq.	Numeric	Label
	2,879	0	0 No
	249	1	1 Yes
	2	.	
	9	.d	

 wr103_incorrect NUMBER OF INCORRECT ANSWERS GIVEN

type: numeric (double)
 range: [0,10] units: 1
 unique values: 9 missing .: 2/3,224
 unique mv codes: 3 missing .*: 68/3,224

tabulation:	Freq.	Value
	2,428	0
	560	1
	124	2
	29	3
	6	4
	3	5
	1	6
	2	7
	1	10
	2	.
	6	.d
	62	.r

 wr104a Trial List 3 Recall

type: string (str23), but longest is str22
 unique values: 2,576 missing "": 2/3,224
 examples: "1-6-7-5-3-2"
 "2-5-7-8-10-9"
 "5-2-3-9-1-6"
 "7-9-10-3"

 wr104as1 Trial List 3 Recall 1 Butter

type: numeric (int)
 label: dad_vl218
 range: [0,1] units: 1
 unique values: 2 missing .: 2/3,224
 unique mv codes: 3 missing .*: 112/3,224

tabulation:	Freq.	Numeric	Label
	1,122	0	0 No
	1,988	1	1 Yes
	2	.	.
	9	.d	.d
	103	.r	.r

 wr104as2 Trial List 3 Recall 2 Arm

type: numeric (int)
 label: dad_vl219
 range: [0,1] units: 1
 unique values: 2 missing .: 2/3,224
 unique mv codes: 3 missing .*: 112/3,224

```

tabulation: Freq.   Numeric   Label
            1,813       0    0 No
            1,297       1    1 Yes
              2         .
              9         .d
            103         .r

```

wr104as3

Trial List 3 Recall 3 Corner

```

type: numeric (int)
label: dad_vl220

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,781       0    0 No
            1,329       1    1 Yes
              2         .
              9         .d
            103         .r

```

wr104as4

Trial List 3 Recall 4 Letter

```

type: numeric (int)
label: dad_vl221

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,896       0    0 No
            1,214       1    1 Yes
              2         .
              9         .d
            103         .r

```

wr104as5

Trial List 3 Recall 5 Queen

```

type: numeric (int)
label: dad_vl222

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,654       0    0 No
            1,456       1    1 Yes
              2         .
              9         .d
            103         .r

```

wr104as6

Trial List 3 Recall 6 Book

```

type: numeric (int)
label: dad_vl223

```

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 112/3,224

tabulation:	Freq.	Numeric	Label
	1,953	0	0 No
	1,157	1	1 Yes
	2	.	
	9	.d	
	103	.r	

wr104as7

Trial List 3 Recall 7 Stick

type: numeric (int)
label: dad_v1224

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 112/3,224

tabulation:	Freq.	Numeric	Label
	1,582	0	0 No
	1,528	1	1 Yes
	2	.	
	9	.d	
	103	.r	

wr104as8

Trial List 3 Recall 8 Ticket

type: numeric (int)
label: dad_v1225

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 112/3,224

tabulation:	Freq.	Numeric	Label
	1,759	0	0 No
	1,351	1	1 Yes
	2	.	
	9	.d	
	103	.r	

wr104as9

Trial List 3 Recall 9 Grass

type: numeric (int)
label: dad_v1226

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 112/3,224

tabulation:	Freq.	Numeric	Label
	1,345	0	0 No
	1,765	1	1 Yes
	2	.	
	9	.d	
	103	.r	

wr104as10

Trial List 3 Recall 10 Stone

```

type: numeric (int)
label: dad_v1227

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,425       0       0 No
            1,685       1       1 Yes
              2         .
              9         .d
            103         .r

```

wr104as11Trial List 3 Recall 11 Mango

```

type: numeric (int)
label: dad_v1228

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            3,072       0       0 No
              38        1       1 Yes
              2         .
              9         .d
            103         .r

```

wr104as12Trial List 3 Recall 12 Chair

```

type: numeric (int)
label: dad_v1229

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            3,070       0       0 No
              40        1       1 Yes
              2         .
              9         .d
            103         .r

```

wr104as13Trial List 3 Recall 13 Coin

```

type: numeric (int)
label: dad_v1230

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 2/3,224
missing .*: 112/3,224

```

```

tabulation: Freq.   Numeric   Label
            3,083       0       0 No
              27        1       1 Yes
              2         .
              9         .d
            103         .r

```

wr104as97

Trial List 3 Recall 97 No words remembered

type: numeric (int)
label: dad_v1231

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 112/3,224

tabulation: Freq. Numeric Label
2,885 0 0 No
225 1 1 Yes
2 .
9 .d
103 .r

wr104_incorrect

NUMBER OF INCORRECT ANSWERS GIVEN

type: numeric (double)

range: [0,10] units: 1
unique values: 9 missing .: 2/3,224
unique mv codes: 3 missing .*: 78/3,224

tabulation: Freq. Value
2,516 0
468 1
116 2
29 3
8 4
2 5
3 6
1 9
1 10
2 .
5 .d
73 .r

wr105

WR ADMINISTRATION ISSUES

type: string (str7)

unique values: 27 missing "": 2/3,224

examples: "0"
"0"
"0"
"0"

wr105s1

WR ADMINISTRATION ISSUES 1 An interruption occurred during administration of Lis

type: numeric (int)
label: dad_v1239

range: [0,1] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 48/3,224

tabulation: Freq. Numeric Label

```

3,047      0 0 No
  127      1 1 Yes
    2      .
    4      .d
   44      .r

```

wr105s2 WR ADMINISTRATION ISSUES 2 An interruption occurred during administration of Lis

```

type: numeric (int)
label: dad_vl240

range: [0,1]                   units: 1
unique values: 2               missing .: 2/3,224
unique mv codes: 3              missing .*: 48/3,224

```

```

tabulation: Freq.   Numeric   Label
3,087       0   0 No
   87       1   1 Yes
    2       .
    4       .d
   44       .r

```

wr105s3 WR ADMINISTRATION ISSUES 3 An interruption occurred during administration of Lis

```

type: numeric (int)
label: dad_vl241

range: [0,1]                   units: 1
unique values: 2               missing .: 2/3,224
unique mv codes: 3              missing .*: 48/3,224

```

```

tabulation: Freq.   Numeric   Label
3,085       0   0 No
   89       1   1 Yes
    2       .
    4       .d
   44       .r

```

wr105s4 WR ADMINISTRATION ISSUES 4 Respondent had difficulty hearing the words

```

type: numeric (int)
label: dad_vl242

range: [0,1]                   units: 1
unique values: 2               missing .: 2/3,224
unique mv codes: 3              missing .*: 48/3,224

```

```

tabulation: Freq.   Numeric   Label
3,021       0   0 No
   153       1   1 Yes
    2       .
    4       .d
   44       .r

```

wr105s0 WR ADMINISTRATION ISSUES 0 No issues occurred

```

type: numeric (int)
label: dad_vl243

range: [0,1]                   units: 1

```

unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 48/3,224

tabulation:	Freq.	Numeric	Label
	298	0	0 No
	2,876	1	1 Yes
	2	.	
	4	.d	
	44	.r	

ds001

Digits repeated in forward order

type: numeric (int)
label: dad_vl923

range: [1,5] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 192/3,224

tabulation:	Freq.	Numeric	Label
	887	1	1 Yes
	2,143	5	5 No
	2	.	
	38	.d	
	154	.r	

ds002

Digits in Backward order

type: numeric (int)
label: dad_vl924

range: [1,5] units: 1
unique values: 2 missing .: 2/3,224
unique mv codes: 3 missing .*: 239/3,224

tabulation:	Freq.	Numeric	Label
	944	1	1 Yes
	2,039	5	5 No
	2	.	
	60	.d	
	179	.r	

scl_intro

SYMBOL CANCELLATION INTRO

type: numeric (int)
label: dad_vl60, but 1 nonmissing value is not labeled

range: [0,6] units: 1
unique values: 4 missing .: 2/3,224
unique mv codes: 3 missing .*: 191/3,224

tabulation:	Freq.	Numeric	Label
	146	0	
	2,633	1	1 Continue with task
	42	5	5 Physical limitation on hands
	210	6	6 Visual limitation
	2	.	
	30	.d	
	161	.r	

scl

NUMBER OF COMPLETED CIRCLES

type: string (str2)
unique values: 16 missing "": 1,959/3,224

tabulation: Freq. Value
1,959 ""
6 ".d"
11 ".r"
2 "0"
3 "1"
1 "10"
1 "11"
1 "13"
1 "19"
1 "25"
1 "3"
1 "30"
1 "4"
1 "44"
1 "47"
1 "50"
1,232 "60"

sc001

Phase 1

type: numeric (double)
range: [-999,58] units: 1
unique values: 45 missing .: 1,643/3,224
mean: 4.81973
std. dev: 62.6008
percentiles: 10% 25% 50% 75% 90%
0 0 6 13 22

sc002

Phase 1 wrong

type: numeric (double)
range: [-999,26] units: 1
unique values: 23 missing .: 1,643/3,224
mean: -2.0759
std. dev: 61.6215
percentiles: 10% 25% 50% 75% 90%
0 0 0 2 6

sc1_correct

correctly circled

type: numeric (double)
range: [0,48] units: 1
unique values: 43 missing .: 1,594/3,224
unique mv codes: 3 missing .*: 74/3,224
mean: 8.4653
std. dev: 8.08918

```
percentiles:      10%      25%      50%      75%      90%
                  0        2        6        12       20
```

```
-----
scl_incorrect                                           incorrectly circled
-----
```

```
type: numeric (double)

range: [0,27]                units: 1
unique values: 25            missing .: 1,594/3,224
unique mv codes: 3          missing .*: 73/3,224

mean: 2.30764
std. dev: 3.692

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        3        7
```

```
-----
dr100                                                    DELAYED RECALL
-----
```

```
type: string (str25)

unique values: 1,848        missing "": 3/3,224

examples: "1-5-6-4-3-7-9-10-2"
          "12-1-2"
          "5-9-3-12"
          "97"
```

```
-----
dr100s1                                                  DELAYED RECALL 1 Butter
-----
```

```
type: numeric (int)
label: dad_vl262

range: [0,1]                units: 1
unique values: 2            missing .: 3/3,224
unique mv codes: 3          missing .*: 111/3,224

tabulation: Freq.    Numeric  Label
            1,572    0    0 No
            1,538    1    1 Yes
              3      .
              19     .d
              92     .r
```

```
-----
dr100s2                                                  DELAYED RECALL 2 Arm
-----
```

```
type: numeric (int)
label: dad_vl263

range: [0,1]                units: 1
unique values: 2            missing .: 3/3,224
unique mv codes: 3          missing .*: 111/3,224

tabulation: Freq.    Numeric  Label
            2,074    0    0 No
            1,036    1    1 Yes
              3      .
              19     .d
              92     .r
```

dr100s3

DELAYED RECALL 3 Corner

```

type: numeric (int)
label: dad_vl264

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 111/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,223     0       0 No
            887      1       1 Yes
             3         .
            19        .d
            92        .r

```

dr100s4

DELAYED RECALL 4 Letter

```

type: numeric (int)
label: dad_vl265

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 111/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,715     0       0 No
            395      1       1 Yes
             3         .
            19        .d
            92        .r

```

dr100s5

DELAYED RECALL 5 Queen

```

type: numeric (int)
label: dad_vl266

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 111/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,237     0       0 No
            873      1       1 Yes
             3         .
            19        .d
            92        .r

```

dr100s6

DELAYED RECALL 6 Book

```

type: numeric (int)
label: dad_vl267

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 111/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,265     0       0 No
            845      1       1 Yes

```

3 .
19 .d
92 .r

dr100s7

DELAYED RECALL 7 Stick

type: numeric (int)
label: dad_vl268

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 111/3,224

tabulation:	Freq.	Numeric	Label
	2,043	0	0 No
	1,067	1	1 Yes
	3	.	
	19	.d	
	92	.r	

dr100s8

DELAYED RECALL 8 Ticket

type: numeric (int)
label: dad_vl269

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 111/3,224

tabulation:	Freq.	Numeric	Label
	2,519	0	0 No
	591	1	1 Yes
	3	.	
	19	.d	
	92	.r	

dr100s9

DELAYED RECALL 9 Grass

type: numeric (int)
label: dad_vl270

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 111/3,224

tabulation:	Freq.	Numeric	Label
	1,695	0	0 No
	1,415	1	1 Yes
	3	.	
	19	.d	
	92	.r	

dr100s10

DELAYED RECALL 10 Stone

type: numeric (int)
label: dad_vl271

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 111/3,224

```

tabulation: Freq.  Numeric  Label
            1,894      0      0 No
            1,216      1      1 Yes
              3         .
              19        .d
              92        .r

```

dr100s11

DELAYED RECALL 11 Mango

```

type: numeric (int)
label: dad_v1272

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 111/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,892      0      0 No
              218      1      1 Yes
              3         .
              19        .d
              92        .r

```

dr100s12

DELAYED RECALL 12 Chair

```

type: numeric (int)
label: dad_v1273

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 111/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,934      0      0 No
              176      1      1 Yes
              3         .
              19        .d
              92        .r

```

dr100s13

DELAYED RECALL 13 Coin

```

type: numeric (int)
label: dad_v1274

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 111/3,224

```

```

tabulation: Freq.  Numeric  Label
            3,030      0      0 No
              80       1      1 Yes
              3         .
              19        .d
              92        .r

```

dr100s97

DELAYED RECALL 97 No words remembered

```

type: numeric (int)

```



```

label: dad_v1275

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 111/3,224

```

```

tabulation: Freq. Numeric Label
            2,418      0 0 No
            692       1 1 Yes
             3         .
            19        .d
            92        .r

```

dr100_incorrect NUMBER OF INCORRECT ANSWERS GIVEN

```

type: numeric (double)

range: [0,10] units: 1
unique values: 11 missing .: 3/3,224
unique mv codes: 3 missing .*: 80/3,224

```

```

tabulation: Freq. Value
            2,283 0
            556 1
            180 2
             66 3
             32 4
             14 5
              1 6
              4 7
              1 8
              1 9
              3 10
              3 .
             10 .d
             70 .r

```

wre_100 Temple

```

type: numeric (int)
label: dad_v170

range: [1,5] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 219/3,224

```

```

tabulation: Freq. Numeric Label
            452       1 1 Yes
           2,550       5 5 No
              3         .
             70        .d
            149        .r

```

wre_101 Tea

```

type: numeric (int)
label: dad_v171

range: [1,5] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 215/3,224

```

```

tabulation: Freq.   Numeric   Label
            449         1   1 Yes
            2,557       5   5 No
             3          .
             68         .d
            147         .r

```

wre_102

Butter

```

type: numeric (int)
label: dad_vl72

range: [1,5]                units: 1
unique values: 2            missing .: 3/3,224
unique mv codes: 3          missing .*: 208/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,769       1   1 Yes
            244         5   5 No
             3          .
             60         .d
            148         .r

```

wre_103

Key

```

type: numeric (int)
label: dad_vl73

range: [1,5]                units: 1
unique values: 2            missing .: 3/3,224
unique mv codes: 3          missing .*: 219/3,224

```

```

tabulation: Freq.   Numeric   Label
            537         1   1 Yes
            2,465       5   5 No
             3          .
             70         .d
            149         .r

```

wre_104

Arm

```

type: numeric (int)
label: dad_vl74

range: [1,5]                units: 1
unique values: 2            missing .: 3/3,224
unique mv codes: 3          missing .*: 217/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,430       1   1 Yes
            574         5   5 No
             3          .
             68         .d
            149         .r

```

wre_105

Corner

```

type: numeric (int)
label: dad_vl75

```

range: [1,5] units: 1
 unique values: 2 missing .: 3/3,224
 unique mv codes: 3 missing .*: 218/3,224

tabulation:	Freq.	Numeric	Label
	2,423	1	1 Yes
	580	5	5 No
	3	.	.
	68	.d	.d
	150	.r	.r

 wre_106

 Five

type: numeric (int)
 label: dad_v176

range: [1,5] units: 1
 unique values: 2 missing .: 3/3,224
 unique mv codes: 3 missing .*: 219/3,224

tabulation:	Freq.	Numeric	Label
	1,023	1	1 Yes
	1,979	5	5 No
	3	.	.
	69	.d	.d
	150	.r	.r

 wre_107

 Letter

type: numeric (int)
 label: dad_v177

range: [1,5] units: 1
 unique values: 2 missing .: 3/3,224
 unique mv codes: 3 missing .*: 217/3,224

tabulation:	Freq.	Numeric	Label
	2,343	1	1 Yes
	661	5	5 No
	3	.	.
	67	.d	.d
	150	.r	.r

 wre_108

 Hotel

type: numeric (int)
 label: dad_v1358

range: [1,5] units: 1
 unique values: 2 missing .: 3/3,224
 unique mv codes: 3 missing .*: 224/3,224

tabulation:	Freq.	Numeric	Label
	526	1	1 Yes
	2,471	5	5 No
	3	.	.
	74	.d	.d
	150	.r	.r

 wre_109

 Mountain

```

type: numeric (int)
label: dad_vl359

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 223/3,224

```

```

tabulation: Freq.   Numeric   Label
              495         1     1 Yes
              2,503       5     5 No
                3         .
                72        .d
               151        .r

```

wre_110

Queen

```

type: numeric (int)
label: dad_vl360

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 226/3,224

```

```

tabulation: Freq.   Numeric   Label
              2,452       1     1 Yes
              543         5     5 No
                3         .
                70        .d
               156        .r

```

wre_111

Book

```

type: numeric (int)
label: dad_vl361

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 221/3,224

```

```

tabulation: Freq.   Numeric   Label
              2,417       1     1 Yes
              583         5     5 No
                3         .
                66        .d
               155        .r

```

wre_112

Slipper

```

type: numeric (int)
label: dad_vl362

range: [1,5]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 228/3,224

```

```

tabulation: Freq.   Numeric   Label
              444         1     1 Yes
              2,549       5     5 No
                3         .
                72        .d
               156        .r

```

wre_113

Stick

```
-----  
type: numeric (int)  
label: dad_vl363  
  
range: [1,5] units: 1  
unique values: 2 missing .: 3/3,224  
unique mv codes: 3 missing .*: 221/3,224  
  
tabulation: Freq. Numeric Label  
2,459 1 1 Yes  
541 5 5 No  
3 .  
67 .d  
154 .r
```

wre_114

Village

```
-----  
type: numeric (int)  
label: dad_vl364  
  
range: [1,5] units: 1  
unique values: 2 missing .: 3/3,224  
unique mv codes: 3 missing .*: 230/3,224  
  
tabulation: Freq. Numeric Label  
917 1 1 Yes  
2,074 5 5 No  
3 .  
76 .d  
154 .r
```

wre_115

String

```
-----  
type: numeric (int)  
label: dad_vl365  
  
range: [1,5] units: 1  
unique values: 2 missing .: 3/3,224  
unique mv codes: 3 missing .*: 231/3,224  
  
tabulation: Freq. Numeric Label  
415 1 1 Yes  
2,575 5 5 No  
3 .  
76 .d  
155 .r
```

wre_116

Ticket

```
-----  
type: numeric (int)  
label: dad_vl366  
  
range: [1,5] units: 1  
unique values: 2 missing .: 3/3,224  
unique mv codes: 3 missing .*: 224/3,224  
  
tabulation: Freq. Numeric Label  
2,428 1 1 Yes
```

569 5 5 No
3 .
69 .d
155 .r

wre_117

Troops

type: numeric (int)
label: dad_v1367

range: [1,5] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 226/3,224

tabulation:	Freq.	Numeric	Label
	434	1	1 Yes
	2,561	5	5 No
	3	.	
	72	.d	
	154	.r	

wre_118

Grass

type: numeric (int)
label: dad_v1634

range: [1,5] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 224/3,224

tabulation:	Freq.	Numeric	Label
	2,652	1	1 Yes
	345	5	5 No
	3	.	
	68	.d	
	156	.r	

wre_119

Stone

type: numeric (int)
label: dad_v1635

range: [1,5] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 220/3,224

tabulation:	Freq.	Numeric	Label
	2,685	1	1 Yes
	316	5	5 No
	3	.	
	65	.d	
	155	.r	

wre_yes_correct

Number Correct Yes Responses

type: numeric (double)

range: [1,10] units: 1
unique values: 10 missing .: 3/3,224
unique mv codes: 2 missing .*: 223/3,224

```

tabulation:  Freq.  Value
              33    1
              32    2
              48    3
              59    4
             118    5
             160    6
             269    7
             469    8
             704    9
            1,106  10
               3    .
             223   .e

```

wre_no_correct

Number Correct No Responses

```

type: numeric (double)

range: [1,10]          units: 1
unique values: 10      missing .: 3/3,224
unique mv codes: 2     missing .*: 328/3,224

```

```

tabulation:  Freq.  Value
              46    1
              47    2
              66    3
              82    4
              79    5
             152    6
             209    7
             329    8
             614    9
            1,269  10
               3    .
             328   .e

```

bm_1

BM1 - Recall of Story Points

```

type: string (str35)

unique values: 2,122      missing "": 3/3,224

examples: "1-103"
          "1-2-4-8-7"
          "101-102-6-104-107"
          "3-1-102-104-106-107"

```

bm_1s1

BM1 - Recall of Story Points 1 Three children

```

type: numeric (int)
label: dad_v1284

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 4     missing .*: 204/3,224

tabulation:  Freq.  Numeric  Label
              1,077    0    0 No
              1,940    1    1 Yes
               3        .
              23       .d

```

14 .e
167 .r

bm_1s2

BM1 - Recall of Story Points 2 alone at home

type: numeric (int)
label: dad_v1285

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation: Freq. Numeric Label
2,331 0 0 No
686 1 1 Yes
3 .
23 .d
14 .e
167 .r

bm_1s3

BM1 - Recall of Story Points 3 House caught on fire

type: numeric (int)
label: dad_v1286

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation: Freq. Numeric Label
1,261 0 0 No
1,756 1 1 Yes
3 .
23 .d
14 .e
167 .r

bm_1s4

BM1 - Recall of Story Points 4 Brave man

type: numeric (int)
label: dad_v1287

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation: Freq. Numeric Label
2,349 0 0 No
668 1 1 Yes
3 .
23 .d
14 .e
167 .r

bm_1s5

BM1 - Recall of Story Points 5 Climbed

type: numeric (int)
label: dad_v1288

range: [0,1] units: 1

unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation:	Freq.	Numeric	Label
	2,472	0	0 No
	545	1	1 Yes
	3	.	
	23	.d	
	14	.e	
	167	.r	

bm_1s6

BM1 - Recall of Story Points 6 back window

type: numeric (int)
label: dad_v1289

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation:	Freq.	Numeric	Label
	2,191	0	0 No
	826	1	1 Yes
	3	.	
	23	.d	
	14	.e	
	167	.r	

bm_1s7

BM1 - Recall of Story Points 7 carry to safety

type: numeric (int)
label: dad_v1290

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation:	Freq.	Numeric	Label
	2,181	0	0 No
	836	1	1 Yes
	3	.	
	23	.d	
	14	.e	
	167	.r	

bm_1s8

BM1 - Recall of Story Points 8 Minor cuts

type: numeric (int)
label: dad_v1291

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation:	Freq.	Numeric	Label
	2,272	0	0 No
	745	1	1 Yes
	3	.	
	23	.d	
	14	.e	
	167	.r	

bm_1s9

BM1 - Recall of Story Points 9 bruises

```
      type: numeric (int)
      label: dad_vl292

      range: [0,1]                units: 1
      unique values: 2             missing .: 3/3,224
      unique mv codes: 4           missing .*: 204/3,224

      tabulation: Freq.  Numeric  Label
                  2,458      0      0 No
                   559      1      1 Yes
                     3        .
                     23      .d
                     14      .e
                     167     .r
```

bm_1s10

BM1 - Recall of Story Points 10 all were well

```
      type: numeric (int)
      label: dad_vl293

      range: [0,1]                units: 1
      unique values: 2             missing .: 3/3,224
      unique mv codes: 4           missing .*: 204/3,224

      tabulation: Freq.  Numeric  Label
                  2,538      0      0 No
                   479      1      1 Yes
                     3        .
                     23      .d
                     14      .e
                     167     .r
```

bm_1s101

BM1 - Recall of Story Points 101 Three children

```
      type: numeric (int)
      label: dad_vl294

      range: [0,1]                units: 1
      unique values: 2             missing .: 3/3,224
      unique mv codes: 4           missing .*: 204/3,224

      tabulation: Freq.  Numeric  Label
                  2,574      0      0 No
                   443      1      1 Yes
                     3        .
                     23      .d
                     14      .e
                     167     .r
```

bm_1s102

BM1 - Recall of Story Points 102 alone at home

```
      type: numeric (int)
      label: dad_vl295

      range: [0,1]                units: 1
      unique values: 2             missing .: 3/3,224
      unique mv codes: 4           missing .*: 204/3,224
```

```

tabulation: Freq.  Numeric  Label
            2,271      0      0 No
            746       1      1 Yes
            3         .
            23        .d
            14        .e
            167       .r

```

bm_1s103 BM1 - Recall of Story Points 103 House caught on fire

```

type: numeric (int)
label: dad_v1296

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 4    missing .*: 204/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,427      0      0 No
            590       1      1 Yes
            3         .
            23        .d
            14        .e
            167       .r

```

bm_1s104 BM1 - Recall of Story Points 104 Brave man

```

type: numeric (int)
label: dad_v1297

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 4    missing .*: 204/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,870      0      0 No
            1,147      1      1 Yes
            3         .
            23        .d
            14        .e
            167       .r

```

bm_1s105 BM1 - Recall of Story Points 105 Climbed

```

type: numeric (int)
label: dad_v1298

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 4    missing .*: 204/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,710      0      0 No
            307       1      1 Yes
            3         .
            23        .d
            14        .e
            167       .r

```

bm_1s106 BM1 - Recall of Story Points 106 back window

```

type: numeric (int)
label: dad_v1299

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 3/3,224
missing .*: 204/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,425       0       0 No
            592         1       1 Yes
            3           .
            23          .d
            14          .e
            167         .r

```

bm_1s107 BM1 - Recall of Story Points 107 carry to safety

```

type: numeric (int)
label: dad_v1300

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 3/3,224
missing .*: 204/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,086       0       0 No
            931         1       1 Yes
            3           .
            23          .d
            14          .e
            167         .r

```

bm_1s108 BM1 - Recall of Story Points 108 Minor cuts

```

type: numeric (int)
label: dad_v1301

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 3/3,224
missing .*: 204/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,621       0       0 No
            396         1       1 Yes
            3           .
            23          .d
            14          .e
            167         .r

```

bm_1s109 BM1 - Recall of Story Points 109 bruises

```

type: numeric (int)
label: dad_v1302

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 3/3,224
missing .*: 204/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,879       0       0 No
            138         1       1 Yes

```

3 .
23 .d
14 .e
167 .r

bm_1s110 BM1 - Recall of Story Points 110 all were well

type: numeric (int)
label: dad_vl303

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation: Freq. Numeric Label
2,672 0 0 No
345 1 1 Yes
3 .
23 .d
14 .e
167 .r

bm_1s97 BM1 - Recall of Story Points 97 R cannot remember the story

type: numeric (int)
label: dad_vl304

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 4 missing .*: 204/3,224

tabulation: Freq. Numeric Label
2,708 0 0 No
309 1 1 Yes
3 .
23 .d
14 .e
167 .r

lmlb_1 LM1B - Recall of Story Points

type: string (str66)

unique values: 2,045 missing "": 169/3,224

examples: "10-11-16"
"18-117-15-22-123-124"
"4-105-106-120-22-124-117-118"
"97"

lmlb_1s1 LM1B - Recall of Story Points 1 Manju

type: numeric (int)
label: dad_vl306

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label

```

2,396      0  0 No
552        1  1 Yes
169        .
30         .d
7          .e
70         .r

```

lmlb_1s2

LM1B - Recall of Story Points 2 Rani

```

type: numeric (int)
label: dad_vl307

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.  Numeric  Label
2,222      0  0 No
726        1  1 Yes
169        .
30         .d
7          .e
70         .r

```

lmlb_1s3

LM1B - Recall of Story Points 3 From East

```

type: numeric (int)
label: dad_vl308

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.  Numeric  Label
2,559      0  0 No
389        1  1 Yes
169        .
30         .d
7          .e
70         .r

```

lmlb_1s4

LM1B - Recall of Story Points 4 Delhi

```

type: numeric (int)
label: dad_vl309

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.  Numeric  Label
2,101      0  0 No
847        1  1 Yes
169        .
30         .d
7          .e
70         .r

```

lmlb_1s5

LM1B - Recall of Story Points 5 employed

```

type: numeric (int)
label: dad_vl310

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 169/3,224
missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,503       0      0 No
            445         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s6 LM1B - Recall of Story Points 6 as a cook

```

type: numeric (int)
label: dad_vl311

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 169/3,224
missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,382       0      0 No
            566         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s7 LM1B - Recall of Story Points 7 in a school

```

type: numeric (int)
label: dad_vl312

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 169/3,224
missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,661       0      0 No
            287         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s8 LM1B - Recall of Story Points 8 canteen

```

type: numeric (int)
label: dad_vl313

range: [0,1]
unique values: 2
unique mv codes: 4

units: 1
missing .: 169/3,224
missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,659       0      0 No
            289         1      1 Yes
            169         .

```

30 .d
7 .e
70 .r

lmlb_1s9

LM1B - Recall of Story Points 9 reported

type: numeric (int)
label: dad_v1314

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,474	0	0 No
	474	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s10

LM1B - Recall of Story Points 10 at the police

type: numeric (int)
label: dad_v1315

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,184	0	0 No
	764	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s11

LM1B - Recall of Story Points 11 station

type: numeric (int)
label: dad_v1316

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,444	0	0 No
	504	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s12

LM1B - Recall of Story Points 12 that she had been held up

type: numeric (int)
label: dad_v1317

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,863	0	0 No
	85	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s13

LM1B - Recall of Story Points 13 at Ramnagar Junction

type: numeric (int)
label: dad_vl318

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,839	0	0 No
	109	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s14

LM1B - Recall of Story Points 14 the night before

type: numeric (int)
label: dad_vl319

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,910	0	0 No
	38	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s15

LM1B - Recall of Story Points 15 and robbed

type: numeric (int)
label: dad_vl320

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,264	0	0 No
	684	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s16 LM1B - Recall of Story Points 16 of two hundred and fifty rupees.

```
    type: numeric (int)
    label: dad_vl321

    range: [0,1]                        units: 1
unique values: 2                        missing .: 169/3,224
unique mv codes: 4                      missing .*: 107/3,224

tabulation: Freq.    Numeric    Label
            2,331      0      0 No
            617       1      1 Yes
            169        .
            30         .d
            7          .e
            70         .r
```

lmlb_1s17 LM1B - Recall of Story Points 17 She had four

```
    type: numeric (int)
    label: dad_vl322

    range: [0,1]                        units: 1
unique values: 2                        missing .: 169/3,224
unique mv codes: 4                      missing .*: 107/3,224

tabulation: Freq.    Numeric    Label
            2,415      0      0 No
            533       1      1 Yes
            169        .
            30         .d
            7          .e
            70         .r
```

lmlb_1s18 LM1B - Recall of Story Points 18 small children

```
    type: numeric (int)
    label: dad_vl323

    range: [0,1]                        units: 1
unique values: 2                        missing .: 169/3,224
unique mv codes: 4                      missing .*: 107/3,224

tabulation: Freq.    Numeric    Label
            2,267      0      0 No
            681       1      1 Yes
            169        .
            30         .d
            7          .e
            70         .r
```

lmlb_1s19 LM1B - Recall of Story Points 19 the rent was due

```
    type: numeric (int)
    label: dad_vl324

    range: [0,1]                        units: 1
unique values: 2                        missing .: 169/3,224
unique mv codes: 4                      missing .*: 107/3,224
```

```

tabulation: Freq.   Numeric   Label
            2,774       0      0 No
            174         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s20 LM1B - Recall of Story Points 20 and they had not eaten

```

type: numeric (int)
label: dad_v1325

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,650       0      0 No
            298         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s21 LM1B - Recall of Story Points 21 for two days.

```

type: numeric (int)
label: dad_v1326

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,821       0      0 No
            127         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s22 LM1B - Recall of Story Points 22 The police,

```

type: numeric (int)
label: dad_v1327

range: [0,1]          units: 1
unique values: 2      missing .: 169/3,224
unique mv codes: 4    missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,967       0      0 No
            981         1      1 Yes
            169         .
            30          .d
            7           .e
            70          .r

```

lmlb_1s23 LM1B - Recall of Story Points 23 touched by the womans story

```

-----
      type: numeric (int)
      label: dad_vl328

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

      tabulation: Freq.   Numeric   Label
                  2,496     0       0 No
                  452      1       1 Yes
                  169      .
                  30      .d
                  7       .e
                  70      .r

```

```

-----
lmlb_1s24                                     LM1B - Recall of Story Points 24 took up a collection
-----

```

```

      type: numeric (int)
      label: dad_vl329

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

      tabulation: Freq.   Numeric   Label
                  2,165     0       0 No
                  783      1       1 Yes
                  169      .
                  30      .d
                  7       .e
                  70      .r

```

```

-----
lmlb_1s25                                     LM1B - Recall of Story Points 25 for her
-----

```

```

      type: numeric (int)
      label: dad_vl330

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

      tabulation: Freq.   Numeric   Label
                  2,459     0       0 No
                  489      1       1 Yes
                  169      .
                  30      .d
                  7       .e
                  70      .r

```

```

-----
lmlb_1s101                                    LM1B - Recall of Story Points 101 Manju
-----

```

```

      type: numeric (int)
      label: dad_vl331

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

      tabulation: Freq.   Numeric   Label
                  2,729     0       0 No

```

219 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s102

LM1B - Recall of Story Points 102 Rani

type: numeric (int)
label: dad_vl332

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,799 0 0 No
149 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s103

LM1B - Recall of Story Points 103 From East

type: numeric (int)
label: dad_vl333

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,904 0 0 No
44 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s104

LM1B - Recall of Story Points 104 Delhi

type: numeric (int)
label: dad_vl334

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,909 0 0 No
39 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s105

LM1B - Recall of Story Points 105 employed

type: numeric (int)

label: dad_vl335
range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,785	0	0 No
	163	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s106

LM1B - Recall of Story Points 106 as a cook

type: numeric (int)
label: dad_vl336

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,812	0	0 No
	136	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s107

LM1B - Recall of Story Points 107 in a school

type: numeric (int)
label: dad_vl337

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,893	0	0 No
	55	1	1 Yes
	169	.	
	30	.d	
	7	.e	
	70	.r	

lmlb_1s108

LM1B - Recall of Story Points 108 canteen

type: numeric (int)
label: dad_vl338

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,883	0	0 No
	65	1	1 Yes
	169	.	
	30	.d	

7 .e
70 .r

lmlb_1s109

LM1B - Recall of Story Points 109 reported

type: numeric (int)
label: dad_v1339

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,833 0 0 No
115 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s110

LM1B - Recall of Story Points 110 at the police

type: numeric (int)
label: dad_v1340

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,864 0 0 No
84 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s111

LM1B - Recall of Story Points 111 station

type: numeric (int)
label: dad_v1341

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation: Freq. Numeric Label
2,920 0 0 No
28 1 1 Yes
169 .
30 .d
7 .e
70 .r

lmlb_1s112

LM1B - Recall of Story Points 112 that she had been held up

type: numeric (int)
label: dad_v1342

range: [0,1] units: 1

unique values: 2 missing .: 169/3,224
 unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,917	0	0 No
	31	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s113 LM1B - Recall of Story Points 113 at Ramnagar Junction

type: numeric (int)
 label: dad_v1343

range: [0,1] units: 1
 unique values: 2 missing .: 169/3,224
 unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,810	0	0 No
	138	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s114 LM1B - Recall of Story Points 114 the night before

type: numeric (int)
 label: dad_v1344

range: [0,1] units: 1
 unique values: 2 missing .: 169/3,224
 unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,929	0	0 No
	19	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s115 LM1B - Recall of Story Points 115 and robbed

type: numeric (int)
 label: dad_v1345

range: [0,1] units: 1
 unique values: 2 missing .: 169/3,224
 unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,701	0	0 No
	247	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s116 LM1B - Recall of Story Points 116 of two hundred and fifty rupees.

type: numeric (int)
label: dad_vl346

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,667	0	0 No
	281	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s117 LM1B - Recall of Story Points 117 She had four

type: numeric (int)
label: dad_vl347

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,694	0	0 No
	254	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s118 LM1B - Recall of Story Points 118 small children

type: numeric (int)
label: dad_vl348

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

tabulation:	Freq.	Numeric	Label
	2,570	0	0 No
	378	1	1 Yes
	169	.	.
	30	.d	.d
	7	.e	.e
	70	.r	.r

lmlb_1s119 LM1B - Recall of Story Points 119 the rent was due

type: numeric (int)
label: dad_vl349

range: [0,1] units: 1
unique values: 2 missing .: 169/3,224
unique mv codes: 4 missing .*: 107/3,224

```

tabulation: Freq.   Numeric   Label
            2,858       0    0 No
            90          1    1 Yes
            169         .
            30          .d
            7           .e
            70         .r

```

lmlb_1s120 LM1B - Recall of Story Points 120 and they had not eaten

```

type: numeric (int)
label: dad_vl350

range: [0,1]                units: 1
unique values: 2            missing .: 169/3,224
unique mv codes: 4         missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,760       0    0 No
            188         1    1 Yes
            169         .
            30          .d
            7           .e
            70         .r

```

lmlb_1s121 LM1B - Recall of Story Points 121 for two days.

```

type: numeric (int)
label: dad_vl351

range: [0,1]                units: 1
unique values: 2            missing .: 169/3,224
unique mv codes: 4         missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,917       0    0 No
            31          1    1 Yes
            169         .
            30          .d
            7           .e
            70         .r

```

lmlb_1s122 LM1B - Recall of Story Points 122 The police,

```

type: numeric (int)
label: dad_vl352

range: [0,1]                units: 1
unique values: 2            missing .: 169/3,224
unique mv codes: 4         missing .*: 107/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,898       0    0 No
            50          1    1 Yes
            169         .
            30          .d
            7           .e
            70         .r

```

lmlb_1s123 LM1B - Recall of Story Points 123 touched by the womans story

```

      type: numeric (int)
      label: dad_vl353

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

```

```

tabulation: Freq.    Numeric    Label
            2,784      0      0 No
            164       1      1 Yes
            169       .
            30        .d
            7         .e
            70        .r

```

```

lmlb_1s124                                LM1B - Recall of Story Points 124 took up a collection

```

```

      type: numeric (int)
      label: dad_vl354

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

```

```

tabulation: Freq.    Numeric    Label
            2,648      0      0 No
            300       1      1 Yes
            169       .
            30        .d
            7         .e
            70        .r

```

```

lmlb_1s125                                LM1B - Recall of Story Points 125 for her

```

```

      type: numeric (int)
      label: dad_vl355

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

```

```

tabulation: Freq.    Numeric    Label
            2,834      0      0 No
            114       1      1 Yes
            169       .
            30        .d
            7         .e
            70        .r

```

```

lmlb_1s97                                 LM1B - Recall of Story Points 97 R Cannot remember story

```

```

      type: numeric (int)
      label: dad_vl356

      range: [0,1]
      unique values: 2
      unique mv codes: 4

      units: 1
      missing .: 169/3,224
      missing .*: 107/3,224

```

```

tabulation: Freq.    Numeric    Label
            2,212      0      0 No
            736       1      1 Yes

```

169 .
30 .d
7 .e
70 .r

cp_circle

Respondent attempted to draw a figure

type: numeric (int)
label: dad_vl1007

range: [1,97] units: 1
unique values: 3 missing .: 3/3,224
unique mv codes: 3 missing .*: 130/3,224

tabulation:	Freq.	Numeric	Label
	2,912	1	1 Drew a figure
	75	2	2 Did not draw
	104	97	97 Respondent cannot draw
	3	.	
	10	.d	
	120	.r	

dc001

CP - Circular shape - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 182/3,224

tabulation:	Freq.	Numeric	Label
	2,764	1	1 Drew correctly
	278	2	2 Did not draw
	17	.b	
	145	.m	
	20	.x	

dc002

CP - Closed circle - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 182/3,224

tabulation:	Freq.	Numeric	Label
	2,746	1	1 Drew correctly
	296	2	2 Did not draw
	17	.b	
	145	.m	
	20	.x	

cp_diamond

Respondent attempted to draw a figure

type: numeric (int)
label: dad_vl1008

range: [1,97] units: 1

unique values: 3 missing .: 3/3,224
unique mv codes: 3 missing .*: 136/3,224

tabulation:	Freq.	Numeric	Label
	2,857	1	1 Drew a figure
	113	2	2 Did not draw
	115	97	97 Respondent cannot draw
	3	.	
	12	.d	
	124	.r	

dd001 CP - Diamond draw 4 sides - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 185/3,224

tabulation:	Freq.	Numeric	Label
	1,888	1	1 Drew correctly
	1,151	2	2 Did not draw
	20	.b	
	145	.m	
	20	.x	

dd002 CP - Diamond close 4 angles - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 185/3,224

tabulation:	Freq.	Numeric	Label
	1,753	1	1 Drew correctly
	1,286	2	2 Did not draw
	20	.b	
	145	.m	
	20	.x	

dd003 CP - Diamond sides equal length - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 185/3,224

tabulation:	Freq.	Numeric	Label
	1,390	1	1 Drew correctly
	1,649	2	2 Did not draw
	20	.b	
	145	.m	
	20	.x	

cp_rectangle Respondent attempted to draw a figure

```

type: numeric (int)
label: dad_vl1009

range: [1,97]          units: 1
unique values: 3       missing .: 3/3,224
unique mv codes: 3     missing .*: 154/3,224

```

```

tabulation: Freq.   Numeric  Label
            2,841     1      1 Drew a figure
            114       2      2 Did not draw
            112       97     97 Respondent cannot draw
             3         .
            14        .d
            140       .r

```

dr001 CP - Rectangle Both 4-Sided - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2       missing .: 0/3,224
unique mv codes: 3     missing .*: 195/3,224

```

```

tabulation: Freq.   Numeric  Label
            2,084     1      1 Drew correctly
            945       2      2 Did not draw
             29        .b
            146        .m
             20        .x

```

dr002 CP - Rectangle overlaps - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2       missing .: 0/3,224
unique mv codes: 3     missing .*: 195/3,224

```

```

tabulation: Freq.   Numeric  Label
            1,769     1      1 Drew correctly
            1,260     2      2 Did not draw
             29        .b
            146        .m
             20        .x

```

cp_cube Respondent attempted to draw a figure

```

type: numeric (int)
label: dad_vl1010

range: [1,97]          units: 1
unique values: 3       missing .: 3/3,224
unique mv codes: 3     missing .*: 182/3,224

```

```

tabulation: Freq.   Numeric  Label
            2,640     1      1 Drew a figure
             264       2      2 Did not draw
            135       97     97 Respondent cannot draw
             3         .

```

17 .d
165 .r

ce001

CP - Cube 3D - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 216/3,224

tabulation:	Freq.	Numeric	Label
	832	1	Drew correctly
	2,176	2	Did not draw
	51	.b	
	145	.m	
	20	.x	

ce002

CP - Cube face correct oriented - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 216/3,224

tabulation:	Freq.	Numeric	Label
	780	1	Drew correctly
	2,228	2	Did not draw
	51	.b	
	145	.m	
	20	.x	

ce003

CP - Cube internal lines - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 216/3,224

tabulation:	Freq.	Numeric	Label
	422	1	Drew correctly
	2,586	2	Did not draw
	51	.b	
	145	.m	
	20	.x	

ce004

CP - Cube parallel sides - Respondent

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 216/3,224

```

tabulation: Freq.  Numeric  Label
            596      1  Drew correctly
            2,412    2  Did not draw
            51      .b
            145     .m
            20      .x

```

lm2_startstory

Story started with

```

type: numeric (int)
label: dad_vl1019

range: [1,2]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 1,112/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,653    1  1 Story 1: Brave Man, House on
                        fire, children rescued
            456      2  2 Story 2: Manju Rani, from East
                        Delhi, who was robbed
            3        .
            689     .d
            423     .r

```

lm2b_1b_

Recall of Story 1 Points

```

type: string (str34)

unique values: 1,117      missing "": 3/3,224

examples: "1-2-3-10"
          "101-102-104-103-105-6-107"
          "97"
          "97"

```

lm2b_1b_s1

Recall of Story 1 Points 1 Three children

```

type: numeric (int)
label: dad_vl383

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,847    0  0 No
            1,116    1  1 Yes
            3        .
            58      .d
            200     .r

```

lm2b_1b_s2

Recall of Story 1 Points 2 alone at home

```

type: numeric (int)
label: dad_vl384

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```



```

tabulation: Freq.   Numeric   Label
            2,534       0       0 No
            429        1       1 Yes
            3          .
            58         .d
            200        .r

```

lm2b_1b_s3 Recall of Story 1 Points 3 House caught on fire

```

type: numeric (int)
label: dad_vl385

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.   Numeric   Label
            1,961       0       0 No
            1,002       1       1 Yes
            3          .
            58         .d
            200        .r

```

lm2b_1b_s4 Recall of Story 1 Points 4 Brave man

```

type: numeric (int)
label: dad_vl386

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,549       0       0 No
            414        1       1 Yes
            3          .
            58         .d
            200        .r

```

lm2b_1b_s5 Recall of Story 1 Points 5 Climbed

```

type: numeric (int)
label: dad_vl387

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,675       0       0 No
            288        1       1 Yes
            3          .
            58         .d
            200        .r

```

lm2b_1b_s6 Recall of Story 1 Points 6 back window

```

type: numeric (int)
label: dad_vl388

```

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,489	0	0 No
	474	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s7 Recall of Story 1 Points 7 carry to safety

type: numeric (int)
label: dad_vl389

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,452	0	0 No
	511	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s8 Recall of Story 1 Points 8 Minor cuts

type: numeric (int)
label: dad_vl390

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,564	0	0 No
	399	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s9 Recall of Story 1 Points 9 bruises

type: numeric (int)
label: dad_vl391

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,698	0	0 No
	265	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s10 Recall of Story 1 Points 10 all were well

```

-----
type: numeric (int)
label: dad_v1392

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

```

```

tabulation: Freq. Numeric Label
            2,703      0 0 No
              260      1 1 Yes
                3      .
                58      .d
               200      .r

```

```

-----
lm2b_1b_s101 Recall of Story 1 Points 101 Three children
-----

```

```

type: numeric (int)
label: dad_v1393

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

```

```

tabulation: Freq. Numeric Label
            2,725      0 0 No
              238      1 1 Yes
                3      .
                58      .d
               200      .r

```

```

-----
lm2b_1b_s102 Recall of Story 1 Points 102 alone at home
-----

```

```

type: numeric (int)
label: dad_v1394

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

```

```

tabulation: Freq. Numeric Label
            2,643      0 0 No
              320      1 1 Yes
                3      .
                58      .d
               200      .r

```

```

-----
lm2b_1b_s103 Recall of Story 1 Points 103 House caught on fire
-----

```

```

type: numeric (int)
label: dad_v1395

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

```

```

tabulation: Freq. Numeric Label
            2,675      0 0 No
              288      1 1 Yes
                3      .
                58      .d

```

200 .r

lm2b_1b_s104

Recall of Story 1 Points 104 Brave man

type: numeric (int)
label: dad_v1396
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,401	0	0 No
	562	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s105

Recall of Story 1 Points 105 Climbed

type: numeric (int)
label: dad_v1397
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,848	0	0 No
	115	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s106

Recall of Story 1 Points 106 back window

type: numeric (int)
label: dad_v1398
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	2,676	0	0 No
	287	1	1 Yes
	3	.	.
	58	.d	.d
	200	.r	.r

lm2b_1b_s107

Recall of Story 1 Points 107 carry to safety

type: numeric (int)
label: dad_v1399
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

```

tabulation: Freq.  Numeric  Label
            2,525      0      0 No
            438       1      1 Yes
             3         .
             58        .d
            200        .r

```

lm2b_1b_s108

Recall of Story 1 Points 108 Minor cuts

```

type: numeric (int)
label: dad_vl400

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,781      0      0 No
            182       1      1 Yes
             3         .
             58        .d
            200        .r

```

lm2b_1b_s109

Recall of Story 1 Points 109 bruises

```

type: numeric (int)
label: dad_vl401

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,896      0      0 No
             67       1      1 Yes
             3         .
             58        .d
            200        .r

```

lm2b_1b_s110

Recall of Story 1 Points 110 all were well

```

type: numeric (int)
label: dad_vl402

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 258/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,807      0      0 No
            156       1      1 Yes
             3         .
             58        .d
            200        .r

```

lm2b_1b_s97

Recall of Story 1 Points 97 R cannot remember the story

```

type: numeric (int)
label: dad_vl403

```

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 258/3,224

tabulation:	Freq.	Numeric	Label
	1,519	0	0 No
	1,444	1	1 Yes
	3	.	
	58	.d	
	200	.r	

lm2b_1c_ Recall of Story 2 Points

type: string (str65)
unique values: 1,401 missing "": 3/3,224
examples: "1-2-7-8-6-5-120-22-123-24"
"22"
"97"
"97"

lm2b_1c_s1 Recall of Story 2 Points 1 Manju

type: numeric (int)
label: dad_vl405
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224
tabulation: Freq. Numeric Label
2,370 0 0 No
416 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s2 Recall of Story 2 Points 2 Rani

type: numeric (int)
label: dad_vl406
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224
tabulation: Freq. Numeric Label
2,322 0 0 No
464 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s3 Recall of Story 2 Points 3 From East

type: numeric (int)
label: dad_vl407
range: [0,1] units: 1

unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,536	0	0 No
	250	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s4

Recall of Story 2 Points 4 Delhi

type: numeric (int)
label: dad_vl408

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,209	0	0 No
	577	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s5

Recall of Story 2 Points 5 employed

type: numeric (int)
label: dad_vl409

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,438	0	0 No
	348	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s6

Recall of Story 2 Points 6 as a cook

type: numeric (int)
label: dad_vl410

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,373	0	0 No
	413	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s7

Recall of Story 2 Points 7 in a school

```

    type: numeric (int)
    label: dad_vl411

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 3/3,224
    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,578       0       0 No
              208       1       1 Yes
                 3       .
                126      .d
                309      .r

```

```

-----
lm2b_1c_s8                                     n                               Recall of Story 2 Points 8 canteen
-----

```

```

    type: numeric (int)
    label: dad_vl412

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 3/3,224
    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,554       0       0 No
              232       1       1 Yes
                 3       .
                126      .d
                309      .r

```

```

-----
lm2b_1c_s9                                     Recall of Story 2 Points 9 reported
-----

```

```

    type: numeric (int)
    label: dad_vl413

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 3/3,224
    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,397       0       0 No
              389       1       1 Yes
                 3       .
                126      .d
                309      .r

```

```

-----
lm2b_1c_s10                                    Recall of Story 2 Points 10 at the police
-----

```

```

    type: numeric (int)
    label: dad_vl414

    range: [0,1]
    unique values: 2
    unique mv codes: 3

    units: 1
    missing .: 3/3,224
    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,228       0       0 No
              558       1       1 Yes
                 3       .
                126      .d
                309      .r

```


lm2b_1c_s11

Recall of Story 2 Points 11 station

type: numeric (int)
label: dad_vl415
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,392	0	0 No
	394	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s12

Recall of Story 2 Points 12 that she had been held up

type: numeric (int)
label: dad_vl416
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,707	0	0 No
	79	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s13

Recall of Story 2 Points 13 at Ramnagar Junction

type: numeric (int)
label: dad_vl417
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,713	0	0 No
	73	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s14

Recall of Story 2 Points 14 the night before

type: numeric (int)
label: dad_vl418
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,739	0	0 No
	47	1	1 Yes

3 .
126 .d
309 .r

lm2b_1c_s15

Recall of Story 2 Points 15 and robbed

type: numeric (int)
label: dad_vl419

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,314	0	0 No
	472	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s16

Recall of Story 2 Points 16 of two hundred and fifty rupees.

type: numeric (int)
label: dad_vl420

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,278	0	0 No
	508	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s17

Recall of Story 2 Points 17 She had four

type: numeric (int)
label: dad_vl421

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,394	0	0 No
	392	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s18

Recall of Story 2 Points 18 small children

type: numeric (int)
label: dad_vl422

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

```

tabulation: Freq.   Numeric   Label
            2,318       0    0 No
            468        1    1 Yes
            3           .
            126        .d
            309        .r

```

lm2b_1c_s19

Recall of Story 2 Points 19 the rent was due

```

type: numeric (int)
label: dad_vl423

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,658       0    0 No
            128        1    1 Yes
            3           .
            126        .d
            309        .r

```

lm2b_1c_s20

Recall of Story 2 Points 20 and they had not eaten

```

type: numeric (int)
label: dad_vl424

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,590       0    0 No
            196        1    1 Yes
            3           .
            126        .d
            309        .r

```

lm2b_1c_s21

Recall of Story 2 Points 21 for two days.

```

type: numeric (int)
label: dad_vl425

range: [0,1]          units: 1
unique values: 2      missing .: 3/3,224
unique mv codes: 3    missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,682       0    0 No
            104        1    1 Yes
            3           .
            126        .d
            309        .r

```

lm2b_1c_s22

Recall of Story 2 Points 22 The police,

```

type: numeric (int)
label: dad_vl426

```

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,055	0	0 No
	731	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s23 Recall of Story 2 Points 23 touched by the womans story

type: numeric (int)
label: dad_vl427

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,449	0	0 No
	337	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s24 Recall of Story 2 Points 24 took up a collection

type: numeric (int)
label: dad_vl428

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,205	0	0 No
	581	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s25 Recall of Story 2 Points 25 for her

type: numeric (int)
label: dad_vl429

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,417	0	0 No
	369	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s101 Recall of Story 2 Points 101 Manju

```

type: numeric (int)
label: dad_vl430

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,657       0       0 No
            129         1       1 Yes
              3         .
            126         .d
            309         .r

```

lm2b_1c_s102 Recall of Story 2 Points 102 Rani

```

type: numeric (int)
label: dad_vl431

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,699       0       0 No
              87         1       1 Yes
              3         .
            126         .d
            309         .r

```

lm2b_1c_s103 Recall of Story 2 Points 103 From East

```

type: numeric (int)
label: dad_vl432

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,771       0       0 No
              15         1       1 Yes
              3         .
            126         .d
            309         .r

```

lm2b_1c_s104 Recall of Story 2 Points 104 Delhi

```

type: numeric (int)
label: dad_vl433

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

```

```

tabulation: Freq.   Numeric   Label
            2,760       0       0 No
              26         1       1 Yes
              3         .
            126         .d
            309         .r

```

lm2b_1c_s105 Recall of Story 2 Points 105 employed

type: numeric (int)
label: dad_v1434

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,698 0 0 No
88 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s106 Recall of Story 2 Points 106 as a cook

type: numeric (int)
label: dad_v1435

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,703 0 0 No
83 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s107 Recall of Story 2 Points 107 in a school

type: numeric (int)
label: dad_v1436

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,756 0 0 No
30 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s108 Recall of Story 2 Points 108 canteen

type: numeric (int)
label: dad_v1437

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,741 0 0 No

45 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s109

Recall of Story 2 Points 109 reported

type: numeric (int)
label: dad_vl438

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,712 0 0 No
74 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s110

Recall of Story 2 Points 110 at the police

type: numeric (int)
label: dad_vl439

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,724 0 0 No
62 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s111

Recall of Story 2 Points 111 station

type: numeric (int)
label: dad_vl440

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation: Freq. Numeric Label
2,774 0 0 No
12 1 1 Yes
3 .
126 .d
309 .r

lm2b_1c_s112

Recall of Story 2 Points 112 that she had been held up

type: numeric (int)
label: dad_vl441

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224

unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,767	0	0 No
	19	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s113 Recall of Story 2 Points 113 at Ramnagar Junction

type: numeric (int)
label: dad_vl442

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,702	0	0 No
	84	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s114 Recall of Story 2 Points 114 the night before

type: numeric (int)
label: dad_vl443

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,772	0	0 No
	14	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s115 Recall of Story 2 Points 115 and robbed

type: numeric (int)
label: dad_vl444

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,629	0	0 No
	157	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s116 Recall of Story 2 Points 116 of two hundred and fifty rupees.

type: numeric (int)

label: dad_vl445
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,599	0	0 No
	187	1	1 Yes
	3	.	
	126	.d	
	309	.r	

lm2b_1c_s117

Recall of Story 2 Points 117 She had four

type: numeric (int)
label: dad_vl446

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,634	0	0 No
	152	1	1 Yes
	3	.	
	126	.d	
	309	.r	

lm2b_1c_s118

Recall of Story 2 Points 118 small children

type: numeric (int)
label: dad_vl447

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,584	0	0 No
	202	1	1 Yes
	3	.	
	126	.d	
	309	.r	

lm2b_1c_s119

Recall of Story 2 Points 119 the rent was due

type: numeric (int)
label: dad_vl448

range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,732	0	0 No
	54	1	1 Yes
	3	.	
	126	.d	
	309	.r	

lm2b_1c_s120

Recall of Story 2 Points 120 and they had not eaten

```

type: numeric (int)
label: dad_vl449

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

tabulation: Freq.   Numeric   Label
2,651      0      0 No
135        1      1 Yes
3           .
126        .d
309        .r

```

lm2b_1c_s121

Recall of Story 2 Points 121 for two days.

```

type: numeric (int)
label: dad_vl450

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

tabulation: Freq.   Numeric   Label
2,762      0      0 No
24         1      1 Yes
3           .
126        .d
309        .r

```

lm2b_1c_s122

Recall of Story 2 Points 122 The police,

```

type: numeric (int)
label: dad_vl451

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

tabulation: Freq.   Numeric   Label
2,763      0      0 No
23         1      1 Yes
3           .
126        .d
309        .r

```

lm2b_1c_s123

Recall of Story 2 Points 123 touched by the womans story

```

type: numeric (int)
label: dad_vl452

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 3/3,224
missing .*: 435/3,224

tabulation: Freq.   Numeric   Label
2,658      0      0 No
128        1      1 Yes
3           .

```

126 .d
309 .r

lm2b_1c_s124

Recall of Story 2 Points 124 took up a collection

type: numeric (int)
label: dad_v1453
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,570	0	0 No
	216	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s125

Recall of Story 2 Points 125 for her

type: numeric (int)
label: dad_v1454
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	2,701	0	0 No
	85	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2b_1c_s97

Recall of Story 2 Points 97 R Cannot remember story

type: numeric (int)
label: dad_v1455
range: [0,1] units: 1
unique values: 2 missing .: 3/3,224
unique mv codes: 3 missing .*: 435/3,224

tabulation:	Freq.	Numeric	Label
	1,470	0	0 No
	1,316	1	1 Yes
	3	.	.
	126	.d	.d
	309	.r	.r

lm2_iwerckpt1

Iwer Checkpoint 1

type: numeric (int)
label: dad_v1509
range: [1,5] units: 1
unique values: 2 missing .: 1,001/3,224
unique mv codes: 3 missing .*: 232/3,224

```

tabulation: Freq.  Numeric  Label
            284      1      1 Yes
            1,707    5      5 No
            1,001    .
            50       .d
            182     .r

```

lm2_iwerckpt2

Iwer Checkpoint 2

```

type: numeric (int)
label: dad_vl510

range: [1,5]          units: 1
unique values: 2      missing .: 73/3,224
unique mv codes: 3    missing .*: 341/3,224

```

```

tabulation: Freq.  Numeric  Label
            408      1      1 Yes
            2,402    5      5 No
            73       .
            114     .d
            227     .r

```

lm2b_2

Womans Name

```

type: numeric (int)
label: dad_vl511

range: [1,5]          units: 1
unique values: 2      missing .: 73/3,224
unique mv codes: 3    missing .*: 579/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,744    1      1 Yes
            828     5      5 No
            73       .
            303     .d
            276     .r

```

rf103_animalsanswers

TOTAL ANIMAL ANSWERS

```

type: numeric (double)

range: [0,90]         units: 1
unique values: 38     missing .: 4/3,224
unique mv codes: 3    missing .*: 96/3,224

```

```

mean: 11.8166
std. dev: 5.04656

```

```

percentiles:      10%      25%      50%      75%      90%
                  6        9        11       14       18

```

rf105_animalnumincorrect

NUMBER OF INCORRECT ANIMAL NAMES GIVEN

```

type: numeric (double)

range: [0,16]         units: 1
unique values: 11     missing .: 4/3,224
unique mv codes: 4    missing .*: 168/3,224

```

```

tabulation: Freq. Value
            2,797 0
              156 1
                66 2
                 19 3
                  6 4
                   3 5
                    1 6
                    1 7
                    1 12
                    1 15
                    1 16
                    4 .
                    9 .d
                   84 .e
                   75 .r

```

rf_repeatanswers

Total repeated Animals

```

type: numeric (double)

range: [0,25]          units: 1
unique values: 15      missing .: 4/3,224
unique mv codes: 3     missing .*: 86/3,224

```

```

tabulation: Freq. Value
            1,641 0
              667 1
              405 2
              216 3
              103 4
               44 5
               31 6
               10 7
                3 8
                4 9
                4 10
                1 14
                3 15
                1 19
                1 25
                4 .
                9 .d
               77 .r

```

rf106_animalproblems

PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS

```

type: string (str3)

unique values: 9          missing "": 105/3,224

```

```

tabulation: Freq. Value
            105 ""
              1 ".d"
              3 ".r"
             37 "1"
              1 "2"
              4 "3"
             15 "4"
             35 "5"
              1 "5-4"
           3,022 "6"

```

```
-----
rf106_animalproblemss1              PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 1 (InterrupOcc60Second)
                                     Interruption
-----
```

```
type: numeric (int)
label: dad_vl52

range: [0,1]          units: 1
unique values: 2      missing .: 105/3,224
unique mv codes: 3    missing .*: 4/3,224
```

tabulation:	Freq.	Numeric	Label
	3,078	0	0 No
	37	1	1 Yes
	105	.	.
	1	.d	.d
	3	.r	.r

```
-----
rf106_animalproblemss3              PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 3
                                     (TechnicalCompterProblem) Technica
-----
```

```
type: numeric (int)
label: dad_vl53

range: [0,1]          units: 1
unique values: 2      missing .: 105/3,224
unique mv codes: 3    missing .*: 4/3,224
```

tabulation:	Freq.	Numeric	Label
	3,111	0	0 No
	4	1	1 Yes
	105	.	.
	1	.d	.d
	3	.r	.r

```
-----
rf106_animalproblemss4              PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 4
                                     (RDidNotUnderstand) R did not unde
-----
```

```
type: numeric (int)
label: dad_vl54

range: [0,1]          units: 1
unique values: 2      missing .: 105/3,224
unique mv codes: 3    missing .*: 4/3,224
```

tabulation:	Freq.	Numeric	Label
	3,099	0	0 No
	16	1	1 Yes
	105	.	.
	1	.d	.d
	3	.r	.r

```
-----
rf106_animalproblemss5              PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 5
                                     (OthProblem_PleaseSpecify) Other p
-----
```

```
type: numeric (int)
label: dad_vl55

range: [0,1]          units: 1
unique values: 2      missing .: 105/3,224
unique mv codes: 3    missing .*: 4/3,224
```

```

tabulation: Freq.  Numeric  Label
            3,079      0      0 No
            36         1      1 Yes
            105         .
            1          .d
            3          .r

```

```

-----
rf106_animalproblemss6                                PROBLEMS THAT OCCURRED WHILE NAMING ANIMALS 6
                                                       (NoProblemsOccurred) No problems o
-----

```

```

type: numeric (int)
label: dad_v156

range: [0,1]                                units: 1
unique values: 2                            missing .: 105/3,224
unique mv codes: 3                          missing .*: 4/3,224

```

```

tabulation: Freq.  Numeric  Label
            93         0      0 No
            3,022      1      1 Yes
            105         .
            1          .d
            3          .r

```

```

-----
cpr_intro                                             CPR Introduction
-----

```

```

type: numeric (int)
label: dad_v1374

range: [1,97]                                units: 1
unique values: 2                            missing .: 4/3,224
unique mv codes: 3                          missing .*: 294/3,224

```

```

tabulation: Freq.  Numeric  Label
            2,401      1      1 Continue
            525        97     97 Respondent cannot remember
                               any of the 4 shapes
            4          .
            55         .d
            239        .r

```

```

-----
cpr_circle                                           CPR - Circular Shape
-----

```

```

type: numeric (int)
label: dad_v11011

range: [1,97]                                units: 1
unique values: 3                            missing .: 427/3,224
unique mv codes: 3                          missing .*: 199/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,712      1      1 Drew a figure
            774        2      2 Did not draw
            112        97     97 Respondent cannot draw
            427         .
            71         .d
            128        .r

```

```

-----
rdc001                                               CPR - Circular shape - Respondent
-----

```

```

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 221/3,224

```

```

tabulation: Freq. Numeric Label
1,519 1 Drew correctly
1,484 2 Did not draw
52 .b
149 .m
20 .x

```

rdc002

CPR - Closed circle - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 221/3,224

```

```

tabulation: Freq. Numeric Label
1,513 1 Drew correctly
1,490 2 Did not draw
52 .b
149 .m
20 .x

```

cpr_diamond

CPR - Diamond shape

```

type: numeric (int)
label: dad_vl1012

range: [1,97] units: 1
unique values: 3 missing .: 427/3,224
unique mv codes: 3 missing .*: 220/3,224

```

```

tabulation: Freq. Numeric Label
1,278 1 1 Drew a figure
1,154 2 2 Did not draw
145 97 97 Respondent cannot draw
427 .
82 .d
138 .r

```

rdd001

CPR - Diamond draw 4 sides - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 221/3,224

```

```

tabulation: Freq. Numeric Label
807 1 Drew correctly
2,196 2 Did not draw
52 .b
149 .m

```


20 .x

rdd002

CPR- Diamond close 4 angles - Respondent

```
-----  
type: numeric (int)  
label: drawing_label  
  
range: [1,2] units: 1  
unique values: 2 missing .: 0/3,224  
unique mv codes: 3 missing .*: 221/3,224  
  
tabulation: Freq. Numeric Label  
740 1 Drew correctly  
2,263 2 Did not draw  
52 .b  
149 .m  
20 .x
```

rdd003

CPR - Diamond sides equal length - Respondent

```
-----  
type: numeric (int)  
label: drawing_label  
  
range: [1,2] units: 1  
unique values: 2 missing .: 0/3,224  
unique mv codes: 3 missing .*: 221/3,224  
  
tabulation: Freq. Numeric Label  
646 1 Drew correctly  
2,357 2 Did not draw  
52 .b  
149 .m  
20 .x
```

cpr_rectangle

CPR - rectangle Shape

```
-----  
type: numeric (int)  
label: dad_vl1013  
  
range: [1,97] units: 1  
unique values: 3 missing .: 427/3,224  
unique mv codes: 3 missing .*: 214/3,224  
  
tabulation: Freq. Numeric Label  
1,632 1 1 Drew a figure  
812 2 2 Did not draw  
139 97 97 Respondent cannot draw  
427 .  
77 .d  
137 .r
```

rdr001

CPR - Rectangle both 4-Sided - Respondent

```
-----  
type: numeric (int)  
label: drawing_label  
  
range: [1,2] units: 1  
unique values: 2 missing .: 0/3,224  
unique mv codes: 3 missing .*: 221/3,224
```

```

tabulation: Freq.  Numeric  Label
            1,050      1  Drew correctly
            1,953      2  Did not draw
             52        .b
            149        .m
             20        .x

```

rdr002

CPR - Rectangle overlaps - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2      missing .: 0/3,224
unique mv codes: 3    missing .*: 221/3,224

```

```

tabulation: Freq.  Numeric  Label
            809      1  Drew correctly
           2,194      2  Did not draw
             52        .b
            149        .m
             20        .x

```

cpr_cube

CPR - Cube Shape

```

type: numeric (int)
label: dad_vl1014

range: [1,97]        units: 1
unique values: 3      missing .: 427/3,224
unique mv codes: 3    missing .*: 226/3,224

```

```

tabulation: Freq.  Numeric  Label
           1,191      1  1 Drew a figure
           1,196      2  2 Did not draw
             184      97  97 Respondent cannot draw
             427        .
              84        .d
             142        .r

```

rce001

CPR - Cube 3D - Respondent

```

type: numeric (int)
label: drawing_label

range: [1,2]          units: 1
unique values: 2      missing .: 0/3,224
unique mv codes: 3    missing .*: 221/3,224

```

```

tabulation: Freq.  Numeric  Label
            224      1  Drew correctly
           2,779      2  Did not draw
             52        .b
            149        .m
             20        .x

```

rce002

CPR - Cube face correct oriented - Respondent

```

type: numeric (int)
label: drawing_label

```

range: [1,2] units: 1
 unique values: 2 missing .: 0/3,224
 unique mv codes: 3 missing .*: 221/3,224

tabulation:	Freq.	Numeric	Label
	202	1	Drew correctly
	2,801	2	Did not draw
	52	.b	
	149	.m	
	20	.x	

 rce003

CPR - Cube internal lines - Respondent

type: numeric (int)
 label: drawing_label

range: [1,2] units: 1
 unique values: 2 missing .: 0/3,224
 unique mv codes: 3 missing .*: 221/3,224

tabulation:	Freq.	Numeric	Label
	116	1	Drew correctly
	2,887	2	Did not draw
	52	.b	
	149	.m	
	20	.x	

 rce004

CPR - Cube parallel sides - Respondent

type: numeric (int)
 label: drawing_label

range: [1,2] units: 1
 unique values: 2 missing .: 0/3,224
 unique mv codes: 3 missing .*: 221/3,224

tabulation:	Freq.	Numeric	Label
	165	1	Drew correctly
	2,838	2	Did not draw
	52	.b	
	149	.m	
	20	.x	

 cd1

CLOCK DRAWING

type: string (str5), but longest is str3

unique values: 7 missing "": 4/3,224

tabulation:	Freq.	Value
	4	" "
	134	".d"
	329	".r"
	1,765	"1"
	3	"1-2"
	671	"2"
	2	"2-1"
	316	"97"

 cd1s1

CLOCK DRAWING 1 Drew the clock

type: numeric (int)
label: dad_vl1015

range: [0,1] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 463/3,224

tabulation:	Freq.	Numeric	Label
	987	0	0 No
	1,770	1	1 Yes
	4	.	.
	134	.d	.d
	329	.r	.r

cd1s2

CLOCK DRAWING 2 Did not draw

type: numeric (int)
label: dad_vl1016

range: [0,1] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 463/3,224

tabulation:	Freq.	Numeric	Label
	2,081	0	0 No
	676	1	1 Yes
	4	.	.
	134	.d	.d
	329	.r	.r

cd1s97

CLOCK DRAWING 97 Respondent cannot draw

type: numeric (int)
label: dad_vl1017

range: [0,1] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 463/3,224

tabulation:	Freq.	Numeric	Label
	2,441	0	0 No
	316	1	1 Yes
	4	.	.
	134	.d	.d
	329	.r	.r

ck001

Clock - Closed circle

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 334/3,224

tabulation:	Freq.	Numeric	Label
	1,593	1	Drew correctly
	1,297	2	Did not draw
	168	.b	.b
	146	.m	.m

20 .x

ck002

Clock - Numbers placed correctly

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 334/3,224

tabulation: Freq. Numeric Label
 477 1 Drew correctly
 2,413 2 Did not draw
 168 .b
 146 .m
 20 .x

ck003

Clock - Two clock hands

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 334/3,224

tabulation: Freq. Numeric Label
 863 1 Drew correctly
 2,027 2 Did not draw
 168 .b
 146 .m
 20 .x

ck004

Clock - Correct time

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 334/3,224

tabulation: Freq. Numeric Label
 545 1 Drew correctly
 2,345 2 Did not draw
 168 .b
 146 .m
 20 .x

ck005

Clock - Hr and min hands diff length

type: numeric (int)
label: drawing_label

range: [1,2] units: 1
unique values: 2 missing .: 0/3,224
unique mv codes: 3 missing .*: 334/3,224

tabulation: Freq. Numeric Label

```

      402      1  Drew correctly
    2,488      2  Did not draw
      168      .b
      146      .m
      20       .x

```

ef100b

Palm-up Palm-down

```

      type: numeric (int)
      label: dad_v1966, but 1 nonmissing value is not labeled

      range: [1,97]                units: 1
unique values: 4                    missing .: 1,590/3,224
unique mv codes: 3                  missing .*: 33/3,224

```

```

      tabulation: Freq.  Numeric  Label
                  155         1  1 Correctly repeated 1-4
                  1,377       2  movements
                  24          5  5 Incorrect or did not repeat
                  45          97  97 Not assessed
1,590            .
                  4           .d
                  29          .r

```

ef101b

Clenched Extended Hand movements

```

      type: numeric (int)
      label: dad_v1967, but 1 nonmissing value is not labeled

      range: [1,97]                units: 1
unique values: 4                    missing .: 1,590/3,224
unique mv codes: 3                  missing .*: 37/3,224

```

```

      tabulation: Freq.  Numeric  Label
                  171         1  1 Correctly repeated 1-4
                  1,318       2  movements
                  65          5  5 Incorrect or did not repeat
                  43          97  97 Not assessed
1,590            .
                  5           .d
                  32          .r

```

ef102b

fist-side-palm

```

      type: numeric (int)
      label: dad_v1968, but 1 nonmissing value is not labeled

      range: [1,97]                units: 1
unique values: 4                    missing .: 1,590/3,224
unique mv codes: 3                  missing .*: 40/3,224

```

```

      tabulation: Freq.  Numeric  Label
                  619         1  1 Correctly repeated 1-4
                  425         2  movements
                  491         5  5 Incorrect or did not repeat
                  59          97  97 Not assessed
1,590            .
                  5           .d

```

ef103aTouch a circle

```

      type: numeric (int)
      label: dad_vl969

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,590/3,224
      unique mv codes: 3            missing .*: 68/3,224

      tabulation: Freq.  Numeric  Label
                  1,419      1    1 Correct
                   86        5    5 Incorrect
                   61       97   97 Not assessed
                  1,590      .
                   20       .d
                   48       .r

```

ef103bTouch the yellow square

```

      type: numeric (int)
      label: dad_vl970

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,590/3,224
      unique mv codes: 3            missing .*: 60/3,224

      tabulation: Freq.  Numeric  Label
                  1,170      1    1 Correct
                   342      5    5 Incorrect
                   62       97   97 Not assessed
                  1,590      .
                   12       .d
                   48       .r

```

ef103cTouch the large diamond

```

      type: numeric (int)
      label: dad_vl1047

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,590/3,224
      unique mv codes: 3            missing .*: 68/3,224

      tabulation: Freq.  Numeric  Label
                  951        1    1 Correct
                   543      5    5 Incorrect
                   72       97   97 Not assessed
                  1,590      .
                   18       .d
                   50       .r

```

ef103dTouch the black circle then the black diamond

```

      type: numeric (int)
      label: dad_vl1048

      range: [1,97]                units: 1
      unique values: 3              missing .: 1,590/3,224
      unique mv codes: 3            missing .*: 67/3,224

```

```

tabulation: Freq.  Numeric  Label
             803      1      1 Correct
             692      5      5 Incorrect
             72       97     97 Not assessed
1,590      .
             15      .d
             52      .r

```

ef103e Before touching the blue square, touch the yellow square

```

type: numeric (int)
label: dad_vl1049

range: [1,97]          units: 1
unique values: 3        missing .: 1,590/3,224
unique mv codes: 3      missing .*: 66/3,224

```

```

tabulation: Freq.  Numeric  Label
             622      1      1 Correct
             875      5      5 Incorrect
             71       97     97 Not assessed
1,590      .
             15      .d
             51      .r

```

ef103f After tapping the yellow diamond, tap the blue circle

```

type: numeric (int)
label: dad_vl1050

range: [1,97]          units: 1
unique values: 3        missing .: 1,590/3,224
unique mv codes: 3      missing .*: 66/3,224

```

```

tabulation: Freq.  Numeric  Label
             629      1      1 Correct
             872      5      5 Incorrect
             67       97     97 Not assessed
1,590      .
             14      .d
             52      .r

```

ef103g Instead of tapping the yellow square, tap the black circle

```

type: numeric (int)
label: dad_vl1051

range: [1,97]          units: 1
unique values: 3        missing .: 1,590/3,224
unique mv codes: 3      missing .*: 65/3,224

```

```

tabulation: Freq.  Numeric  Label
             887      1      1 Correct
             612      5      5 Incorrect
             70       97     97 Not assessed
1,590      .
             12      .d
             53      .r

```

jp100a Elephant - Monkey

```

type: numeric (int)
label: dad_vl971

range: [1,3] units: 1
unique values: 3 missing .: 1,590/3,224
unique mv codes: 3 missing .*: 203/3,224

```

tabulation:	Freq.	Numeric	Label
	327	1	1 Animals, members of Animal Kingdom
	358	2	2 Have tails
	746	3	3 Answers not pertinent, differences
	1,590	.	
	158	.d	
	45	.r	

jp100b

Rose - Jasmine

```

type: numeric (int)
label: dad_vl972

range: [1,3] units: 1
unique values: 3 missing .: 1,590/3,224
unique mv codes: 3 missing .*: 178/3,224

```

tabulation:	Freq.	Numeric	Label
	630	1	1 Both Flowers
	374	2	2 Both have smell/ have petals
	452	3	3 Answers not pertinent, differences
	1,590	.	
	130	.d	
	48	.r	

jp101a

Lie - .Mistake

```

type: numeric (int)
label: dad_vl973

range: [1,2] units: 1
unique values: 2 missing .: 1,590/3,224
unique mv codes: 3 missing .*: 247/3,224

```

tabulation:	Freq.	Numeric	Label
	303	1	1 Lie is deliberate, Mistake is unintentional
	1,084	2	2 Anything else
	1,590	.	
	196	.d	
	51	.r	

jp101b

River - Pond

```

type: numeric (int)
label: dad_vl974

range: [1,2] units: 1
unique values: 2 missing .: 1,590/3,224
unique mv codes: 3 missing .*: 102/3,224

```

```

tabulation: Freq.  Numeric  Label
            987      1      1 River is flowing water, Pond
            545      2      2 Anything else
1,590      .
            61      .d
            41      .r

```

jp102a 25paise coins will you give me for one Rupee

```

type: numeric (int)
label: dad_v1975

range: [1,2]          units: 1
unique values: 2      missing .: 1,590/3,224
unique mv codes: 3    missing .*: 164/3,224

```

```

tabulation: Freq.  Numeric  Label
            1,226    1      1 Correct
            244     2      2 Incorrect
1,590      .
            111     .d
            53      .r

```

jp102b 25paise coins will you need to make six and half rupees

```

type: numeric (int)
label: dad_v1976

range: [1,2]          units: 1
unique values: 2      missing .: 1,590/3,224
unique mv codes: 3    missing .*: 306/3,224

```

```

tabulation: Freq.  Numeric  Label
            533     1      1 Correct
            795     2      2 Incorrect
1,590      .
            240     .d
            66      .r

```

jp103a find a lost child on road

```

type: numeric (int)
label: dad_v1977

range: [1,3]          units: 1
unique values: 3      missing .: 1,590/3,224
unique mv codes: 3    missing .*: 55/3,224

```

```

tabulation: Freq.  Numeric  Label
            436     1      1 Take the child to Police
            695     2      2 Call neighbors/ ask child
            448     3      3 No clear response
1,590      .
            15      .d
            40      .r

```

ss_1 subtraction from 100

```

type: numeric (int)
label: dad_vl925

range: [1,2] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 338/3,224

```

```

tabulation: Freq. Numeric Label
1,807 1 1 SS_1number
1,075 2 2 R cannot count
4 .
119 .d
219 .r

```

ss_2 2nd time subtraction

```

type: numeric (double)

range: [0,194] units: 1
unique values: 64 missing .: 1,415/3,224
unique mv codes: 3 missing .*: 99/3,224

mean: 83.1819
std. dev: 12.8968

percentiles: 10% 25% 50% 75% 90%
80 84 86 86 87

```

ss_3 3rd time subtraction

```

type: numeric (double)

range: [-90,187] units: 1
unique values: 76 missing .: 1,416/3,224
unique mv codes: 3 missing .*: 163/3,224

mean: 75.2681
std. dev: 13.4444

percentiles: 10% 25% 50% 75% 90%
69 73 79 79 82

```

ss_4 4th time subtraction

```

type: numeric (double)

range: [0,184] units: 1
unique values: 74 missing .: 1,417/3,224
unique mv codes: 3 missing .*: 210/3,224

mean: 67.7833
std. dev: 12.8789

percentiles: 10% 25% 50% 75% 90%
60 63 72 72 76

```

ss_5 5th time subtraction

```

type: numeric (double)

```

```

range: [0,174] units: 1
unique values: 84 missing .: 1,417/3,224
unique mv codes: 3 missing .*: 228/3,224

mean: 60.316
std. dev: 13.4195

percentiles: 10% 25% 50% 75% 90%
              50 55 65 65 71

```

```

ss_lnumber 7 Subtracted from 100

```

```

type: numeric (double)

range: [1,700] units: 1
unique values: 49 missing .: 4/3,224
unique mv codes: 4 missing .*: 1,413/3,224

mean: 91.544
std. dev: 17.8389

percentiles: 10% 25% 50% 75% 90%
              93 93 93 93 93

```

```

ss_score Score of 7s Series

```

```

type: numeric (double)

range: [0,68] units: 1
unique values: 11 missing .: 4/3,224
unique mv codes: 4 missing .*: 1,561/3,224

tabulation: Freq. Value
              74 0
              377 1
              279 2
              266 3
              244 4
              411 5
               4 6
               1 45
               1 53
               1 63
               1 68
               4 .
              17 .d
            1,536 .e
               8 .r

```

```

csidl_elbow CSID1: Elbow

```

```

type: numeric (int)
label: dad_v1258

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 100/3,224

tabulation: Freq. Numeric Label
              2,969 1 1 Correct
              151 5 5 Incorrect

```

4 .
27 .d
73 .r

csid2_hammer

CSID2: Hammer

type: numeric (int)
label: dad_vl259

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 120/3,224

tabulation:	Freq.	Numeric	Label
	2,302	1	1 Correct
	798	5	5 Incorrect
	4	.	
	44	.d	
	76	.r	

csid3_store

CSID3: Store

type: numeric (int)
label: dad_vl260

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 132/3,224

tabulation:	Freq.	Numeric	Label
	2,824	1	1 Correct
	264	5	5 Incorrect
	4	.	
	51	.d	
	81	.r	

csid4_point

CSID4: Point

type: numeric (int)
label: dad_vl261

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 132/3,224

tabulation:	Freq.	Numeric	Label
	2,781	1	1 Correct
	307	5	5 Incorrect
	4	.	
	41	.d	
	91	.r	

rv_al

RAVEN A1

type: numeric (int)
label: dad_vl522

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 344/3,224

tabulation:	Freq.	Numeric	Label
	2,545	1	1 Correct
	331	5	5 Incorrect
	4	.	.
	82	.d	.d
	262	.r	.r

rv_a2

RAVEN A2

type: numeric (int)
label: dad_v1523

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 356/3,224

tabulation:	Freq.	Numeric	Label
	2,561	1	1 Correct
	303	5	5 Incorrect
	4	.	.
	80	.d	.d
	276	.r	.r

rv_a4

RAVEN A4

type: numeric (int)
label: dad_v1524

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 357/3,224

tabulation:	Freq.	Numeric	Label
	2,328	1	1 Correct
	535	5	5 Incorrect
	4	.	.
	80	.d	.d
	277	.r	.r

rv_a5

RAVEN A5

type: numeric (int)
label: dad_v1525

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 363/3,224

tabulation:	Freq.	Numeric	Label
	2,138	1	1 Correct
	719	5	5 Incorrect
	4	.	.
	79	.d	.d
	284	.r	.r

rv_a6

RAVEN A6

type: numeric (int)
label: dad_v1526

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 364/3,224

tabulation:	Freq.	Numeric	Label
	1,648	1	1 Correct
	1,208	5	5 Incorrect
	4	.	
	81	.d	
	283	.r	

rv_a7

RAVEN A7

type: numeric (int)
label: dad_v1527

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 372/3,224

tabulation:	Freq.	Numeric	Label
	871	1	1 Correct
	1,977	5	5 Incorrect
	4	.	
	82	.d	
	290	.r	

rv_a8

RAVEN A8

type: numeric (int)
label: dad_v1528

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 374/3,224

tabulation:	Freq.	Numeric	Label
	1,308	1	1 Correct
	1,538	5	5 Incorrect
	4	.	
	82	.d	
	292	.r	

rv_all

RAVEN A11

type: numeric (int)
label: dad_v1713

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 374/3,224

tabulation:	Freq.	Numeric	Label
	577	1	1 Correct
	2,269	5	5 Incorrect
	4	.	
	81	.d	
	293	.r	

```

-----
      type: numeric (int)
      label: dad_v1714

      range: [1,5]                units: 1
  unique values: 2                missing .: 4/3,224
  unique mv codes: 3             missing .*: 373/3,224

  tabulation: Freq.  Numeric  Label
                489        1  1 Correct
                2,358      5  5 Incorrect
                 4         .
                 79        .d
                294        .r
-----

```

```

-----
      type: numeric (int)
      label: dad_v1715

      range: [1,5]                units: 1
  unique values: 2                missing .: 4/3,224
  unique mv codes: 3             missing .*: 371/3,224

  tabulation: Freq.  Numeric  Label
                2,375      1  1 Correct
                 474      5  5 Incorrect
                 4         .
                 73        .d
                298        .r
-----

```

```

-----
      type: numeric (int)
      label: dad_v1716

      range: [1,5]                units: 1
  unique values: 2                missing .: 4/3,224
  unique mv codes: 3             missing .*: 370/3,224

  tabulation: Freq.  Numeric  Label
                1,288      1  1 Correct
                1,562      5  5 Incorrect
                 4         .
                 74        .d
                296        .r
-----

```

```

-----
      type: numeric (int)
      label: dad_v1717

      range: [1,5]                units: 1
  unique values: 2                missing .: 4/3,224
  unique mv codes: 3             missing .*: 373/3,224

  tabulation: Freq.  Numeric  Label
                1,123      1  1 Correct
                1,724      5  5 Incorrect
                 4         .
-----

```


75 .d
298 .r

rv_b4

RAVEN B4

type: numeric (int)
label: dad_v1718

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 375/3,224

tabulation:	Freq.	Numeric	Label
	1,309	1	1 Correct
	1,536	5	5 Incorrect
	4	.	
	77	.d	
	298	.r	

rv_b5

RAVEN B5

type: numeric (int)
label: dad_v1719

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 373/3,224

tabulation:	Freq.	Numeric	Label
	718	1	1 Correct
	2,129	5	5 Incorrect
	4	.	
	74	.d	
	299	.r	

rv_b6

RAVEN B6

type: numeric (int)
label: dad_v1720

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 374/3,224

tabulation:	Freq.	Numeric	Label
	725	1	1 Correct
	2,121	5	5 Incorrect
	4	.	
	74	.d	
	300	.r	

rv_b8

RAVEN B8

type: numeric (int)
label: dad_v1721

range: [1,5] units: 1
unique values: 2 missing .: 4/3,224
unique mv codes: 3 missing .*: 374/3,224

```

tabulation: Freq.  Numeric  Label
            410      1      1 Correct
            2,436    5      5 Incorrect
             4       .
             74     .d
            300     .r

```

rv_b10

RAVEN B10

```

type: numeric (int)
label: dad_v1722

range: [1,5]          units: 1
unique values: 2      missing .: 4/3,224
unique mv codes: 3    missing .*: 373/3,224

```

```

tabulation: Freq.  Numeric  Label
            618      1      1 Correct
            2,229    5      5 Incorrect
             4       .
             75     .d
            298     .r

```

rv_score

RV Score

```

type: numeric (double)

range: [1,17]        units: 1
unique values: 17    missing .: 4/3,224
unique mv codes: 2    missing .*: 355/3,224

```

```

tabulation: Freq.  Value
            55      1
            71      2
            87      3
           124      4
           186      5
           288      6
           418      7
           433      8
           372      9
           265     10
           217     11
           137     12
            89     13
            57     14
            26     15
            25     16
            15     17
             4      .
           355     .e

```

gl_total

Gl_Total Correct

```

type: numeric (double)

range: [0,10]        units: 1
unique values: 11    missing .: 5/3,224
unique mv codes: 3    missing .*: 163/3,224

```

```

tabulation: Freq.  Value
            234      0

```

```

113 1
135 2
166 3
188 4
298 5
204 6
203 7
237 8
274 9
1,004 10
5 .
17 .d
146 .r

```

```
-----
g2_totalG2_Total Correct
-----
```

```

type: numeric (double)
range: [0,10] units: 1
unique values: 11 missing .: 5/3,224
unique mv codes: 3 missing .*: 183/3,224

```

```

tabulation: Freq. Value
470 0
186 1
213 2
241 3
294 4
277 5
200 6
151 7
184 8
246 9
574 10
5 .
21 .d
162 .r

```

```
-----
bc101_introBC INTRODUCTION TO BACKWARD COUNT
-----
```

```

type: numeric (int)
label: dad_vl62
range: [1,2] units: 1
unique values: 2 missing .: 1,638/3,224
unique mv codes: 3 missing .*: 180/3,224

```

```

tabulation: Freq. Numeric Label
864 1 1 Continue
542 2 2 R can not count
1,638 .
67 .d
113 .r

```

```
-----
bcscoreBC SCORE
-----
```

```

type: numeric (double)
range: [1,189] units: 1
unique values: 90 missing .: 2,363/3,224
unique mv codes: 2 missing .*: 6/3,224

```

```

      mean: 30.1754
      std. dev: 25.3772

percentiles:      10%      25%      50%      75%      90%
                  10       18       25       35       48

```

```

-----
bc102_finalnumber                                BC FINAL NUMBER R REACHED AT 30 SECONDS
-----

```

```

      type: numeric (double)

      range: [0,100]                units: 1
unique values: 70                    missing .: 2,360/3,224
unique mv codes: 3                   missing .*: 6/3,224

      mean: 74.6958
      std. dev: 15.649

percentiles:      10%      25%      50%      75%      90%
                  60       69       78       84       90

```

```

-----
bc103                                            Number of Errors
-----

```

```

      type: numeric (double)

      range: [0,92]                units: 1
unique values: 51                    missing .: 2,360/3,224
unique mv codes: 3                   missing .*: 6/3,224

      mean: 4.76573
      std. dev: 13.1805

percentiles:      10%      25%      50%      75%      90%
                  0       0       0       2       11

```