

Codebook for raw data - Informant

dm_age Informant Age

type: numeric (double)
range: [18,92] units: 1
unique values: 73 missing .: 7/3,191
unique mv codes: 3 missing .*: 8/3,191
mean: 44.5419
std. dev: 16.7378
percentiles: 10% 25% 50% 75% 90%
24 30 41 60 68

dm_gender Informant Gender

type: numeric (int)
label: dad_vl103
range: [1,2] units: 1
unique values: 2 missing .: 7/3,191
unique mv codes: 2 missing .*: 1/3,191
tabulation: Freq. Numeric Label
1,125 1 1 Male
2,058 2 2 Female
7 .
1 .r

dm_educ1 EVER ATTENDED SCHOOL

type: numeric (int)
label: dad_vl729
range: [1,5] units: 1
unique values: 2 missing .: 7/3,191
unique mv codes: 2 missing .*: 2/3,191
tabulation: Freq. Numeric Label
2,464 1 1 Yes
718 5 5 No
7 .
2 .r

dm_educ2 Informant Ed Level

type: numeric (int)
label: dad_vl104, but 9 nonmissing values are not labeled
range: [1,97] units: 1
unique values: 19 missing .: 727/3,191
examples: 3 3 Middle Completed (Standard 8-9)
5 5 Higher Secondary Completed (Standard 12)
8 8 Post-graduate degree or (M.A.,M.Sc.,M.Com.) above (M.Phil, Ph.D.,
Post-Doc) Completed
.

dm_rtr

Informant Rel To Respondent

type: numeric (int)
 label: dad_vl105
 range: [1,15] units: 1
 unique values: 15 missing .: 7/3,191
 unique mv codes: 2 missing .*: 1/3,191

tabulation:	Freq.	Numeric	Label
	982	1	1 Spouse/partner
	515	2	2 Son
	253	3	3 Daughter
	24	4	4 Son-in-law
	699	5	5 Daughter-in-law
	183	6	6 Grandchild
	136	7	7 Parent
	116	8	8 Parent-in-law
	24	9	9 Brother
	21	10	10 Sister
	54	11	11 Grandparent
	80	12	12 Other relative
	1	13	13 Servant
	21	14	14 Friend
	74	15	15 Other, non-relative
	7	.	.
	1	.r	.r

dm_years

Informant Yrs Known Respondent

type: numeric (double)
 range: [1,85] units: 1
 unique values: 75 missing .: 7/3,191
 unique mv codes: 3 missing .*: 8/3,191

mean: 23.6763
 std. dev: 16.3941

percentiles:	10%	25%	50%	75%	90%
	10	10	18	38	50

dm_freq

Informant Freq See Respondent

type: numeric (int)
 label: dad_vl108
 range: [1,97] units: 1
 unique values: 8 missing .: 7/3,191
 unique mv codes: 2 missing .*: 1/3,191

tabulation:	Freq.	Numeric	Label
	2,519	1	1 Lives with Respondent
	547	2	2 Daily
	43	3	3 Several times a week
	18	4	4 Once a week
	22	5	5 One to three times a month
	21	6	6 Less than once a month
	3	7	7 Never
	10	97	97 Other
	7	.	.
	1	.r	.r

dm_care Inf Caregiver for Respondent

type: numeric (int)
label: dad_vl110

range: [1,5] units: 1
unique values: 2 missing .: 8/3,191
unique mv codes: 2 missing .*: 1/3,191

tabulation: Freq. Numeric Label
 2,627 1 1 Yes
 555 5 5 No
 8 .
 1 .r

dm_stroke Resp Diagnosed Stroke

type: numeric (int)
label: dad_vl561

range: [1,5] units: 1
unique values: 2 missing .: 8/3,191
unique mv codes: 3 missing .*: 19/3,191

tabulation: Freq. Numeric Label
 190 1 1 Yes
 2,974 5 5 No
 8 .
 17 .d
 2 .r

dm_park Resp Diagnosed Parkinsons

type: numeric (int)
label: dad_vl562

range: [1,5] units: 1
unique values: 2 missing .: 8/3,191
unique mv codes: 3 missing .*: 20/3,191

tabulation: Freq. Numeric Label
 100 1 1 Yes
 3,063 5 5 No
 8 .
 18 .d
 2 .r

dm_mem Resp Diagnosed Memory Probs

type: numeric (int)
label: dad_vl564

range: [1,5] units: 1
unique values: 2 missing .: 8/3,191
unique mv codes: 3 missing .*: 33/3,191

tabulation: Freq. Numeric Label
 392 1 1 Yes
 2,758 5 5 No
 8 .

31 .d
2 .r

dm_ad

Resp Diagnosed Alheimers

type: numeric (int)
label: dad_v1563

range: [1,5] units: 1
unique values: 2 missing .: 8/3,191
unique mv codes: 3 missing .*: 16/3,191

tabulation:	Freq.	Numeric	Label
	99	1	1 Yes
	3,068	5	5 No
	8	.	.
	14	.d	.d
	2	.r	.r

j1a

Remembering Family, Friends, Dates

type: numeric (int)
label: dad_v1567

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 12/3,191

tabulation:	Freq.	Numeric	Label
	25	1	1 Much Improved
	64	2	2 A Bit Improved
	1,783	3	3 Not much changed
	931	4	4 A Bit Worse
	327	5	5 Much worse
	40	6	6 Does not apply; RName doesnt do activity
	9	.	.
	9	.d	.d
	3	.r	.r

j1score

J1 Score

type: numeric (double)

range: [1,5] units: 1
unique values: 5 missing .: 58/3,191
unique mv codes: 2 missing .*: 3/3,191

tabulation:	Freq.	Value
	25	1
	64	2
	1,783	3
	931	4
	327	5
	58	.
	3	.e

j2a

Remembering Recent Happenings

type: numeric (int)

```

label: dad_v1571

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 18/3,191

```

```

tabulation: Freq. Numeric Label
             27         1 1 Much Improved
             71         2 2 A Bit Improved
            1,814       3 3 Not much changed
             956         4 4 A Bit Worse
             282         5 5 Much worse
             14         6 6 Does not apply; RName doesnt
                    do activity
              9         .
             15         .d
              3         .r

```

j2score

J2 Score

```

type: numeric (double)

range: [1,5] units: 1
unique values: 5 missing .: 41/3,191

```

```

tabulation: Freq. Value
             27 1
             71 2
            1,814 3
             956 4
             282 5
              41 .

```

j3a

Recalling Conversations

```

type: numeric (int)
label: dad_v1732

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 20/3,191

```

```

tabulation: Freq. Numeric Label
             16         1 1 Much Improved
             65         2 2 A Bit Improved
            1,818       3 3 Not much changed
             983         4 4 A Bit Worse
             273         5 5 Much worse
              7         6 6 Does not apply; RName doesnt
                    do activity
              9         .
             16         .d
              4         .r

```

j3score

J3 Score

```

type: numeric (double)

range: [1,5] units: 1
unique values: 5 missing .: 36/3,191

```

```

tabulation: Freq. Value

```

```

    16 1
    65 2
  1,818 3
    983 4
    273 5
    36 .

```

j4a Remembering Address and Telephone

```

    type: numeric (int)
    label: dad_v1736

    range: [1,6]                units: 1
    unique values: 6            missing .: 9/3,191
    unique mv codes: 3          missing .*: 15/3,191

```

```

tabulation: Freq.  Numeric  Label
            16         1     1 Much Improved
            58         2     2 A Bit Improved
          1,743        3     3 Not much changed
            757        4     4 A Bit Worse
            269        5     5 Much worse
            324        6     6 Does not apply; RName doesnt
                                do activity
             9         .
            12         .d
             3         .r

```

j4score J4 Score

```

    type: numeric (double)

    range: [1,5]                units: 1
    unique values: 5            missing .: 334/3,191
    unique mv codes: 2          missing .*: 14/3,191

```

```

tabulation: Freq.  Value
            16     1
            58     2
          1,743     3
            757     4
            269     5
            334     .
            14     .e

```

j5a Remembering Day and Month

```

    type: numeric (int)
    label: dad_v1740

    range: [1,6]                units: 1
    unique values: 6            missing .: 9/3,191
    unique mv codes: 3          missing .*: 17/3,191

```

```

tabulation: Freq.  Numeric  Label
            22         1     1 Much Improved
            64         2     2 A Bit Improved
          1,923        3     3 Not much changed
            776        4     4 A Bit Worse
            300        5     5 Much worse
            80         6     6 Does not apply; RName doesnt
                                do activity

```

9 .
14 .d
3 .r

j5score

J5 Score

type: numeric (double)
range: [1,5] units: 1
unique values: 5 missing .: 105/3,191
unique mv codes: 2 missing .*: 1/3,191

tabulation: Freq. Value
22 1
64 2
1,923 3
776 4
300 5
105 .
1 .e

j6a

Remembering Where Things Are Kept

type: numeric (int)
label: dad_v1744
range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 14/3,191

tabulation: Freq. Numeric Label
10 1 1 Much Improved
46 2 2 A Bit Improved
1,679 3 3 Not much changed
1,072 4 4 A Bit Worse
329 5 5 Much worse
32 6 6 Does not apply; RName doesnt
do activity
9 .
11 .d
3 .r

j6score

J6 Score

type: numeric (double)
range: [1,5] units: 1
unique values: 5 missing .: 53/3,191
unique mv codes: 2 missing .*: 2/3,191

tabulation: Freq. Value
10 1
46 2
1,679 3
1,072 4
329 5
53 .
2 .e

j7a

Remembering Where to Find Things

```

type: numeric (int)
label: dad_v1748

range: [1,6]                units: 1
unique values: 6            missing .: 9/3,191
unique mv codes: 3          missing .*: 18/3,191

```

```

tabulation: Freq.  Numeric  Label
             9         1    1 Much Improved
             47        2    2 A Bit Improved
            1,513       3    3 Not much changed
            1,198       4    4 A Bit Worse
             365        5    5 Much worse
              32        6    6 Does not apply; RName doesnt
                    do activity
              9         .
             15         .d
              3         .r

```

j7score

J7 Score

```

type: numeric (double)

range: [1,5]                units: 1
unique values: 5            missing .: 58/3,191
unique mv codes: 2          missing .*: 1/3,191

```

```

tabulation: Freq.  Value
             9         1
             47        2
            1,513       3
            1,198       4
             365        5
              58         .
               1        .e

```

j8a

Knowing How to Work Machines

```

type: numeric (int)
label: dad_v1752

range: [1,6]                units: 1
unique values: 6            missing .: 9/3,191
unique mv codes: 3          missing .*: 29/3,191

```

```

tabulation: Freq.  Numeric  Label
             22         1    1 Much Improved
             72         2    2 A Bit Improved
            1,666       3    3 Not much changed
             594        4    4 A Bit Worse
             228        5    5 Much worse
             571        6    6 Does not apply; RName doesnt
                    do activity
              9         .
             26         .d
              3         .r

```

j8score

J8 Score

```

type: numeric (double)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 585/3,191
unique mv codes: 2 missing .*: 24/3,191

```

```

tabulation: Freq. Value
             22 1
             72 2
            1,666 3
             594 4
             228 5
             585 .
             24 .e

```

j9a

Learning to Use a New Gadget

```

type: numeric (int)
label: dad_vl756

```

```

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 35/3,191

```

```

tabulation: Freq. Numeric Label
             31 1 1 Much Improved
            102 2 2 A Bit Improved
           1,224 3 3 Not much changed
            608 4 4 A Bit Worse
            235 5 5 Much worse
            947 6 6 Does not apply; RName doesnt
                do activity
             9 .
            31 .d
             4 .r

```

j9score

J9 Score

```

type: numeric (double)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 977/3,191
unique mv codes: 2 missing .*: 14/3,191

```

```

tabulation: Freq. Value
             31 1
            102 2
           1,224 3
            608 4
            235 5
            977 .
            14 .e

```

j10a

Learning New Things

```

type: numeric (int)
label: dad_vl760

```

```

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 33/3,191

```

```

tabulation: Freq. Numeric Label
             33 1 1 Much Improved

```

```

150      2 2 A Bit Improved
1,335    3 3 Not much changed
808      4 4 A Bit Worse
375      5 5 Much worse
448      6 6 Does not apply; RName doesnt
          do activity
9        .
30       .d
3        .r

```

j10score

J10 Score

```

type: numeric (double)

range: [1,5]          units: 1
unique values: 5      missing .: 488/3,191
unique mv codes: 2    missing .*: 2/3,191

```

```

tabulation: Freq. Value
             33  1
             150  2
            1,335  3
             808  4
             375  5
             488  .
              2  .e

```

j11a

Following a Story in Book or on TV

```

type: numeric (int)
label: dad_v1764

range: [1,6]          units: 1
unique values: 6      missing .: 9/3,191
unique mv codes: 3    missing .*: 21/3,191

```

```

tabulation: Freq. Numeric Label
             30      1 1 Much Improved
             107     2 2 A Bit Improved
            1,852     3 3 Not much changed
             500     4 4 A Bit Worse
             218     5 5 Much worse
             454     6 6 Does not apply; RName doesnt
                   do activity
              9      .
             18     .d
              3     .r

```

j11score

J11 Score

```

type: numeric (double)

range: [1,5]          units: 1
unique values: 5      missing .: 474/3,191
unique mv codes: 2    missing .*: 10/3,191

```

```

tabulation: Freq. Value
             30  1
             107  2
            1,852  3
             500  4
             218  5

```

474 .
10 .e

j12a Making Everyday Decisions

type: numeric (int)
label: dad_v1768

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 18/3,191

tabulation:	Freq.	Numeric	Label
	21	1	1 Much Improved
	81	2	2 A Bit Improved
	1,832	3	3 Not much changed
	668	4	4 A Bit Worse
	312	5	5 Much worse
	250	6	6 Does not apply; RName doesnt do activity
	9	.	
	15	.d	
	3	.r	

j12score J12 Score

type: numeric (double)

range: [1,5] units: 1
unique values: 5 missing .: 267/3,191
unique mv codes: 2 missing .*: 10/3,191

tabulation:	Freq.	Value
	21	1
	81	2
	1,832	3
	668	4
	312	5
	267	.
	10	.e

j13a Handling Money for Shopping

type: numeric (int)
label: dad_v1772

range: [1,6] units: 1
unique values: 6 missing .: 9/3,191
unique mv codes: 3 missing .*: 15/3,191

tabulation:	Freq.	Numeric	Label
	20	1	1 Much Improved
	68	2	2 A Bit Improved
	1,847	3	3 Not much changed
	601	4	4 A Bit Worse
	311	5	5 Much worse
	320	6	6 Does not apply; RName doesnt do activity
	9	.	
	12	.d	
	3	.r	

j13score

J13 Score

type: numeric (double)
range: [1,5] units: 1
unique values: 5 missing .: 337/3,191
unique mv codes: 2 missing .*: 7/3,191
tabulation: Freq. Value
20 1
68 2
1,847 3
601 4
311 5
337 .
7 .e

j14a

Handling Fin Matters with Bank

type: numeric (int)
label: dad_v1776
range: [1,6] units: 1
unique values: 6 missing .: 10/3,191
unique mv codes: 3 missing .*: 17/3,191
tabulation: Freq. Numeric Label
25 1 1 Much Improved
82 2 2 A Bit Improved
1,589 3 3 Not much changed
557 4 4 A Bit Worse
294 5 5 Much worse
617 6 6 Does not apply; RName doesnt
do activity
10 .
14 .d
3 .r

j14score

J14 Score

type: numeric (double)
range: [1,5] units: 1
unique values: 5 missing .: 634/3,191
unique mv codes: 2 missing .*: 10/3,191
tabulation: Freq. Value
25 1
82 2
1,589 3
557 4
294 5
634 .
10 .e

j15a

Handling Everyday Math

type: numeric (int)
label: dad_v1780

```

range: [1,6] units: 1
unique values: 6 missing .: 10/3,191
unique mv codes: 3 missing .*: 23/3,191

```

```

tabulation: Freq. Numeric Label
             19      1  1 Much Improved
             62      2  2 A Bit Improved
            1,830    3  3 Not much changed
             669    4  4 A Bit Worse
             281    5  5 Much worse
             297    6  6 Does not apply; RName doesnt
                    do activity
             10     .
             19     .d
              4     .r

```

```

j15score J15 Score

```

```

type: numeric (double)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 326/3,191
unique mv codes: 2 missing .*: 4/3,191

```

```

tabulation: Freq. Value
             19  1
             62  2
            1,830 3
             669 4
             281 5
             326 .
              4  .e

```

```

j16a Using Intelligence to Reason

```

```

type: numeric (int)
label: dad_v1784

```

```

range: [1,6] units: 1
unique values: 6 missing .: 10/3,191
unique mv codes: 3 missing .*: 18/3,191

```

```

tabulation: Freq. Numeric Label
             20      1  1 Much Improved
             82      2  2 A Bit Improved
            1,998    3  3 Not much changed
             726    4  4 A Bit Worse
             269    5  5 Much worse
             68     6  6 Does not apply; RName doesnt
                    do activity
             10     .
             15     .d
              3     .r

```

```

j16score J16 Score

```

```

type: numeric (double)

```

```

range: [1,5] units: 1
unique values: 5 missing .: 95/3,191
unique mv codes: 2 missing .*: 1/3,191

```

```

tabulation: Freq. Value
             20  1
             82  2
            1,998 3
             726  4
             269  5
              95  .
              1  .e

```

jormscore JORM Score

```

type: numeric (double)

range: [1.125,5]          units: 1.000e-08
unique values: 211       missing .: 10/3,191
unique mv codes: 2       missing .*: 6/3,191

mean: 3.45248
std. dev: .561557

percentiles:    10%    25%    50%    75%    90%
                3     3.0625  3.3125  3.75   4.26667

```

jormrespond JORM Responses Counted

```

type: numeric (double)

range: [1,16]          units: 1
unique values: 16       missing .: 9/3,191
unique mv codes: 2       missing .*: 6/3,191

```

```

tabulation: Freq. Value
             3  1
             2  2
             4  3
             3  4
             9  5
            10  6
            20  7
            24  8
            45  9
            83 10
           111 11
           149 12
           249 13
           384 14
           520 15
          1,560 16
              9  .
              6  .e

```

bl2_2 Ability to Feed Self

```

type: numeric (int)
label: dad_vl112

range: [1,4]          units: 1
unique values: 4       missing .: 10/3,191
unique mv codes: 3     missing .*: 3/3,191

tabulation: Freq.  Numeric  Label
            3,007      1      1 Feeds self without assistance

```

```

      82      2  2 Feeds self with minor
              assistance
      35      3  3 Feeds self with much
              assistance
      54      4  4 Has to be fed
      10      .
       1      .d
       2      .r

```

b12_3

Ability to Use Toilet

```

      type: numeric (int)
      label: dad_vl113, but 1 nonmissing value is not labeled

      range: [1,9]                units: 1
      unique values: 5             missing .: 10/3,191
      unique mv codes: 3          missing .*: 5/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  3,021      1  1 Clean, cares for self at
                        toilet
                   81       2  2 Occasional incontinence, or
                        needs to be reminded
                   51       3  3 Frequent incontinence, or
                        needs much assistance
                   21       4  4 Little or no control
                     2       9
                   10      .
                     2      .d
                     3      .r

```

b12_4

Ability to Dress Self

```

      type: numeric (int)
      label: dad_vl114

      range: [1,4]                units: 1
      unique values: 4             missing .: 10/3,191
      unique mv codes: 3          missing .*: 4/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  2,980      1  1 Unaided
                   124      2  2 Occasionally misplaces
                        buttons, etc., requires minor
                        help
                   33       3  3 Wrong sequences, forgets
                        items, requires much assistance
                   40       4  4 Unable to dress
                   10      .
                     1      .d
                     3      .r

```

act_1

Hrs Spent Watching TV

```

      type: numeric (int)
      label: dad_vl573, but 2 nonmissing values are not labeled

      range: [0,9]                units: 1
      unique values: 9             missing .: 10/3,191
      unique mv codes: 3          missing .*: 19/3,191

```

```

      tabulation: Freq.  Numeric  Label

```



```

528      0 0 None
404      1 1 One half
715      2 2 One
848      3 3 Two to three
181      4 4 Four to six
56       5 5 Seven or more
427      6 6 Never
1        8
2        9
10       .
15       .d
4        .r

```

act_2

Hrs Spent Reading

```

type: numeric (int)
label: dad_vl574, but 1 nonmissing value is not labeled

range: [0,8]                units: 1
unique values: 8            missing .: 10/3,191
unique mv codes: 3         missing .*: 26/3,191

```

```

tabulation: Freq.  Numeric  Label
            956      0 0 None
            397      1 1 One half
            431      2 2 One
            145      3 3 Two to three
             27      4 4 Four to six
              4      5 5 Seven or more
           1,190     6 6 Never
              5      8
             10      .
              21     .d
              5      .r

```

act_5

Hrs Spent Playing Puzzles/GamesHrs Spent Chores/Maint/Gardening

```

type: numeric (int)
label: dad_vl577, but 1 nonmissing value is not labeled

range: [0,8]                units: 1
unique values: 8            missing .: 10/3,191
unique mv codes: 3         missing .*: 16/3,191

```

```

tabulation: Freq.  Numeric  Label
            664      0 0 None
            334      1 1 One half
            608      2 2 One
            781      3 3 Two to three
            250      4 4 Four to six
            132      5 5 Seven or more
            395      6 6 Never
              1      8
             10      .
              11     .d
              5      .r

```

act_7

Hrs Spent Using Computer/Internet

```

type: numeric (int)
label: dad_vl579, but 2 nonmissing values are not labeled

```

```

range: [0,9] units: 1
unique values: 9 missing .: 10/3,191
unique mv codes: 3 missing .*: 18/3,191

```

```

tabulation: Freq. Numeric Label
1,021      0 0 None
           28 1 1 One half
           51 2 2 One
           23 3 3 Two to three
            8 4 4 Four to six
            4 5 5 Seven or more
2,023      6 6 Never
           3 8
           2 9
           10 .
           13 .d
            5 .r

```

act_8

Hrs Spent Taking Naps

```

type: numeric (int)
label: dad_v1580, but 1 nonmissing value is not labeled

```

```

range: [0,8] units: 1
unique values: 8 missing .: 10/3,191
unique mv codes: 3 missing .*: 23/3,191

```

```

tabulation: Freq. Numeric Label
436        0 0 None
409        1 1 One half
1,010      2 2 One
832        3 3 Two to three
180        4 4 Four to six
52         5 5 Seven or more
236        6 6 Never
           3 8
           10 .
           19 .d
            4 .r

```

act_9

Other Activities

```

type: numeric (int)
label: dad_v1581

```

```

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 17/3,191

```

```

tabulation: Freq. Numeric Label
566        1 1 Yes
2,598      5 5 No
           10 .
            9 .d
            8 .r

```

act_9a

Other Activities

```

type: string (str159), but longest is str157

```

```

unique values: 496 missing "": 2,625/3,191

```

```
examples: ""
          ""
          ""
          ""
```

warning: variable has leading, embedded, and trailing blanks

act_10

Prepares Hot Meals

```
      type: numeric (int)
      label: dad_v1791

      range: [1,6]                units: 1
      unique values: 3             missing .: 10/3,191
      unique mv codes: 3           missing .*: 8/3,191

      tabulation: Freq.  Numeric  Label
                  1,215    1      1 Yes
                  1,132    5      5 No
                   826     6      6 Its not customary for RName to
                               do this
                   10     .
                   3      .d
                   5      .r
```

act_11

Number of Days Prepares Hot Meals

```
      type: numeric (double)

      range: [1,7]                units: 1
      unique values: 7             missing .: 1,976/3,191
      unique mv codes: 3           missing .*: 8/3,191

      tabulation: Freq.  Value
                  142    1
                  123    2
                   75    3
                   40    4
                   58    5
                   14    6
                  755    7
                 1,976  .
                   6    .d
                   2    .r
```

act_12

Number of Times Prepares Hot Meals

```
      type: numeric (double)

      range: [1,10]               units: 1
      unique values: 8             missing .: 1,976/3,191
      unique mv codes: 3           missing .*: 10/3,191

      tabulation: Freq.  Value
                  452    1
                  561    2
                  174    3
                   2     4
                   2     5
                   3     6
                   8     7
                   3    10
```

1,976 .
7 .d
3 .r

act_13

Able To Travel on Own

type: numeric (int)
label: dad_v1794

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 9/3,191

tabulation:	Freq.	Numeric	Label
	1,885	1	1 Yes
	1,287	5	5 No
	10	.	.
	6	.d	.d
	3	.r	.r

act_14

Use Public Transit on Own

type: numeric (int)
label: dad_v1795

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 9/3,191

tabulation:	Freq.	Numeric	Label
	1,941	1	1 Yes
	1,231	5	5 No
	10	.	.
	6	.d	.d
	3	.r	.r

act_15

Freq Go To Work/Volunteer

type: numeric (int)
label: dad_v1796, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 10/3,191
unique mv codes: 3 missing .*: 14/3,191

tabulation:	Freq.	Numeric	Label
	496	1	1 Daily
	180	2	2 Several times a week
	149	3	3 Once a week
	160	4	4 Once a month
	493	5	5 Rarely
	1,684	6	6 Never
	4	8	
	1	9	
	10	.	.
	10	.d	.d
	4	.r	.r

act_16

Freq Go To Store/Market

```

type: numeric (int)
label: dad_v1797, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 10/3,191
unique mv codes: 3 missing .*: 13/3,191

```

```

tabulation: Freq. Numeric Label
            417      1 1 Daily
            489      2 2 Several times a week
            434      3 3 Once a week
            208      4 4 Once a month
            560      5 5 Rarely
           1,057      6 6 Never
              2      8
              1      9
              10     .
              8     .d
              5     .r

```

act_17 Store//Mkt: Alone or With Someone

```

type: numeric (int)
label: dad_v1798

range: [1,5] units: 1
unique values: 2 missing .: 1,083/3,191

```

```

tabulation: Freq. Numeric Label
            1,783      1 1 Alone
              325      5 5 With Someone
           1,083      .

```

act_22 Freq Go for Walk

```

type: numeric (int)
label: dad_v1803, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 10/3,191
unique mv codes: 3 missing .*: 14/3,191

```

```

tabulation: Freq. Numeric Label
            927      1 1 Daily
            104      2 2 Several times a week
             65      3 3 Once a week
             26      4 4 Once a month
            300      5 5 Rarely
           1,742      6 6 Never
              1      8
              2      9
              10     .
              9     .d
              5     .r

```

act_23 Walk: Alone or With Someone

```

type: numeric (int)
label: dad_v1804

range: [1,5] units: 1
unique values: 2 missing .: 1,769/3,191

```

unique mv codes: 2 missing .*: 1/3,191

tabulation:	Freq.	Numeric	Label
	1,216	1	1 Alone
	205	5	5 With Someone
	1,769	.	.
	1	.r	.r

act_24

Freq Play Sports/Exercise

type: numeric (int)
label: dad_vl805, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 10/3,191
unique mv codes: 3 missing .*: 16/3,191

tabulation:	Freq.	Numeric	Label
	210	1	1 Daily
	27	2	2 Several times a week
	22	3	3 Once a week
	13	4	4 Once a month
	132	5	5 Rarely
	2,758	6	6 Never
	2	8	
	1	9	
	10	.	.
	11	.d	.d
	5	.r	.r

act_25

Sports/Exercise: Alone or With Someone

type: numeric (int)
label: dad_vl806

range: [1,5] units: 1
unique values: 2 missing .: 2,787/3,191
unique mv codes: 2 missing .*: 1/3,191

tabulation:	Freq.	Numeric	Label
	332	1	1 Alone
	71	5	5 With Someone
	2,787	.	.
	1	.d	.d

act_26

Does Other Activities Outside Home

type: numeric (int)
label: dad_vl808

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 12/3,191

tabulation:	Freq.	Numeric	Label
	457	1	1 Yes
	2,712	5	5 No
	10	.	.
	7	.d	.d
	5	.r	.r

act_26a

Other Activities Outside Home

type: string (str107), but longest is str105
unique values: 412 missing "": 2,734/3,191
examples: ""
 ""
 ""
 ""
warning: variable has embedded and trailing blanks

act_27

Felt Happy

type: numeric (int)
label: dad_vl810, but 2 nonmissing values are not labeled
range: [1,9] units: 1
unique values: 7 missing .: 10/3,191
unique mv codes: 3 missing .*: 42/3,191
tabulation: Freq. Numeric Label
 398 1 1 Not at all
 492 2 2 A little
 1,263 3 3 Somewhat
 688 4 4 Quite a bit
 288 5 5 Very much
 8 8
 2 9
 10 .
 36 .d
 6 .r

act_29

Felt Engaged

type: numeric (int)
label: dad_vl812, but 1 nonmissing value is not labeled
range: [1,8] units: 1
unique values: 6 missing .: 10/3,191
unique mv codes: 3 missing .*: 27/3,191
tabulation: Freq. Numeric Label
 674 1 1 Not at all
 530 2 2 A little
 1,063 3 3 Somewhat
 624 4 4 Quite a bit
 260 5 5 Very much
 3 8
 10 .
 19 .d
 8 .r

act_30

Felt Alert

type: numeric (int)
label: dad_vl813, but 1 nonmissing value is not labeled
range: [1,8] units: 1


```

range: [1,8] units: 1
unique values: 6 missing .: 10/3,191
unique mv codes: 3 missing .*: 37/3,191

```

```

tabulation: Freq. Numeric Label
1,714      1 1 Not at all
472        2 2 A little
555        3 3 Somewhat
259        4 4 Quite a bit
136        5 5 Very much
8          8
10         .
29        .d
8         .r

```

act_38

Change In Daily Activities

```

type: numeric (int)
label: dad_vl821

```

```

range: [1,3] units: 1
unique values: 3 missing .: 10/3,191
unique mv codes: 3 missing .*: 16/3,191

```

```

tabulation: Freq. Numeric Label
1,194      1 1 No change
1,527      2 2 Slowing down
444        3 3 Activities decreased or
           discontinued
10         .
10        .d
6         .r

```

csi_cogact1

Decline in Mental Functioning

```

type: numeric (int)
label: dad_vl582

```

```

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 27/3,191

```

```

tabulation: Freq. Numeric Label
813        1 1 Yes
2,341      5 5 No
10         .
19        .d
8         .r

```

csi_cogact1a_month

Date First Noticed: Month

```

type: numeric (int)
label: dad_vl583

```

```

range: [1,12] units: 1
unique values: 12 missing .: 2,378/3,191
unique mv codes: 3 missing .*: 220/3,191

```

```

tabulation: Freq. Numeric Label
100        1 1 January
48         2 2 February
67         3 3 March

```

```

        69      4  4 April
        43      5  5 May
        52      6  6 June
        36      7  7 July
        59      8  8 August
        28      9  9 September
        36     10 10 October
        30     11 11 November
        25     12 12 December
2,378      .
        217    .d
         3     .r

```

csi_cogactla_year Date First Noticed: Year

```

type: numeric (double)

range: [1978,2018]          units: 1
unique values: 31          missing .: 2,378/3,191
unique mv codes: 3         missing .*: 39/3,191

mean: 2013.26
std. dev: 5.62191

percentiles:      10%      25%      50%      75%      90%
                  2008    2012    2015    2016    2017

```

csi_cogactla_me Calculated Months Elapsed

```

type: numeric (double)

range: [1,478]            units: 1
unique values: 155        missing .: 2,597/3,191
unique mv codes: 2        missing .*: 5/3,191

mean: 59.1154
std. dev: 69.4251

percentiles:      10%      25%      50%      75%      90%
                  10      21      39      67      131

```

csi_cogact1b Pace of Decline

```

type: numeric (int)
label: dad_v1588

range: [1,2]             units: 1
unique values: 2         missing .: 2,378/3,191
unique mv codes: 3       missing .*: 5/3,191

tabulation: Freq.  Numeric  Label
             -----
             676      1      1 Slowly
             132      2      2 Suddenly
             2,378    .
             4        .d
             1        .r

```

csi_cogact1c Progression of Decline

```

type: numeric (int)

```

```

label: dad_v1589

range: [1,2] units: 1
unique values: 2 missing .: 2,378/3,191
unique mv codes: 3 missing .*: 7/3,191

```

```

tabulation: Freq. Numeric Label
             680      1 1 Steady
             126      2 2 Abrupt
            2,378      .
              6      .d
              1      .r

```

csi_cogact2 Difficulty Remembering Things

```

type: numeric (int)
label: dad_v1590

```

```

range: [1,5] units: 1
unique values: 2 missing .: 10/3,191
unique mv codes: 3 missing .*: 30/3,191

```

```

tabulation: Freq. Numeric Label
             671      1 1 Yes
            2,480      5 5 No
              10      .
              21      .d
               9      .r

```

csi_cogact2a Pace of Memory Problems

```

type: numeric (int)
label: dad_v1822

```

```

range: [1,2] units: 1
unique values: 2 missing .: 2,520/3,191
unique mv codes: 2 missing .*: 1/3,191

```

```

tabulation: Freq. Numeric Label
             589      1 1 Slowly
              81      2 2 Suddenly
            2,520      .
               1      .d

```

csi_cogact2b Progression of Memory Problems

```

type: numeric (int)
label: dad_v1823

```

```

range: [1,2] units: 1
unique values: 2 missing .: 2,520/3,191

```

```

tabulation: Freq. Numeric Label
             580      1 1 Steady
              91      2 2 Abrupt
            2,520      .

```

csi_cogact3 Forget Where Put Things

```

type: numeric (int)

```

label: dad_vl824, but 2 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 5 missing .: 10/3,191
 unique mv codes: 3 missing .*: 22/3,191

tabulation:	Freq.	Numeric	Label
	450	1	1 Yes
	1,512	2	2 Sometimes
	1,191	5	5 No
	3	8	
	3	9	
	10	.	
	13	.d	
	9	.r	

 csi_cogact4

Forget Where Things Kept

type: numeric (int)
 label: dad_vl825, but 2 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 5 missing .: 10/3,191
 unique mv codes: 3 missing .*: 26/3,191

tabulation:	Freq.	Numeric	Label
	458	1	1 Yes
	1,463	2	2 Sometimes
	1,227	5	5 No
	6	8	
	1	9	
	10	.	
	17	.d	
	9	.r	

 csi_cogact5

Forget Friends Names

type: numeric (int)
 label: dad_vl826, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 10/3,191
 unique mv codes: 3 missing .*: 44/3,191

tabulation:	Freq.	Numeric	Label
	190	1	1 Yes
	585	2	2 Sometimes
	2,356	5	5 No
	6	8	
	10	.	
	33	.d	
	11	.r	

 csi_cogact6

Forget Family Member Names

type: numeric (int)
 label: dad_vl827, but 1 nonmissing value is not labeled

range: [1,8] units: 1
 unique values: 4 missing .: 10/3,191
 unique mv codes: 3 missing .*: 17/3,191

```

tabulation:  Freq.  Numeric  Label
              97      1      1 Yes
              306     2      2 Sometimes
              2,759   5      5 No
              2       8
              10      .
              9       .d
              8       .r

```

csi_cogact7

Forget in Middle Convo

```

type:  numeric (int)
label:  dad_vl828, but 1 nonmissing value is not labeled

range:  [1,8]                units:  1
unique values:  4            missing .:  10/3,191
unique mv codes: 3           missing .*:  30/3,191

```

```

tabulation:  Freq.  Numeric  Label
              233     1      1 Yes
              861     2      2 Sometimes
              2,052   5      5 No
              5       8
              10      .
              20      .d
              10      .r

```

csi_cogact8

Hard Time Finding Right Words

```

type:  numeric (int)
label:  dad_vl829, but 1 nonmissing value is not labeled

range:  [1,8]                units:  1
unique values:  4            missing .:  10/3,191
unique mv codes: 3           missing .*:  31/3,191

```

```

tabulation:  Freq.  Numeric  Label
              250     1      1 Yes
              731     2      2 Sometimes
              2,168   5      5 No
              1       8
              10      .
              20      .d
              11      .r

```

csi_cogact9

Uses Wrong Word

```

type:  numeric (int)
label:  dad_vl830, but 1 nonmissing value is not labeled

range:  [1,8]                units:  1
unique values:  4            missing .:  10/3,191
unique mv codes: 3           missing .*:  28/3,191

```

```

tabulation:  Freq.  Numeric  Label
              174     1      1 Yes
              537     2      2 Sometimes
              2,439   5      5 No
              3       8
              10      .
              17      .d
              11      .r

```

csi_cogact10

Talks About Past Not Present

type: numeric (int)
label: dad_vl831, but 1 nonmissing value is not labeled

range: [1,8] units: 1
unique values: 4 missing .: 10/3,191
unique mv codes: 3 missing .*: 36/3,191

tabulation:	Freq.	Numeric	Label
	376	1	1 Yes
	1,097	2	2 Sometimes
	1,665	5	5 No
	7	8	
	10	.	
	23	.d	
	13	.r	

csi_cogact11

Forget When Last Saw Inf

type: numeric (int)
label: dad_vl832, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 5 missing .: 10/3,191
unique mv codes: 3 missing .*: 25/3,191

tabulation:	Freq.	Numeric	Label
	149	1	1 Yes
	294	2	2 Sometimes
	2,708	5	5 No
	4	8	
	1	9	
	10	.	
	15	.d	
	10	.r	

csi_cogact12

Forget What Happened Prior Day

type: numeric (int)
label: dad_vl833, but 1 nonmissing value is not labeled

range: [1,8] units: 1
unique values: 4 missing .: 10/3,191
unique mv codes: 3 missing .*: 24/3,191

tabulation:	Freq.	Numeric	Label
	210	1	1 Yes
	516	2	2 Sometimes
	2,427	5	5 No
	4	8	
	10	.	
	15	.d	
	9	.r	

csi_cogact13

Forget Where He/She Is

type: numeric (int)
label: dad_vl834, but 2 nonmissing values are not labeled

```

range: [1,9] units: 1
unique values: 5 missing .: 10/3,191
unique mv codes: 3 missing .*: 17/3,191

```

```

tabulation: Freq. Numeric Label
           93         1 1 Yes
           242        2 2 Sometimes
          2,826        5 5 No
             2         8
             1         9
            10         .
             9         .d
             8         .r

```

-----csi_cogact14 Gets Lost in Community-----

```

type: numeric (int)
label: dad_vl835, but 2 nonmissing values are not labeled

```

```

range: [1,9] units: 1
unique values: 5 missing .: 10/3,191
unique mv codes: 3 missing .*: 38/3,191

```

```

tabulation: Freq. Numeric Label
           161         1 1 Yes
           274         2 2 Sometimes
          2,698        5 5 No
             6         8
             4         9
            10         .
            25         .d
            13         .r

```

-----csi_cogact15 Gets Lost in Own Home-----

```

type: numeric (int)
label: dad_vl836, but 1 nonmissing value is not labeled

```

```

range: [1,9] units: 1
unique values: 4 missing .: 10/3,191
unique mv codes: 3 missing .*: 23/3,191

```

```

tabulation: Freq. Numeric Label
           52         1 1 Yes
           134         2 2 Sometimes
          2,970        5 5 No
             2         9
            10         .
            13         .d
            10         .r

```

-----ten_1 Difficulty HH Chores-----

```

type: numeric (int)
label: dad_vl118, but 2 nonmissing values are not labeled

```

```

range: [1,9] units: 1
unique values: 5 missing .: 10/3,191
unique mv codes: 3 missing .*: 45/3,191

```

```

tabulation: Freq. Numeric Label

```

```

        684      1  1 Yes
        457      2  2 Sometimes
    1,915      5  5 No
         15      8
         65      9
         10      .
         20     .d
         25     .r

```

ten_1a Problem Due To Phys Disability

```

    type: numeric (int)
    label: dad_vl119

    range: [1,5]                units: 1
    unique values: 2             missing .: 2,050/3,191
    unique mv codes: 2           missing .*: 6/3,191

```

```

    tabulation: Freq.  Numeric  Label
                778      1  1 Yes
                357      5  5 No
                2,050    .
                 6      .d

```

ten_2 Loss of Special Skill or Hobby

```

    type: numeric (int)
    label: dad_vl120, but 2 nonmissing values are not labeled

    range: [1,9]                units: 1
    unique values: 4             missing .: 10/3,191
    unique mv codes: 3           missing .*: 32/3,191

```

```

    tabulation: Freq.  Numeric  Label
                1,148    1  1 Yes
                1,817    5  5 No
                 174     8
                 10     9
                 10     .
                 26     .d
                 6      .r

```

ten_3 Change in Handling Money

```

    type: numeric (int)
    label: dad_vl121, but 2 nonmissing values are not labeled

    range: [0,9]                units: 1
    unique values: 5             missing .: 10/3,191
    unique mv codes: 3           missing .*: 20/3,191

```

```

    tabulation: Freq.  Numeric  Label
                1,821    0  0 No difficulty
                 668     1  1 Some difficulty
                 628     2  2 Cannot handle money
                 33      8
                 11      9
                 10     .
                 14     .d
                 6      .r

```


ten_4

Difficulty Daily Routine

```

type: numeric (int)
label: dad_vl122, but 2 nonmissing values are not labeled

range: [1,9]                units: 1
unique values: 5             missing .: 10/3,191
unique mv codes: 3          missing .*: 24/3,191

```

tabulation:	Freq.	Numeric	Label
	407	1	1 Yes
	693	2	2 Sometimes
	2,018	5	5 No
	36	8	
	3	9	
	10	.	
	18	.d	
	6	.r	

ten_5

Change in Ability to Think/Reason

```

type: numeric (int)
label: dad_vl123, but 2 nonmissing values are not labeled

range: [1,9]                units: 1
unique values: 4             missing .: 10/3,191
unique mv codes: 3          missing .*: 27/3,191

```

tabulation:	Freq.	Numeric	Label
	867	1	1 Yes
	2,167	5	5 No
	116	8	
	4	9	
	10	.	
	19	.d	
	8	.r	

bl1_1

Ability to Perform HH Tasks

```

type: numeric (int)
label: dad_vl124

range: [1,3]                units: 1
unique values: 3             missing .: 1,451/3,191
unique mv codes: 3          missing .*: 16/3,191

```

tabulation:	Freq.	Numeric	Label
	739	1	1 No loss
	667	2	2 Some loss
	318	3	3 Severe loss
	1,451	.	
	7	.d	
	9	.r	

bl1_1a

HH Tasks - Physical/Mental/Both

```

type: numeric (int)
label: dad_vl126

range: [1,3]                units: 1

```

unique values: 3 missing .: 2,206/3,191
unique mv codes: 2 missing .*: 5/3,191

tabulation:	Freq.	Numeric	Label
	519	1	1 Physical
	82	2	2 Mental
	379	3	3 Both
	2,206	.	
	5	.d	

b11_2

Ability to Cope with Money

type: numeric (int)
label: dad_v1125

range: [1,3] units: 1
unique values: 3 missing .: 1,451/3,191
unique mv codes: 3 missing .*: 18/3,191

tabulation:	Freq.	Numeric	Label
	1,136	1	1 No loss
	378	2	2 Some loss
	208	3	3 Severe loss
	1,451	.	
	10	.d	
	8	.r	

b11_2a

Coping with Money - Physical/Mental/Both

type: numeric (int)
label: dad_v1127

range: [1,3] units: 1
unique values: 3 missing .: 2,605/3,191
unique mv codes: 2 missing .*: 4/3,191

tabulation:	Freq.	Numeric	Label
	150	1	1 Physical
	105	2	2 Mental
	327	3	3 Both
	2,605	.	
	4	.d	

b11_3

Ability to Remember Lists

type: numeric (int)
label: dad_v1128

range: [1,3] units: 1
unique values: 3 missing .: 1,451/3,191
unique mv codes: 3 missing .*: 40/3,191

tabulation:	Freq.	Numeric	Label
	934	1	1 No loss
	540	2	2 Some loss
	226	3	3 Severe loss
	1,451	.	
	23	.d	
	17	.r	

b11_3a

Remembering Lists - Physical/Mental/Both

```

-----
      type: numeric (int)
      label: dad_vl129

      range: [1,3]                units: 1
      unique values: 3            missing .: 2,425/3,191
      unique mv codes: 2          missing .*: 11/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  200         1  1 Physical
                  192         2  2 Mental
                  363         3  3 Both
                  2,425        .
                  11          .d

```

b11_4

Ability to Find Way in Home

```

-----
      type: numeric (int)
      label: dad_vl130

      range: [1,3]                units: 1
      unique values: 3            missing .: 1,451/3,191
      unique mv codes: 3          missing .*: 14/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  1,333        1  1 No loss
                   287         2  2 Some loss
                   106         3  3 Severe loss
                  1,451        .
                   8          .d
                   6          .r

```

b11_4a

Find Way in Home - Physical/Mental/Both

```

-----
      type: numeric (int)
      label: dad_vl131

      range: [1,3]                units: 1
      unique values: 3            missing .: 2,798/3,191
      unique mv codes: 2          missing .*: 2/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  108         1  1 Physical
                   70         2  2 Mental
                   213         3  3 Both
                  2,798        .
                   2          .d

```

b11_5

Ability to Find Way on Streets

```

-----
      type: numeric (int)
      label: dad_vl132

      range: [1,3]                units: 1
      unique values: 3            missing .: 1,451/3,191
      unique mv codes: 3          missing .*: 13/3,191

```

```

      tabulation: Freq.  Numeric  Label
                  1,342        1  1 No loss
                   286         2  2 Some loss
                   99          3  3 Severe loss

```

1,451 .
5 .d
8 .r

b11_5a

Find Way on Streets - Physical/Mental/Both

type: numeric (int)
label: dad_v1591

range: [1,3] units: 1
unique values: 3 missing .: 2,806/3,191
unique mv codes: 2 missing .*: 1/3,191

tabulation:	Freq.	Numeric	Label
	115	1	1 Physical
	59	2	2 Mental
	210	3	3 Both
	2,806	.	
	1	.d	

b11_6

Ability to Grasp Situation

type: numeric (int)
label: dad_v1592

range: [1,3] units: 1
unique values: 3 missing .: 1,451/3,191
unique mv codes: 3 missing .*: 12/3,191

tabulation:	Freq.	Numeric	Label
	1,162	1	1 No loss
	433	2	2 Some loss
	133	3	3 Severe loss
	1,451	.	
	5	.d	
	7	.r	

b11_6a

Grasp Situation - Physical/Mental/Both

type: numeric (int)
label: dad_v1593

range: [1,3] units: 1
unique values: 3 missing .: 2,625/3,191
unique mv codes: 2 missing .*: 8/3,191

tabulation:	Freq.	Numeric	Label
	151	1	1 Physical
	101	2	2 Mental
	306	3	3 Both
	2,625	.	
	8	.d	

b11_7

Ability to Recall Events

type: numeric (int)
label: dad_v1594

range: [1,3] units: 1
unique values: 3 missing .: 1,451/3,191

unique mv codes: 3 missing .*: 18/3,191

tabulation:	Freq.	Numeric	Label
	1,067	1	1 No loss
	513	2	2 Some loss
	142	3	3 Severe loss
	1,451	.	
	11	.d	
	7	.r	

b11_7a Recall Events - Physical/Mental/Both

type: numeric (int)
label: dad_v1595

range: [1,3] units: 1
unique values: 3 missing .: 2,536/3,191
unique mv codes: 3 missing .*: 7/3,191

tabulation:	Freq.	Numeric	Label
	175	1	1 Physical
	143	2	2 Mental
	330	3	3 Both
	2,536	.	
	6	.d	
	1	.r	

b11_8 Tend to Dwell on Past

type: numeric (int)
label: dad_v1596

range: [1,3] units: 1
unique values: 3 missing .: 1,451/3,191
unique mv codes: 3 missing .*: 35/3,191

tabulation:	Freq.	Numeric	Label
	946	1	1 None
	670	2	2 Sometimes
	89	3	3 Frequently
	1,451	.	
	27	.d	
	8	.r	

b11_8a Dwell on Past - Physical/Mental/Both

type: numeric (int)
label: dad_v1597

range: [1,3] units: 1
unique values: 3 missing .: 2,432/3,191
unique mv codes: 3 missing .*: 18/3,191

tabulation:	Freq.	Numeric	Label
	181	1	1 Physical
	196	2	2 Mental
	364	3	3 Both
	2,432	.	
	17	.d	
	1	.r	